



GRAND CHEROKEE | **Jeep**[®]

*Actual vehicle may vary from the visual above

LIMITED

The Grand Cherokee Limited turns heads with a unique profile that features stunning chrome body trims. For those who want to experience a gracious selection of standard upgrades and available features, welcome.



*Actual vehicle may vary from the visual above



STANDARD

- Pentastar® 3.6 V6 engine
- 8-speed automatic transmission with E-shift
- 7-inch Multi-View Display
- 18-inch polished aluminum wheels
- Alpine® Premium Audio System (9 Speakers)
- Electronic Stability Control (ESC)
- Heated 1st and 2nd row leather-trimmed seats
- Heated steering wheel with paddle shifters
- Infrared Dual-Zone Automatic Temperature Control
- Interior front footwell and center console bin lighting
- Selec-Terrain® Vehicle Management System
- Tinted glass
- Uconnect® 8.4 Touchscreen Navigation Radio/MP3/USB port
- Uconnect® Voice Command
- Keyless Enter 'N Go™
- LED taillamps
- ParkSense® Front and Rear Park Assist
- ParkView® Rear Back-Up Camera with Dynamic Grid Lines
- Power, heated, multifunctioning mirrors
- Power liftgate
- Projector fog lamps
- Quadra-Trac II® Active Full-time 4WD System
- Remote key fobs
- Roof rack with bright side rails
- Bi-Xenon High Intensity Discharge (HID) headlamps, headlamp washers and Signature daytime running lamps
- Leather Interior

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*

Overland®

The Grand Cherokee Overland® exceeds its reputation as one of the world's most luxurious SUVs. It carries the Jeep® brand legend of capability, arriving in a right-sized package, with one of the most beautiful interior designs Grand Cherokee has ever offered.



*Actual vehicle may vary from the visual above



STANDARD

- Pentastar® 3.6 V6 engine
- 8-speed automatic transmission with E-shift
- 7-inch Multi-View Display
- 20-inch polished wheels with Mineral Gray pockets
- Alpine® Premium Audio System (9 Speakers)
- Auto High-Beam Headlamp Control
- CommandView® Dual-Pane Panoramic Sunroof
- ParkSense® Front and Rear Park Assist System
- ParkView® Rear Back-Up Camera with Dynamic Grid Lines
- Dual exhaust
- Electronic Stability Control (ESC)
- Leather-wrapped and stitched instrument panel and armrests
- LED taillamps
- Quadra-Trac II® Active Full-time 4WD System
- Remote key fobs
- Power liftgate
- Rain-sensing wiper system
- Tinted glass
- Projector fog lamps
- Uconnect® 8.4 Touchscreen Navigation Radio/MP3/USB port
- Uconnect® Voice Command
- Bi-Xenon High Intensity Discharge (HID) headlamps, headlamp washers and Signature daytime running lamps
- Heated 1st and 2nd row leather-trimmed seats, ventilated front seats
- Infrared Dual-Zone Automatic Temperature Control
- Leather-wrapped heated steering wheel with wood accents, paddle shifters, and controls for audio, speed, Multi-View Display and Voice Command
- Quadra-Lift® Air Suspension System and Selec-Terrain® Vehicle Management System
- Leather Interior

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*



Lighting

- Bi-Xenon High Intensity Discharge (HID) Headlamps
- Headlamps Washers
- Signature Daytime Running Lamps (DRL)
- Premium Fog Lamps

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*



Quadra-Lift® Air Suspension System

This revolutionary system gives you ultimate control of your suspension by raising your vehicle's ground clearance up to a maximum of 66mm higher than the vehicle's standard ride height. You can also lower it by 38.1mm for easy entry, exit and loading. The system will raise the vehicle from back to front to help keep headlights focused down on the road.

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*

1



2



WHEELS

1. 18-inch Polished Aluminum (Grand Cherokee Limited)
2. 20-inch Polished Aluminum with Mineral Gray Pockets (Grand Cherokee Overland®)

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*



EXTERIOR COLORS

- | | | | |
|----|-------------------------------|----|-------------------------------|
| 1. | Deep Cherry Red Crystal Pearl | 6. | Billet Silver Metallic |
| 2. | Granite Crystal Metallic | 7. | True Blue Pearl |
| 3. | Maximum Steel Metallic | 8. | Bright White |
| 4. | Cashmere Pearl | 9. | Brilliant Black Crystal Pearl |
| 5. | Black Forest Green Pearl | | |

**Actual vehicle may vary from the visual above*

**Vehicle specifications may vary accordingly*

TECHNICAL SPECIFICATIONS

POWERTRAIN

Engine	3.6 with VVT
Displacement (cu in)	3604
Horsepower (KW (HP) @ RPM)	210 (284) @ 6350
Torque (NM @ RPM)	347 @ 4300
Axle Ratio	3.45 : 1
Fuel System	Sequential multipoint, electronic fuel injection

Variable Valve Timing (VVT) — VVT offers increased engine breathing throughout the rpm range by varying the degree that the valves open and close in conjunction with the piston position. Results are tangible: better performance, more efficient operation and increased torque for towing and hauling.

Transmission — Driver-interactive manual control via steering wheel paddle shifters and electronically modulated torque converter clutch.

BODY/SUSPENSION

Body Design

UniFrame construction: body panels and frame members welded and bonded into a single unit.

Suspension

Front: short/long arm (SLA), coil springs, gas-charged, twin-tube coil-over shock absorbers, upper and lower control arms ("A" arms) and stabilizer bar.

Rear: multilink rear suspension, coil springs, twin-tube shocks (including load-leveling for towing), aluminum lower control arm and independent upper links (tension and camber) plus a separate toe link.

Steering

Electro-hydraulic power steering (V6).

Overall Ratio	19.1 : 1
Turns, lock-to-lock	3.67
Turning Diameter (m), curb-to-curb	11.3

EXTERIOR (mm unless otherwise specified)

Wheelbase	2915
Overall Length	4828
Overall Width	1943
Track(front/rear)	1623 / 1627
Height (at roof rail)	1802
Ground Clearance (std./air suspension)	215 / 274
Approach Angle (deg, std./air suspension)	26.0 / 30.4
Breakover Angle (deg, std./air suspension)	18.9 / 23.5
Departure Angle (deg, std./air suspension)	23.9 / 27.7
Water Fording Depth (std./air suspension)	508 / 574

INTERIOR (mm unless otherwise specified, front/rear)

Seating Capacity (adults)	2 / 3
Head Room	1013 / 995
Leg Room	1025 / 981
Shoulder Room	1491 / 1474
Hip Room	1449 / 1428
Cargo Volume (cu m), rear seat up/folded	0.99 / 1.95

**Vehicle specifications may vary accordingly*

CAPACITIES/WEIGHTS (kg unless otherwise specified)

Fuel Tank (L)	93.1
Base Curb Weight, 2WD/4WD	2112 / 2199
Payload Capacity, max/min (with all occupants and cargo)	600 / 475
Gross Vehicle Weight Rating	2949

TOWING DATA (kg, 4x4 and max cooling)

Maximum Trailer Weight Rating	
3.6 V6 Engine	2812

BRAKE SYSTEM

Type: power, single-rate, tandem diaphragm vacuum, ABS

Front: 328 x 30 vented disc

Rear: 320 x 14 disc

Electronic Stability Control (ESC)

4-channel, 4-wheel antilock with active wheel-speed, vehicle-speed, steering wheel angle, yaw-rate and lateral-acceleration sensors, vehicle stability management with 2-stage activation switch, all-speed traction control, Brake Assist, Electronic Roll Mitigation (ERM) and Electronic Brake-force Distribution (EBD).

RESTRICTION: Trailer frontal area limitation of 5.94 sq m; maximum trailer length of 9 meters (Class IV); Trailer Sway Control and low-profile mirrors are recommended. This chart is meant to serve as a quick and easy reference guide on how to properly equip your Jeep® Grand Cherokee for towing. For specific details, discuss your plans with your Jeep dealer, who will help you select the right equipment to meet your specifications.

FEATURE SPECIFICATIONS

ENGINE		LIMITED	OVERLAND®
3.6 Pentastar® V6 VVT		•	•
TRANSMISSION			
8-speed Automatic Transmission with E-shift		•	•
CAPABILITY			
Capless fuel filler door	— Power, locking	•	•
	— Dual rear exhaust with tip	•	•
Quadra-Lift® Air Suspension System	— Features air springs which replace conventional coil springs at each wheel and five modes of lift: Park Mode, Aero Mode, Normal Ride Height, Off-Road I and Off-Road II. Buttons located on right side of Selec-Terrain® control console allow operation of driver-selectable modes	—	•
Selec-Terrain®	— Console dial with five traction control settings (4x4 models only)	•	•
Suspension	— Normal-duty	•	—

(•) = Standard (—) = Not Available

*Vehicle specifications may vary accordingly

EXTERIOR		LIMITED	OVERLAND®
Headlamp Washers		•	•
Liftgate	— Power	•	•
Lighting	— Premium fog lamps	•	•
	— Automatic headlamps	•	•
	— Bi-Xenon HID headlamps	•	•
	— Auto High-Beam Headlamp Control system	•	•
	— Signature LED daytime running headlamps	•	•
Mirrors	— Power folding multifunction with heating element and memory, auto- dimming for driver and passenger, supplemental turn signals, body-color	•	—
	— Power folding multifunction with heating element and memory, auto-dimming for driver and passenger, supplemental turn signals, courtesy lighting, body-color	—	•
Roof Rails	— Bright	•	•
Sunroof	— CommandView® Dual-Pane Panoramic Sunroof; includes full power sunroof with power sunshade in front and fixed glass in the rear	•	•
Wheels	— 18-inch polished aluminum wheels	•	—
	— 20-inch polished wheels with Mineral Gray pockets	—	•
Wiper System	— Front, speed-sensitive, rain-sensing automatic feature, variable/intermittent with one-gallon fluid capacity	•	•
	— Rear, with fixed/intermittent and continuous speeds and washer	•	•

(•) = Standard (–) = Not Available

*Vehicle specifications may vary accordingly

FEATURE SPECIFICATIONS

INTERIOR		LIMITED	OVERLAND®
Seats, Front	— Heated front seats	•	•
	— Power 8-way driver seat and 8-way passenger seat	•	•
Seats, 2nd-Row	— 60/40 folding seat	•	•
	— Heated (premium leather-trimmed seating)	•	•
Memory System	— Radio station presets, last station settings, driver's seat position, exterior mirrors, power tilt/telescoping steering wheel settings for two drivers, actuated from driver's door panel or each unique FOB/K	•	•
Steering	— Leather-wrapped, with audio, speed, EVIC and voice-recognition controls	•	—
	— Wood and leather-wrapped, with audio, speed, and EVIC and voice-recognition controls	—	•
	— Heated steering wheel	•	•
	— Power tilt/telescoping steering column	•	•
Air Conditioning	— Dual-Zone Automatic Temperature Control, includes infrared sensors and rear-seat outlets	•	•
Mirrors	— Rearview, auto-dimming with microphone	•	•

(•) = Standard (—) = Not Available

*Vehicle specifications may vary accordingly

SAFETY		LIMITED	OVERLAND®
Air Bags	— Advanced multistage, driver and Front passenger; inflate with a force appropriate to the severity of the frontal or near-frontal impact	•	•
	— Advanced side-curtain; provides additional protection to front and rear outboard occupants in the event of a rollover	•	•
	— Advanced supplemental front seat-mounted side air bags; provide additional protection in the event of a side-impact collision	•	•
	— Driver inflatable knee bolster	•	•
Electronic Stability Control (ESC)	— Includes vehicle stability management system, Electronic Roll Mitigation, all-speed traction control, Brake Assist and four-channel antilock brake system	•	•
Front Park Assist	— Sensors in front bumper detect obstacles	•	•
ParkSense® Rear Park Assist System	— Sensors in rear bumper detect obstacles; includes shut-off switch	•	•
Parkview® Rear Back-Up Camera	— Rear-mounted camera with display, activated when vehicle is shifted into Reverse; includes ParkSense Rear Park Assist System	•	•
Hill Start Assist	— Prevents vehicle from rolling back for two seconds when starting vehicle on an incline	•	•
Keyless Enter 'N Go™	— Push-button ignition system with proximity entry. Driver can leave the key fob in pocket or purse; the doors are unlocked by touching the exterior door handle. The vehicle will start with a push of a button on the instrument panel when the brake pedal is depressed	•	•

(•) = Standard (–) = Not Available

*Vehicle specifications may vary accordingly







Jeep[®]



#LiveFree

Jeep® Malaysia, No. 13, Jalan Pelukis U1/46,
Temasya Industrial Park, Seksyen U1, 40150, Shah Alam, Selangor
1800 88 JEEP (5337) | www.jeep.my