

Gladiator MY25 Buyers Guide.



Jeep

RUBICON

Engine

3.6 Pentastar V6 with ESS
209kW 347Nm

Transmission

8-Speed Automatic
Four Wheel Drive

4x4 System

Rock-Trac® Active
On-Demand 4x4

Features

(in addition, or replacing Night Eagle):

- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway-Bar Disconnect
- 77.2:1 Crawl Ratio
- Red Tenneco 2" diameter shocks [front/rear]
- Off-Road Plus Mode
- 32" Off-Road Tyres [255/75R17]
- 17" Machined Painted Black Wheels
- Steel Rear Bumper
- Rubicon Hood Decal
- Nappa leather trimmed seats
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel
- Front 12-way power seats (including 4-way lumbar adjustment)

- 12.3-inch Uconnect 5 touchscreen
- Satellite navigation
- Wireless Apple CarPlay and Android Auto
- Wireless Bluetooth speaker
- Black Three-Piece Freedom Hard Top
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 9 Speaker Alpine Premium Audio System
- Parkview Rear Backup Camera
- ParkSense Front/Rear Park Assist System
- Remote Proximity Keyless Entry & Push Button Start
- Trail rails
- Spray-in bedliner



Capability & Performance	Code	Rubicon
Rock-Trac® Active On Demand 4X4 System	DHF	•
Tru-Lok® Front Locking Differential	DSL	•
Tru-Lok® Rear Locking Differential	DSH	•
Rear Stabiliser Bar	SHF	•
Red Tenneco Shocks - Front	SFF	•
Red Tenneco Shocks - Rear	SGF	•
Performance Suspension	SDD	•
Electronic Front Stabiliser Bar Disconnect	SHG	•
Dana M210 Front Axle	DJF	•
Dana M220 Rear Axle	DRF	•
Rear Axle Ratio 4.10	DMF	•
Skid Plate - Fuel Tank	XEE	•
Skid Plate - Transfer Case	XEF	•
Skid Plate - Transmission	XE9	•
Black Injection Molded Front Bumper	MBA	•
Steel Rear Bumper	MD6	•
Wash-Out Interior with Removable Carpet and Drain Plugs	-	•
Safety, Security & Driver Assistance	Code	Rubicon
Electronic Stability Control	BNB	•
Hill Start Assist	BNG	•
Traction Control	BNM	•
Electronic Roll Mitigation	BNS	•
Trailer Sway Control	BNT	•
Heavy Duty 4-Wheel Disk Brakes with ABS	BR2	•
Sport Bar	CLM	•
Remote Keyless Entry	GXM	•
Remote Proximity Keyless Entry	GXD	•
Sentry Key Theft Deterrent System	GXX	•
Security Alarm	LSB	•
6 Airbags (2 front, 2 side, 2 side curtain)	-	•
Parkview Reverse Parking Camera	XAC	•

Safety, Security & Driver Assistance	Code	Rubicon
ParkSense Rear Park Assist System	XAA	•
ParkSense Front Park Assist System	XHU	•
Cruise Control	NHM	•
Adaptive Cruise Control with Stop	NH3	•
Full Speed Forward Collision Warning Plus	LSU	•
Blind Spot Monitoring	XAN	•
Rear Cross Path Detection	-	•
Tyre Pressure Monitoring Display	XGM	•
Performance Suspension	SDD	•
Comfort & Convenience	Code	Rubicon
Automatic Headlamps	LMG	•
Automatic High Beam Headlamps	LMS	•
Automatic Headlamp Leveling System	JKJ	•
Rear View Auto Dim Mirror	GNK	•
Speed Limiting Device	NH2	•
Air Conditioning with Automatic Temperature Control	HAB	•
Speed-Sensitive Power Locks	JPH	•
Power Adjustable, Heated Mirrors	GTB	•
Power Windows	JPY	•
12V Auxiliary Power Outlet	JJJ	•
Tilt/Telescope Steering Column	SUD	•
Torx Tool Kit	XE4	•
Freedom Panel Storage Bag	CS2	•
Rear Window Defroster	GFA	•
Utility	Code	Rubicon
Cargo Area Tie Down Loops	CKT	•
Trail Rail management system	CMD	•
Spray-In Bedliner	XMF	•
Aux Switches (4x Programmable Switches)	LH2	•
240 Amp Alternator	BAL	•
700 Amp Maintenance Battery	BCH	•

Standard (•) Option (○) Not Offered (-) Not Available With (NAW)

Audio & Connectivity	Code	Rubicon
12.3" Uconnect 5 touchscreen with: Bluetooth Phone & Audio AM/FM/DAB+ Radio Wireless Apple CarPlay ⁽²⁾⁽⁴⁾ Wireless Android Auto ⁽³⁾⁽⁴⁾	UUX	•
7.0" Multi-View Driver Information Display	JAL	•
Satellite Navigation	JLN	•
9-Speaker Alpine Premium Audio System including Subwoofer	RC4	•
Steering Wheel Mounted Audio Controls	RDZ	•
Wireless Bluetooth Speakers	RSJ	•
Media Hub (USB, AUX, 12V)	RSF	•
Remote USB Port	RSX	•
Exterior	Code	Rubicon
Alloy Wheels - 17-inch	-	•
Heavy Duty Rock Slider with Step Assist	MMU	•
Grille - Body Colour/ Neutral Grey	MF4	•
Fender Flares - Body Colour	MM3	•
Hard Top - Removable, Black 3-Piece	HT1	•
Hard Top - Removable, Body Colour 3-Piece	HT3	○
Deep Tint Sunscreen Windows #	GCD	•
Removable Full Metal Doors	GCF	•
Fold Down Windscreen	-	•
Front Windshield - Corning® Gorilla® Glass	GMA	•
Exterior Mirrors - Black	LE4	•
Exterior Mirrors - with Supplemental Signals	LEB	•
Headlamps - LED	LPX	•
Fog Lamps - LED	LVN	•
Tail Lamps - LED	LAY	•
Daytime Running Lamp System - LED	LPY	•
Tailgate Mounted Full Size Tyre Carrier	TBR	•
Rubicon Hood Decal	MYA	•
Vented Hood	-	•
Red Trail Rated Badge	MTB	•
Windshield Integrated Stealth Antenna	RDL	•

Interior	Code	Rubicon
Seat - Nappa Leather Trimmed Bucket	*VL	•
Seat - Heated Front	JPM	•
Driver 12-way power seat	JVG	•
Front passenger 12-way power seat	JWG	•
Rear Seat - 60/40 Split Folding	CFN	•
Urethane I/P Bezels	-	•
Bright Interior Accents	XSC	•
Floor Mats - Front & Rear	CLE	•
Steering Wheel - Premium Wrapped	SCJ	•
Steering Wheel - Heated	NHS	•
Leather-Wrapped Shift Knob	CVW	•
Leather-Wrapped Parking Brake Handle	CVP	•
Premium Door Trim Panel	CBF	•
Front Seat Back Map Pockets	CSM	•
Sun Visors w/Illuminated Vanity Mirrors	GND	•
Passenger Assist Handles	CSR	•
Lockable Rear Underseat Storage	CUW	•
LED Interior Lighting	LHA	•

Standard (●) Option (○) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger and rear cargo windows only.

Driver and front passenger windows and windscreen are not tinted.

Group / Option	Code	Comments	Rubicon
Body colour hard top	HT3	Removes HT1 Black 3-Piece Hardtop	O

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WFV - 17-inch Machined
Painted Black Wheels
(Standard)



PW7 - Bright White
(Standard)



PX8 - Black
(Option)



PAU - Granite Crystal
(Option)



PRC - Firecracker Red
(Option)



PBJ - Hydro Blue
(Option)



PDS - Anvil
(option))



PJ5 - 41
(option)



PGE - Mojito
(option)

Rubicon	
Option Code	VLX9
Seat Material	Nappa leather-trimmed
Seat Colour	Black
Instrument Panel	Urethane
Steering Wheel	Premium Wrapped
Exterior Colour	
Bright White (PW7)	●
Black (PX8)	○
Firecracker Red (PRC)	○
Hydro Blue (PBJ)	○
Granite Crystal (PAU)	○
Anvil (PDS)	○
41 (PJ5)	○
Mojito (PGE)	○

Standard (●) Option (○) Not Offered (-)



VLX9 - Black Nappa Leather Trimmed Bucket Seats
(Standard)

Technical Specifications		Rubicon 3.6L 8AT 4x4
Body & Chassis		
Layout		Front Engine, 4x4
Construction		Body on frame chassis, open steel and aluminium body
Assembly Plant		Toledo Supplier Park. Toledo, Ohio. USA.
Doors		4-Door
Seats		5
Powertrain		
Description		3.6L Pentastar V6 w/ ESS
Capacity		3604
Cylinders		6
Configuration		V
Aspiration (Natural / Forced)		Naturally Aspirated
Max. Power (kW @ rpm)		209 @ 6400
Max. Torque (Nm @ rpm)		347 @ 4100
Valves		24
Compression		11:03:01
Bore & Stroke (mm)		96.0 x 83.0
Fuel ⁽¹⁾		
System		Sequential, Multi Port, Electronic, Returnless
Type		Unleaded Petrol
Fuel Tank Capacity (L)		83
Economy (Urban, L/100km)		15.4
Economy (Highway, L/100km)		10.6
Economy (Combined, L/100km)		12.4
Emissions		
Emission Standard Met		5
Emissions (Combined, CO ₂ g/km)		288
Steering		
Type		Electro-Hydraulic Power
Turning Circle - Kerb to Kerb (m)		13.6
Column Adjustment		Tilt/Telescopic

Technical Specifications		Rubicon 3.6L 8AT 4x4
Weights		
Tare Weight (kg)	2,195	
Kerb Mass (kg)	2,242	
Gross Vehicle Mass (kg)	2,935	
Payload (kg) ⁽¹⁰⁾ = GVM - Kerb Mass	693	
Max. Braked Towing Capacity (kg) ⁽⁹⁾	2,721	
Max. Unbraked Towing Capacity (kg)	750	
Max. Tongue Download (kg) ⁽⁵⁾	272	
Gross Combined Mass (kg) Incl. Braked Towing	5,656	
Transmission		
Type	8-Speed Automatic	
Ratio - 1st	4.71	
Ratio - 2nd	3.13	
Ratio - 3rd	2.10	
Ratio - 4th	1.67	
Ratio - 5th	1.28	
Ratio - 6th	1.00	
Ratio - 7th	0.84	
Ratio - 8th	0.67	
Reverse	3.30	
Brakes		
Front - Type	Ventilated disk, floating twin piston caliper with ABS	
Front - Size (mm)	330 x 28	
Rear - Type	Solid disk, floating single piston caliper with ABS	
Rear - Size (mm)	350 x 22	
Wheels & Tyres		
Wheel Type	Alloy	
Wheel Size (Inches)	17.0 x 7.5	
Tyre Size	255 / 75	
Spare Wheel	Under-Vehicle Mounted	

Weights & Capacities		Rubicon 3.6L 8AT 4x4
Dimensions		
Length (mm)		5,591
Width (mm)		1,894
Height (mm)		1,909
Wheelbase (mm)		3,488
Front Track (mm)		1,636
Rear Track (mm)		1,636
Suspension		
Type		Coil
Front		Solid axle, link coil, leading arms, track bar, coil springs, stabilizer bar
Rear		Solid axle, link coil, trailing arms, track bar, coil springs, stabilizer bar
Shocks		High-pressure, gas charged Tenneco monotube shocks
Electronic Stabiliser Bar Disconnect		Front
4x4 Specifics		
4x4 System		Rock-Trac® 4X4 Active On-Demand
Operating Mode		2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low
Low Range Ratio		4.0:1
Rear Axle Ratio		4.10
Front Axle		Dana M210
Rear Axle		Dana M220
Electronic Locking Differentials		Tru-Lock® Front & Rear
Running Clearance (mm)		249
Approach Angle (Degrees)		40.7
Breakover Angle (Degrees)		18.4
Departure Angle (Degrees)		25.1
Wading Depth (mm)		760 ⁽⁶⁾
Service & Warranty		
Service Intervals		12,000km / 12 months
Warranty		5 year / 100,000 km ⁽⁷⁾
Roadside Assist		Lifetime roadside assist when you service through Jeep ⁽⁸⁾

JEEP CAPPED PRICE SERVICING

We've capped the maximum price you'll pay for the first five services based on the standard service intervals for your vehicle.

Petrol: Scheduled servicing due every 12 months or 12,000 km, whichever comes first.

Rubicon	Automatic 3.6L 4x4 Petrol	\$399
---------	---------------------------	-------

JEEP WAVE COMMITMENT



5 YEAR / 100,000KM FACTORY WARRANTY*

Peace of mind with every new vehicle



CAPPED PRICE SERVICING^

Revamped program with more competitive, transparent pricing



LIFETIME ROADSIDE ASSISTANCE~

When you service through Jeep



AFFORDABLE PARTS

Parts prices adjusted, to help reduce the cost of ownership



TECHNICAL SPECIALISTS

Including a team of flying mechanics, ready to travel anywhere in Australia to get you back on the road



CUSTOMER CARE

Dedicated support, with faster response times

AUTHENTIC JEEP ACCESSORIES

When it comes to your Jeep vehicle, not all parts are created equal. All Genuine Jeep accessories fitted at purchase are covered by the same 5-year/100,000km warranty* applied to your Jeep. This means you can personalise your vehicle with complete confidence.



Roof Rack Kit



Tow Bar Kit



Soft Tonneau Cover

* Whichever occurs first. ^ Please see Jeep.com.au ~ When you service through Jeep.



jeep.com.au

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). The GVM must not be exceeded. The Gross Combined Mass (the combined weight of the fully loaded vehicle including tow ball download (when towing) and trailer must also not be exceeded. Please see Owner's Manual for vehicle specifications.