

Grand Cherokee MY23 Buyers Guide.

October 2023



Jeep®

Grand Cherokee

NIGHT EAGLE

Engine

3.6L V6 Petrol: 210 kW 344 Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity ⁽⁶⁾

2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

Features:

- Jeep Quadra-Trac I Active 4x4 System
- 20-inch Alloy Wheels
- Uconnect 5 Navigation with 10.1-inch Touchscreen Display with Apple CarPlay ⁽⁷⁾⁽⁸⁾ and Android Auto ⁽⁸⁾⁽⁹⁾
- Suede & TechnoLeather-Accented Seats
- Heated 8-way power adjustable seats and 4-way power lumbar adjustment for both driver and front passenger
- Heated steering wheel & front seating
- Jeep Connected Services
- Six Speaker Audio System
- Power liftgate with adjustable height settings
- Automatic LED headlamps
- 10.25-Inch Multiview Display cluster
- ParkView Rear Back-up Camera with Front and Rear Park Assist with Stop
- Tyre Pressure Monitoring
- Passive Front Entry/Liftgate with Keyless Go
- Hill Start Assist
- Blind Spot Monitoring with Rear Cross-Path Detection
- Adaptive Cruise Control with Stop and Go
- Active Lane Management
- Pedestrian Automatic Emergency Braking (with cyclist detection)
- Drowsy Driver Detection
- Traffic Sign Recognition
- Intersection Collision Assist

LIMITED

Engine

3.6L V6 Petrol: 210 kW 344 Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity ⁽⁶⁾

2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

Features (in addition to or replacing Night Eagle)

- Jeep Quadra-Trac I Active 4x4 System with Selec-Terrain
- TechnoLeather Seats
- Driver Seat Memory
- Heated first and second-row outboard seating
- Ventilated front seating
- 9 Speaker Alpine Premium Audio System with Active Noise Control
- Integrated Off-Road Camera
- Passive Entry Rear
- 360-Degree Surround View Camera
- Ambient LED Lighting
- Auto High Beam Headlamp Control



5 seat Night Eagle



7 seat Night Eagle



7 seat Limited

Grand Cherokee

OVERLAND

Engine

3.6L V6 Petrol: 210 kW 344 Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity ⁽⁶⁾

2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

5 seat: 9.9

7 seat: 10.6

Features (in addition to or replacing Limited)

- Jeep Quadra Trac II Active 4x4 system with Selec-Terrain and Quadra Lift Air Suspension & Adaptive Damping
- Nappa leather-trimmed seats
- Enhanced multi-colour interior ambient lighting
- Hands-free Power Liftgate
- Proximity wake-up
- Dual-Pane Panoramic Sunroof
- Hill Descent Control
- Dual bright exhaust tips
- Bright sill plates

SUMMIT RESERVE / SUMMIT RESERVE 4xe

Engine

Summit Reserve 4xe (5 Seat) 2.0L PHEV: 280kW 637Nm (combined output)

Summit Reserve (7 Seat) 3.6L V6 Petrol: 210kW 344Nm

Transmission

8-Speed Automatic 4x4

Maximum Towing Capacity ⁽⁶⁾

Summit Reserve 4xe (5 seat): 2,722kg

Summit Reserve (7 seat): 2,813kg

Fuel Consumption⁽¹⁾

Combined (L/100km)

Summit Reserve 4xe (5 seat): 3.2

Summit Reserve (7 seat): 10.6

Features (in addition to or replacing Overland)

- Quilted Palermo leather-trimmed seats
- 12-way power adjustable seats and 4-way power lumbar adjustment with memory for both driver and front passenger
- Driver and front passenger seat massage function
- Berber floor mats
- Deluxe headliner
- Black painted roof
- 21-inch Alloy Wheels
- Premium McIntosh High Performance Audio System with 19 speakers and 950-watt amplifier
- Unique wood appliqué in instrument panel, steering wheel and doors
- Illuminated sill plates
- ParkSense Parallel & Perpendicular Park Assist
- Active Driving Assist System



7 seat Overland



5 seat Summit Reserve 4xe



7 seat Summit Reserve

Grand Cherokee

SPECIFICATIONS

Capability & Performance	Code	Grand Cherokee (5 seat)				Grand Cherokee (7 seat)			
		Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve
3.6L Pentastar V6 Petrol Engine with ESS	ERC	•	•	•	-	•	•	•	•
2.0 4xe Plug-In Hybrid Engine with ESS	ECX	-	-	-	•	-	-	-	-
Heavy Duty Engine Cooling	NMC	•	•	•	•	•	•	•	•
Sport Mode	XG8	•	•	•	•	•	•	•	•
8-Speed Automatic Transmission	DFT	•	•	•	•	•	•	•	•
Quadratrac I® 4x4 System	DHY	•	•	-	-	•	•	-	-
Quadratrac II® 4x4 System	DKA	-	-	•	•	-	-	•	•
Selec-Terrain® Traction Management System	XAB	-	•	•	•	-	•	•	•
Hill Descent Control	BNH	-	-	•	•	-	-	•	•
Quadratrac® Air Suspension	SER	-	-	•	•	-	-	•	•
Semi Active Damping	SMC	-	-	•	•	-	-	•	•
Rear Load Leveling Suspension	SES	•	•	•	•	•	•	•	•
Conventional Differential Rear Axle	DS8	•	•	•	•	•	•	•	•
Conventional Differential Front Axle with Disconnect	DSM	•	•	•	•	•	•	•	•
Four Wheel Traction Control	BNR	•	•	•	•	•	•	•	•
Trailer Hitch Zoom	XNQ	•	•	•	•	•	•	•	•
160 Amp Alternator	BAB	•	-	-	-	•	-	-	-
220 Amp Alternator	BAJ	-	•	-	-	-	•	-	-
240 Amp Alternator	BAL	-	-	•	-	-	-	•	•
650 Amp AGM Battery	BCZ	•	•	-	-	•	•	-	-
700 Amp Maintenance Free Battery	BCV	-	-	•	•	-	-	•	•
Stop-Start Dual Battery System	XHZ	•	•	•	-	•	•	•	•
Auxiliary Battery	BC1	•	•	•	-	•	•	•	•
Battery Charge Indicator	XAT	-	-	-	•	-	-	-	-
Mode 2 PHEV Charge Cable	F1L	-	-	-	•	-	-	-	-
Map-In-Cluster Display	JBA	-	-	-	•	-	-	-	•
Selectable Tyre Fill Alert	LA5	•	•	•	•	•	•	•	•
Tyre Pressure Monitoring Display	XGM	•	•	•	•	•	•	•	•

Standard (•) Option (○) Not Offered (-)

Jeep

Grand Cherokee

SPECIFICATIONS

Exterior	Code	Grand Cherokee (5 seat)				Grand Cherokee (7 seat)			
		Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve
Dual Exhaust Tips	NEK	-	-	-	-	•	•	-	-
Dual Bright Exhaust Tips	NEL	-	-	•	•	-	•	-	•
Wheel Flares - Black	MMJ	•	•	-	-	•	•	-	-
Wheel Flares - Painted	MM3	-	-	•	•	-	-	•	•
Lower Front Fascia - Black	MLX	•	•	-	-	•	•	-	-
Lower Front Fascia - Painted	ML6	-	-	•	•	-	-	•	•
Lower Rear Fascia - Black	MLK	•	•	-	-	•	•	-	-
Lower Rear Fascia - Painted	MLN	-	-	•	•	-	-	•	•
Body Colour Door Handles	MNK	•	•	•	•	•	•	•	•
Exterior Accents - Gloss Black	MHP	•	-	-	-	•	-	-	-
Exterior Accents - Chrome	MHU	-	•	•	-	-	•	•	-
Exterior Accents - Platinum Chrome	MCG	-	-	-	•	-	-	-	•
Door Cladding - Black	MJW	•	•	-	-	•	•	-	-
Door Cladding - Painted	MJX	-	-	•	-	-	-	•	-
Door Cladding - Painted / Bright	MJY	-	-	-	•	-	-	-	•
Lower Rocker Panel Cladding - Black	MJ5	•	•	-	-	•	•	-	-
Lower Rocker Panel Cladding - Painted	MJ6	-	-	•	•	-	-	•	•
Shark Fin Antenna	RHC	•	•	•	•	•	•	•	•
Roof Rails - Black / Gloss Black	MWE	•	-	-	-	•	-	-	-
Roof Rails - Black / Bright	MWG	-	•	-	-	-	•	-	-
Roof Rails - Gloss Black / Bright	MWR	-	-	•	-	-	-	•	-
Roof Rails - Fine Silver / Gloss Black	MW1	-	-	-	•	-	-	-	•
Upper Active Grille Shutters	MDX	•	•	•	•	•	•	•	•
4xe Badge	MGU	-	-	-	•	-	-	-	-
Roof - Black Painted	MXS	-	-	-	•	-	-	-	•
Roof - Body Colour	MXU	•	•	•	-	•	•	•	-
Power Sunroof	GWA	O	-	-	-	O	-	-	-
Dual-Pane Panoramic Sunroof	GWJ	-	O	•	•	-	O	•	•

Standard (•) Option (○) Not Offered (-)

Jeep

Grand Cherokee

SPECIFICATIONS

Grand Cherokee (5 seat)					
Interior	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe
Seats - Suede and TechnoLeather-Accented	*DZ	•	-	-	-
Seats - TechnoLeather	*D6	-	•	-	-
Seats - Nappa Leather-Trimmed	*BL	-	-	•	-
Seats - Palermo Leather-Trimmed	*EC	-	-	-	•
Door Trim - Soft Touch	CTL	•	-	-	-
Door Trim - TechnoLeather	CBH	-	•	-	-
Door Trim - Nappa Leather	CBW	-	-	•	-
Door Trim - Palermo Leather	CTX	-	-	-	•
Black Headliner	CHK	•	-	•	•
Deluxe Headliner	CHE	-	-	-	•
Front and Rear Floor Mats	CLE	•	•	•	-
Premium Berber Front and Rear Floor Mats	CCG	-	-	-	•
Floor Mat, 3 rd Row	CWB	-	-	-	-
Reversible Carpet/Vinyl Cargo Mat	CKK	-	-	-	•
Bright Sill Plates	CLT	-	-	•	-
Illuminated Sill Plates	LP1	-	-	-	•
Steering Wheel Mounted Shift Control	XBQ	•	•	•	•
Steering Wheel - Techno-Leather Wrapped	SCJ	•	•	•	-
Steering Wheel - Wood/Leather Wrapped	SCM	-	-	-	•
Interior Rear Facing Camera	XPR	-	-	-	-
Sun Visors with Illuminated Vanity Mirrors	GNC	•	•	•	•
Interior Assist Handles	CSV	•	•	•	•
Illuminated Cupholders	CWP	•	•	•	•
Window Shades, 2nd Row, Manual	GF1	-	•	O	•
2 nd Row Centre Rear 3-Point Seat Belt	CG6	•	•	•	•
2 nd Row Three Rear Seat Head Restraints	CSH	•	•	•	•
2 nd Row Seat Centre Armrest/Cupholders	CSN	•	•	•	•
2 nd Row 60/40 Manual Fold Seatbacks	CYP	•	•	•	•
2 nd Row Power Fold Seatbacks	CFQ	-	-	-	-
2 nd Row 60/40 Bench, Manual Tip/Slide	CF1	-	-	-	-
3 rd Row 50/50 Manual Fold Seat	CFG	-	-	-	-
3 rd Row 50/50 Power Fold Seat	CBB	-	-	-	-
3 rd Row Remote Headrest Dumping	CEE	-	-	-	-
Coat Hooks	XCT	•	•	•	•
Cargo Tie Down Loops	CKT	•	•	•	•
Cargo Compartment Cover	CSC	•	•	•	•
Rear Cargo Area 12V Power Outlet	JJM	•	•	•	•
12V Auxiliary Power Outlet	JKP	•	•	•	•

Standard (●) Option (○) Not Offered (-)

Jeep

Grand Cherokee

SPECIFICATIONS

		Grand Cherokee (5 seat)					Grand Cherokee (7 seat)			
Comfort & Convenience	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve	
Electric Power Steering	SBL	•	•	•	•	•	•	•	•	
Heated Steering Wheel	NHS	•	•	•	•	•	•	•	•	
Tilt/Telescopic Steering Column	SUD	•	-	-	-	-	-	-	-	
Power Tilt/Telescopic Steering Column	SUB	-	•	•	•	•	-	•	•	
Memory Steering Column	LEW	-	-	•	•	•	-	•	•	
Pushbutton Start	GX4	•	•	•	•	•	•	•	•	
Electric Park Brake	XC4	•	•	•	•	•	•	•	•	
Dual-Zone Climate Control	HAF	•	•	•	•	-	-	-	-	
Three-Zone Climate Control	HAH	-	-	-	-	-	•	•	•	
Four-Zone Climate Control	HAL	-	-	O	•	-	-	-	O	•
Driver Seat Memory	LEQ	-	•	•	•	-	•	•	•	
Passenger Seat Memory	LE5	-	-	O	•	-	-	-	O	•
Driver Seat - Power Adjust 8-Way	JVG	•	•	•	-	-	•	•	•	-
Driver Seat - Power Adjust 12-Way	JVJ	-	-	O	•	-	-	-	O	•
Front Passenger Seat - Power Adjust 8-Way	JWG	•	•	•	-	-	•	•	•	-
Front Passenger Seat - Power Adjust 12-Way	JWJ	-	-	O	•	-	-	-	O	•
Heated Front Seats	JPM	•	•	•	•	•	•	•	•	•
Ventilated Front Seats	CAJ	-	•	•	•	-	•	•	•	•
Power Seat Back Massage - Driver	CE9	-	-	O	•	-	-	-	O	•
Power Seat Back Massage - Front Passenger	CE5	-	-	O	•	-	-	-	O	•
4-Way Front Headrests	CDP	•	•	•	•	•	•	•	•	•
Heated Second Row Outboard Seats	JPZ	-	•	•	•	•	-	•	•	•
Ventilated Second Row Outboard Seats	CAH	-	-	O	•	-	-	-	O	•
Power Liftgate	JRC	•	•	-	-	-	•	•	-	-
Hands Free Power Liftgate	JK2	-	-	•	•	-	-	•	•	•
Passive Entry-Front Doors, Liftgate	GXD	•	-	-	-	-	•	-	-	-
Passive Entry-Front & Rear Doors, Liftgate	GX5	-	•	•	•	•	-	•	•	•
Speed Sensitive Power Locks	JPH	•	•	•	•	•	•	•	•	•
Power Front Windows, 1-Touch, Up & Down	JP3	•	•	-	-	-	•	•	-	-
Power Windows, Front/Rear 1-Touch Up/Down	JSB	-	-	•	•	-	-	-	•	•
Power Windows Global Up & Down with Keyfob	JSE	-	-	•	•	-	-	-	•	•
Auto Dimming Rear View Mirror	GNK	•	•	•	•	•	•	•	•	•
Digital Rearview Mirror	GRG	-	•	O	•	-	•	•	O	•
Gloss Black Exterior Mirrors	LE7	•	•	•	•	•	•	•	•	•
Power Mirrors-Base	GUB	•	-	-	-	-	•	-	-	-
Power Mirrors-High	GUE	-	•	•	•	-	•	•	•	•
Exterior Mirrors with Supplemental Signals	LEB	•	•	•	•	•	•	•	•	•
Heated Exterior Mirrors	LE1	•	•	•	•	•	•	•	•	•

Standard (•) Option (○) Not Offered (-)

Jeep

Grand Cherokee

SPECIFICATIONS

Grand Cherokee (5 seat)						
Comfort & Convenience	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe	
Auto Power-Folding Mirrors	LFF	•	•	•	•	
Auto Dimming Exterior Mirror - Driver	GNZ	-	•	•	•	
Auto Dimming Exterior Mirror - Passenger	LEU	-	•	•	•	
Exterior Mirrors with Memory	LEM	-	•	•	•	
Auto Adjust In Reverse Exterior Mirrors	LEX	-	•	•	•	
Exterior Mirrors Approach Lamps	LE9	-	•	•	•	
Rain Sensitive Windshield Wipers	JHC	•	•	•	•	
Windshield Wiper De-Icer	NHL	-	-	•	•	
Acoustic Windshield	GAK	•	•	•	•	
Acoustic Laminated Front Door Glass	GAP	•	•	•	•	
Acoustic Laminated Rear Door Glass	GAH	•	•	•	•	
Laminated Rear Glass	GAZ	-	-	-	•	
Deep Tint Privacy Glass [#]	GEG	•	•	•	•	
Grand Cherokee (7 seat)						
		Night Eagle	Limited	Overland	Summit Reserve	
Auto Power-Folding Mirrors		•	•	•	•	
Auto Dimming Exterior Mirror - Driver		-	•	•	•	
Auto Dimming Exterior Mirror - Passenger		-	•	•	•	
Exterior Mirrors with Memory		-	•	•	•	
Auto Adjust In Reverse Exterior Mirrors		-	•	•	•	
Exterior Mirrors Approach Lamps		-	•	•	•	
Rain Sensitive Windshield Wipers		•	•	•	•	
Windshield Wiper De-Icer		-	-	•	•	
Acoustic Windshield		•	•	•	•	
Acoustic Laminated Front Door Glass		•	•	•	•	
Acoustic Laminated Rear Door Glass		•	•	•	•	
Laminated Rear Glass		-	-	-	-	
Deep Tint Privacy Glass [#]		•	•	•	•	
Audio & Connectivity						
	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe	
Cluster 10.25-Inch TFT Colour Display	JAU	•	•	•	•	
Steering Wheel Mounted Audio Controls	RDZ	•	•	•	•	
Integrated Voice Command with Bluetooth	XRB	•	•	•	•	
Uconnect 5 Navigation with 10.1-inch Touchscreen Display	UUN	•	•	•	•	
GPS Navigation	JLN	•	•	•	•	
GPS Antenna Input	JLP	•	•	•	•	
Apple Carplay® (Wireless)	RFP	•	•	•	•	
Android Auto™ (Wireless)	RF5	•	•	•	•	
Digital Audio Broadcasting	RS9	•	•	•	•	
6 Speaker Audio System	RCG	•	-	-	-	
9 Speaker Alpine Premium Audio System	RC3	-	•	•	-	
506 Watt Amplifier	RFD	-	•	•	-	
19 Speaker McIntosh High Performance Audio System	RCA	-	-	-	•	
950 Watt Amplifier	RDH	-	-	-	•	
Active Noise Control System	JLW	-	•	•	•	
Wireless Charging Pad	RFX	•	•	O	O	
USB Host Flip	RF7	•	•	•	•	
Media Hub - 4 USB, 2 Fully Funct, Aux	RSF	•	•	•	•	
2nd Row 4 Charge-Only USB Ports	RS2	•	•	•	•	
3rd Row 4 Charge-Only USB Ports	RS3	-	-	-	-	

Standard (•) Option (○) Not Offered (-)

(#) Deep Tint Glass applies to rear passenger and rear cargo windows only. Front passenger windows and windscreen are not tinted.

Jeep®

Grand Cherokee

SPECIFICATIONS

		Grand Cherokee (5 seat)					Grand Cherokee (7 seat)				
Lighting	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve		
LED Reflector Headlamps	LPX	•	•	•	•	•	•	•	•		
Automatic Headlamps	LMG	•	•	•	•	•	•	•	•		
Auto High Beam Headlamp Control	LMS	-	•	•	•	•	-	•	•		
Automatic Headlamp Leveling System	JKJ	•	•	•	•	•	•	•	•		
LED Daytime Running Lamps- Park/Turn	LPJ	•	•	•	•	•	•	•	•		
Front LED Fog Lamps	LNV	•	•	•	•	•	•	•	•		
Front Corner LED Lamps	LNB	-	-	•	•	-	-	•	•		
LED Taillamps	LAY	•	•	•	•	•	•	•	•		
Rear LED Fog Lamps	LPM	•	•	•	•	•	•	•	•		
Exterior Door Handle Approach Lamps	LC2	-	-	•	•	-	-	•	•		
Door Courtesy Lamps	LCB	-	-	•	•	-	-	•	•		
Proximity Approach Lamps	LNR	-	-	•	•	-	-	•	•		
Ambient LED Interior Lighting	LCJ	-	•	-	-	-	-	•	-		
Multi-Colour Ambient LED Interior Lighting	LBZ	-	-	•	•	-	-	•	•		
LED Front Footwell Lighting	LBB	•	•	•	•	•	•	•	•		
Footwell Courtesy Lamp - Rear	LBW	-	-	•	•	-	-	•	•		
Glove Box Lamp	LBC	•	•	•	•	•	•	•	•		
Front Reading/Map Lamps	LBG	•	•	•	•	•	•	•	•		
Rear Reading/Courtesy Lamps	LBH	•	•	•	•	•	•	•	•		
3 rd Row Passenger LED Reading Lamps	LCQ	-	-	-	-	-	•	•	•		
Front and Rear LED Map Pockets	LBU	•	•	•	•	•	•	•	•		
Liftgate Door Puddle Lamps	LBP	•	•	•	•	•	•	•	•		
Overhead Cargo Area Lighting - LED	LCP	•	•	•	•	•	•	•	•		

Standard (•) Option (○) Not Offered (-)

Jeep

Grand Cherokee

SPECIFICATIONS

		Grand Cherokee (5 seat)				Grand Cherokee (7 seat)			
Safety, Security & Driver Assistance	Code	Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve
Hold 'N Go	BHG	•	•	•	•	•	•	•	•
Electronic Stability Control	BNB	•	•	•	•	•	•	•	•
Hill Start Assist	BNG	•	•	•	•	•	•	•	•
Trailer Sway Damping	BNT	•	•	•	•	•	•	•	•
Rain Brake Support	BHC	•	•	•	•	•	•	•	•
Ready Alert Braking	BHD	•	•	•	•	•	•	•	•
Security Alarm	LSB	•	•	-	-	•	•	-	-
Deluxe Security Alarm	LSD	-	-	•	•	-	-	•	•
Full Speed Forward Collision Warn Plus	LSU	•	•	•	•	•	•	•	•
Advanced Brake Assist	BGG	•	•	•	•	•	•	•	•
Pedestrian & Cyclist Emergency Braking	LST	•	•	•	•	•	•	•	•
Intersection Collision Assist	XPS	•	•	•	•	•	•	•	•
Drowsy Driver Detection	XNM	•	•	•	•	•	•	•	•
Intelligent Speed Control	NH2	•	•	•	•	•	•	•	•
Adaptive Cruise Control with Stop & Go	NHZ	•	•	•	•	•	•	•	•
Traffic Sign Recognition	SJB	•	•	•	•	•	•	•	•
Active Driving Assist System	SJJ	-	-	-	•	-	-	-	•
Active Lane Management System	XNW	•	•	•	•	•	•	•	•
Parkview Rear Back-Up Camera	XAC	•	•	•	•	•	•	•	•
Surround View Camera System	XAK	-	•	•	•	-	•	•	•
Rear Back Up Camera Washer	JHE	-	•	•	•	-	•	•	•
Integrated Off-Road Camera	XNY	-	•	•	•	-	•	•	•
Blind Spot and Rear Cross Path Detection	XAN	•	•	•	•	•	•	•	•
Parksense Front & Rear Park Assist with Stop	XH4	•	•	•	•	•	•	•	•
Parallel & Perpendicular Park & Unpark Assist with Stop	XPL	-	-	-	•	-	-	-	•
Side Distance Warning	XAJ	-	-	-	•	-	-	-	•
Child Seat Upper Tether Anchorages	CF4	•	•	•	•	•	•	•	•
Child Seat Anchor System-Latch Ready (ISOFIX)	CGU	•	•	•	•	•	•	•	•
Advanced Multistage Front Air Bags	CG3	•	•	•	•	•	•	•	•
Driver Inflatable Knee-Bolster Air Bag	CGY	•	•	•	•	•	•	•	•
Passenger Inflatable Knee-Bolster Air Bag	CHF	•	•	•	•	•	•	•	•
Supplemental Front Seat Side Air Bags	CJ1	•	•	•	•	•	•	•	•
Supplemental Side Curtain Front & Rear Air Bags	CJ2	•	•	•	•	•	•	•	•
Occupant Detection Sensor - 2 nd Row	XCC	•	•	•	•	•	•	•	•
Occupant Detection Sensor - 3 rd Row	XCE	-	-	-	-	•	•	•	•
Rear Seat Reminder Alert	JFB	•	•	•	•	•	•	•	•
Driver, Front & Rear Passenger Seat Belt Alert	LAF/LAU/LAX	•	•	•	•	•	•	•	•
Quick Disconnect Battery Terminal	XAV	•	•	•	•	•	•	•	•
Capless Fuel Filler	XJM	•	•	•	•	•	•	•	•
Locking Push-Push Fuel Filler Door	XJ6	•	•	•	•	•	•	•	•

Standard (•) Option (○) Not Offered (-)

Jeep

Grand Cherokee

CONNECTED SERVICES

		Grand Cherokee (5seat)				Grand Cherokee (7 seat)			
Jeep Connected Services~		Night Eagle	Limited	Overland	Summit Reserve 4xe	Night Eagle	Limited	Overland	Summit Reserve
My Assistant:									
Vehicle Health Report		•	•	•	•	•	•	•	•
My Remote*:									
Remote Operations		•	•	•	•	•	•	•	•
Vehicle Finder		•	•	•	•	•	•	•	•
Jeep Off-Road Pages		-	•	•	•	-	•	•	•
Family Drive Alerts		•	•	•	•	•	•	•	•
Eco Coaching		-	-	-	-	-	-	-	-
My Car:									
Vehicle Health Alert		•	•	•	•	•	•	•	•
Vehicle Information		•	•	•	-	•	•	•	•
Smartwatch Extension*		•	•	•	•	•	•	•	•
Remotely Clear Personal Settings		•	•	•	•	•	•	•	•
In-Vehicle Notifications*		•	•	•	•	•	•	•	•
My Navigation*:									
One-box Navigation Search		•	•	•	•	•	•	•	•
Last Mile Navigation		•	•	•	•	•	•	•	•
Send Destination to Vehicle		•	•	•	•	•	•	•	•
Privacy Mode		•	•	•	•	•	•	•	•
My Alert*:									
Theft Alarm Notification		•	•	•	•	•	•	•	•

Standard (•) Option (○) Not Offered (-)

~ Features included for 10 years for those who register on My Uconnect unless specified otherwise.

Minimum smartphone requirements for the My Uconnect™ mobile app:

Android operating system version 6.0 or higher.

Apple iOS operating system version 11.0 or higher.

* Features included for 3 years

Jeep

Grand Cherokee

WHEELS

Wheels	Code	Night Eagle	Limited	Overland	Summit Reserve	Summit Reserve 4xe
20-inch Gloss Black Painted Alloy Wheels	WHF	•	○	-	-	-
20-inch Machined / Painted Alloy Wheels	WHG	-	•	-	-	-
20-inch Full Polished Alloy Wheels	WLJ	-	-	•	-	-
18-inch Full Polished / Painted Alloy Wheels	WLH	-	-	○	-	-
21-inch Polished / Painted Alloy Wheels	WJE	-	-	-	•	-
21-inch Machined / Painted Alloy Wheels	WJA	-	-	-	-	•

Standard (•) Option (○) Not Offered (-)



WHF - 20-inch Gloss Black Painted Alloy Wheels
(Standard on Night Eagle Optional on Limited)



WHG - 20-inch Machined / Painted Alloy Wheels
(Standard on Limited)



WLJ - 20-inch Full Polished Alloy Wheels
(Standard on Overland)



WLH - 18-inch Full Polished / Painted Alloy Wheels
(Optional on Overland)



WJE - 21-inch Polished / Painted Alloy Wheels
(Standard on Summit Reserve)



WJA - 21-inch Machined / Painted Alloy Wheels
(Standard on Summit Reserve 4xe)

Jeep

Grand Cherokee

OPTIONS

Options	Code	Night Eagle	Limited	Overland	Summit Reserve	Summit Reserve 4xe
Power Sunroof	GWA	O	-	-	-	-
Vision Group	ADG + GWJ					
Dual Pane Sunroof	GWJ		O	-	-	-
Interior Rear Facing Camera (not available on Grand Cherokee 5 Seat)	XPR			-	-	-
Head Up Display	LBK					
Black Appearance Group	ADG + GWJ + ALC					
Dual Pane Sunroof	GWJ		O	-	-	-
Interior Rear Facing Camera (not available on Grand Cherokee 5 Seat)	XPR			-	-	-
Head Up Display	LBK					
Gloss Black Exterior Accents	MHP					
Black Roof Rails	MWE					
20-Inch Gloss Black Alloy Wheels	WHF					
Luxury Technology Group	AAM					
Ventilated Second Row Outboard Seats	CAH					
Power Seat Back Massage - Driver	CE9					
Power Seat Back Massage - Front Passenger	CE5					
Window Shades, 2nd Row	GF1		O			
Digital Rearview Mirror	GRG					
Four-Zone Climate Control	HAL					
Driver Seat - Power Adjust 12-Way	JVJ					
Front Passenger Seat - Power Adjust 12-Way	JWJ					
Passenger Seat Memory	LE5					
Wireless Charging Pad	RFX					
Off-Road Group	AM2					
230mm Rear Axle	DR1					
Rear Electronic Limited Slip Differential	DSF					
Trail Rated Badge	MT2					
265/60R18 All Terrain Tyres	TKH		O			
Goodyear Brand Tyres	TZA					
18-Inch Polished/Painted Alloy Wheels	WLH					
Fuel Tank Skid Plate Shield	XEE					
Transfer Case Skid Plate Shield	XEF					
Front Suspension Skid Plate	XEU					
Advanced Technology Group	AAN					
Head-Up Display	LBK				O	O
Wireless Charging Pad	RFX					
Night Vision pedestrian/Animal Detection	XNT					
Front Passenger Interactive Display	RJA					

Option (o) Not Offered (-)

Jeep

Grand Cherokee

EXTERIORS



PW7 - Bright White
(Standard)



PRV - Velvet Red
(Option)



PSE - Silver Zynith
(Option)



PAS - Baltic Grey
(Option)



PXJ - Diamond Black
(Option)



PFJ - Rocky Mountain
(Option)



PCQ - Midnight Sky
(Option)



PBJ - Hydro Blue
(Option - 5 seat only)



PHC - Ember
(Option - 7 seat only)

Jeep

Grand Cherokee

COLOUR & TRIM MATRIX

Trim	Night Eagle		Limited		Overland		Summit Reserve		Summit Reserve 4xe			
Option Code	DZX7		D6X7		BLX7	TLX7	ECX7	ECT7	ECX7	ECT7		
Seats	Suede & TechnoLeather-accented		TechnoLeather		Nappa Leather-trimmed		Palermo Leather-trimmed					
Steering Wheel	Black				Black		Tupelo	Black	Tupelo			
Exterior Colour	TechnoLeather				Leather							
Bright White (PW7)	•		•		•	•	•	•	•	•		
Velvet Red (PRV)	○		○		○	○	○	○	○	○		
Silver Zynith (PSE)	○		○		○	○	○	○	○	○		
Baltic Grey (PAS)	○		○		○	○	○	○	○	○		
Diamond Black (PXJ)	○		○		○	○	○	○	○	○		
Rocky Mountain (PFJ)	-		○		○	○	○	○	○	○		
Midnight Sky (PCQ)	-		○		○	○	○	○	○	○		
Hydro Blue (PBJ) 5 seat only	-		○		-	-	-	-	○	○		
Ember (PHC) 7 seat only	-		○		-	-	-	-	-	-		

Standard (•) Option (○) Not Offered (-)



DZX7 - Black Suede & TechnoLeather -
accented trim
(Standard - Night Eagle)



D6X7 - TechnoLeather trim
(Standard - Limited)



BLX7/TLX7 - Black Nappa Leather-trim
(Standard - Overland)



ECX7 - Black Palermo Leather-trim
(Standard - Summit Reserve)



ECT7 - Tupelo Palermo Leather-trim
(Option - Summit Reserve)

Jeep®

Grand Cherokee

	Grand Cherokee	Grand Cherokee L		
	3.6L 4x4			
Body & Chassis				
Layout				
Construction	Front Engine 4x4			
Assembly Plant	Steel Unibody			
Doors	Detroit Assembly Complex – Mack Plant, Detroit, Michigan			
Seats	4			
Powertrain	5			
Description	7			
Capacity	3.6 Pentastar V6 Engine			
Cylinders	3604			
Configuration	6			
Aspiration (Natural / Forced)	V			
Max power (kW @ rpm)	Naturally Aspirated			
Max torque (Nm @ rpm)	210 @ 6400			
Valves	344 @ 4000			
Compression	24			
Bore & Stroke (mm)	11.3:1			
Engine Stop/Start	96 x 83			
Fuel	Standard			
System	Sequential Multi Port, Electronic Fuel Injection			
Type	Unleaded Petrol			
Tank capacity (L)	87			
Economy (Urban, L/100km) ⁽¹⁾	13.3	13.9		
Economy (Highway, L/100km) ⁽¹⁾	8	8.7		
Economy (Combined, L/100km) ⁽¹⁾	9.9	10.6		

	Grand Cherokee	Grand Cherokee L		
	3.6L 4x4			
Emissions				
Emission Standard Met				
Emissions (Combined, CO ₂ g/km)	EURO 6	236		
Transmission	243			
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters			
Ratio - 1st	4.71			
Ratio - 2nd	3.14			
Ratio - 3rd	2.11			
Ratio - 4th	1.67			
Ratio - 5th	1.29			
Ratio - 6th	1			
Ratio - 7th	0.84			
Ratio - 8th	0.67			
Reverse	3.3			
Brakes				
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS			
Front - Size (mm)	354 x 28			
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS			
Rear - Size (mm)	350 x 22			
Steering				
Type	Electric rack-and-pinion steering			
Turning Circle - Kerb to Kerb (m)	11.58			
Column Adjustment	Tilt & Telescopic			
Service & Warranty				
Service Intervals	Lifetime roadside assist when you service through Jeep ⁽⁵⁾			
Warranty	12,000km / 12 months			
Roadside Assist	5 year / 100,000km ⁽⁴⁾			

Grand Cherokee

Grand Cherokee	
2.0L 4xe	
Body & Chassis	
Layout	Front Engine 4x4
Construction	Steel Unibody
Assembly Plant	Detroit Assembly Complex – Mack Plant, Detroit, Michigan
Doors	4
Seats	5
Powertrain	
Description	2.0 4xe Plug-In Hybrid Engine
Capacity	1,995
Cylinders	4
Configuration	In Line
Aspiration (Natural / Forced)	Turbocharged
Max power (kW @ rpm)	200 @ 5250
Max torque (Nm @ rpm)	400 @ 3000
Combined Max power (kW @ rpm)	280 @ 5250
Combined Max torque (Nm @ rpm)	637 @ 3000
Valves	16
Compression	10:1
Bore & Stroke (mm)	84 x 90
Engine Stop/Start	-
Fuel	
System	Direct Injection
Type	Unleaded Petrol Plug-In Hybrid
Tank capacity (L)	72
Electric Range (km)	52
Battery Gross Capacity (kWh)	17.3
Maximum Charge Rate (kW)	7.2
Charging Modes	Mode 2 charge (3kW) Mode 3 charge (7.4kW)
Economy (Combined, L/100km) ⁽¹⁾	3.2

Grand Cherokee	
2.0L 4xe	
Emissions	
Emission Standard Met	EURO 5
Emissions (Combined, CO ₂ g/km)	74
Transmission	
Type	8-Speed Automatic Transmission with Steering Wheel Mounted Paddle Shifters
Ratio - 1st	4.71
Ratio - 2nd	3.14
Ratio - 3rd	2.11
Ratio - 4th	1.67
Ratio - 5th	1.29
Ratio - 6th	1.00
Ratio - 7th	0.84
Ratio - 8th	0.67
Reverse	3.30
Brakes	
Front - Type	Ventilated Disk, Two-Piston Floating Caliper with ABS
Front - Size (mm)	354 x 28
Rear - Type	Ventilated Disc, Floating Single Piston Caliper with ABS
Rear - Size (mm)	350 x 22
Steering	
Type	Electric rack-and-pinion steering
Turning Circle - Kerb to Kerb (m)	12.1
Column Adjustment	Tilt & Telescopic
Service & Warranty	
Service Intervals	12,000km / 12 months
Warranty	5 year / 100,000km ⁽⁴⁾
High-Voltage Battery Warranty (4xe only)	8 years/160,000km ⁽¹¹⁾
Roadside Assist	Lifetime roadside assist when you service through Jeep ⁽⁵⁾

Grand Cherokee

TECHNICAL INFORMATION

	Grand Cherokee (5 seat)		
	Night Eagle	Limited	Overland
	Summit Reserve 4xe		
Dimensions			
Length (mm)		4,914	
Width (mm)		2,149	
Height (mm)	1,799		1,801
Wheelbase (mm)		2,964	
Front Track (mm)		1,660	
Rear Track (mm)		1,660	
Wheels & Tyres			
Wheel Type		Alloy	
Wheel Size (inches)	20 x 8.5		21 x 9.0
Tyre Size	265 / 50		275 / 45
Spare Wheel	265 / 60 R18 Full Size Steel		
Weights & Volumes			
Tare Weight (kg)	2,167		2,536
Maximum Braked Towing Capacity (kg) ⁽⁶⁾	2,813		2,722
Maximum Unbraked Towing Capacity (kg) ⁽⁶⁾	750		
Maximum Tongue Download (kg) ⁽³⁾	281		272
Gross Vehicle Mass (kg)	2,744		3,110
Gross Combined Mass (kg) Incl. Braked Towing	5,557		5,442
Roof Rack Load Limit (kg)	68		
Cargo Volume Behind 1st Row (L)	2,004		
Cargo Volume Behind 2nd Row (L)	1,067		
Suspension			
Type	Coil		Air
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		
4x4 Specifics			
4x4 System	Jeep Quadra-Trac I	Jeep Quadra-Trac II	
Operating Mode	Full-time Active 4WD	4x4 Low (Lock), Neutral; Full-time Active 4x4	
Transfer Case	Single-speed electronically shifted	Two-speed electronically shifted	
Running Clearance (mm)	214	193	
Maximum Ground Clearance (mm)		276 ⁽²⁾	
Approach Angle (Degrees)	20.5	30.1 ⁽²⁾	28.2 ⁽²⁾
Breakover Angle (Degrees)	19.1	24.0 ⁽²⁾	20.9 ⁽²⁾
Departure Angle (Degrees)	26.6	28.4 ⁽²⁾	
Wading Depth (mm) ⁽¹⁰⁾	530	610 ⁽²⁾	

Jeep

Grand Cherokee

TECHNICAL INFORMATION

Grand Cherokee (7 seat)			
	Night Eagle	Limited	Overland
	Summit Reserve		
Dimensions			
Length (mm)		5,204	
Width (mm)		2,149	
Height (mm)	1,815		1,817
Wheelbase (mm)		3,091	
Front Track (mm)		1,660	
Rear Track (mm)		1,660	
Wheels & Tyres			
Wheel Type	Alloy		
Wheel Size (inches)	20 x 8.5		21 x 9.0
Tyre Size	265 / 50		275 / 45
Spare Wheel	265 / 60 R18 Full Size Steel		
Weights & Volumes			
Tare Weight (kg)	2,190		2,270
Maximum Braked Towing Capacity (kg) ⁽⁶⁾		2,813	
Maximum Unbraked Towing Capacity (kg) ⁽⁶⁾		750	
Maximum Tongue Download (kg) ⁽³⁾		281	
Gross Vehicle Mass (kg)	2,948		3,039
Gross Combined Mass (kg) Incl. Braked Towing		5,761	
Roof Rack Load Limit (kg)		68	
Cargo Volume Behind 1st Row (L)		2,395	
Cargo Volume Behind 2nd Row (L)		1,328	
Cargo Volume Behind 3rd Row (*L)		487	
Suspension			
Type	Coil		Air
Front	Multi-link independent front suspension, gas-charged, twin-tube coilover shock absorbers, all aluminium arms and knuckles		
Rear	Multi-link rear suspension, twin tube shocks (including load leveling for towing), all aluminium arms and knuckles (including extruded aluminium spring links)		
4x4 Specifics			
4x4 System	Jeep Quadra-Trac I		Jeep Quadra-Trac II
Operating Mode	Full-time Active 4WD		4x4 Low (Lock), Neutral; Full-time Active 4x4
Transfer Case	Single-speed electronically shifted		Two-speed electronically shifted
Running Clearance (mm)	215	194	
Maximum Ground Clearance (mm)		276 ⁽²⁾	
Approach Angle (Degrees)	20.6	30.1 ⁽²⁾	28.2 ⁽²⁾
Breakover Angle (Degrees)	18.2		22.6 ⁽²⁾
Departure Angle (Degrees)	21.5		23.6 ⁽²⁾
Wading Depth (mm) ⁽¹⁰⁾	530		610 ⁽²⁾

Jeep

JEEP CAPPED PRICE SERVICING

We've capped the maximum price you'll pay for the first five services based on the standard service intervals for your vehicle.

Petrol: Scheduled servicing due every 12 months or 12,000 km, whichever comes first.

Night Eagle	Automatic 3.6L 4x4 Petrol	\$399
Limited	Automatic 3.6L 4x4 Petrol	\$399
Overland	Automatic 3.6L 4x4 Petrol	\$399
Summit Reserve	Automatic 3.6L 4x4 Petrol	\$399
	Automatic 2.0L 4xe Petrol Plug-In Hybrid	

JEEP WAVE COMMITMENT



5 YEAR / 100,000KM FACTORY WARRANTY*

Peace of mind with every new vehicle



CAPPED PRICE SERVICING^

Revamped program with more competitive, transparent pricing



LIFETIME ROADSIDE ASSISTANCE~

When you service through Jeep



AFFORDABLE PARTS

Parts prices adjusted, to help reduce the cost of ownership



TECHNICAL SPECIALISTS

Including a team of flying mechanics, ready to travel anywhere in Australia to get you back on the road



CUSTOMER CARE

Dedicated support, with faster response times

AUTHENTIC JEEP ACCESSORIES

When it comes to your Jeep vehicle, not all parts are created equal. All Genuine Jeep accessories fitted at purchase are covered by the same 5-year/100,000km warranty* applied to your Jeep. This means you can personalise your vehicle with complete confidence.



Cargo Liner



Electric Brake Controller



Roof Racks



Towbar Package

*Which occurs first. ^Please see Jeep.com.au ~When you service with Jeep



jeep.com.au

(*) Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Air suspension in position Off-Road #2 (3) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (4) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (5) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (6) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (7) Apple Carplay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple Carplay® requires mobile data for full capability. Compatibility and performance can vary and change. (8) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (9) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (10) Capability varies by model and valid for standing water only, less for flowing water. Maximum speed no greater than 8km/h (5mph). Do not attempt water fording unless depth is known and consistent with the vehicle's water fording rating in the Owner's Manual. Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (11) Terms & conditions apply. 8 years from the date of vehicle registration or 160,000km (whichever comes first).