

# Gladiator

# MY23 Buyers Guide.

July 2023



Jeep®

### NIGHT EAGLE

#### Engine

3.6 Pentastar V6 with ESS  
209kW 347Nm

#### Transmission

8-Speed Automatic  
Four Wheel Drive

#### 4x4 System

Selec-Trac® Active On-Demand 4x4

#### Features:

- Premium Black Cloth Trim Seats
- Black Exterior and Interior Accents
- Uconnect 8.4" Touch Screen Display
- Apply Carplay <sup>(2)(4)</sup> & Android Auto <sup>(3)(4)</sup>
- Satellite Navigation
- 7.0" Driver Information Display
- Black Three-Piece Freedom Hard Top
- LED Headlights/Taillights/Day-Time Running Lights/Fog Lights
- Forward Collision Warning Plus
- Adaptive Cruise Control with Stop
- Blind Spot Monitor with Rear Cross Path Detection
- 9 Speaker Alpine Premium Audio System
- Parkview Rear Backup Camera
- ParkSense Front/Rear Park Assist System
- Remote Proximity Keyless Entry & Push Button Start

### RUBICON

#### Engine

3.6 Pentastar V6 with ESS  
209kW 347Nm

#### Transmission

8-Speed Automatic  
Four Wheel Drive

#### 4x4 System

Rock-Trac® Active On-Demand 4x4

#### Features

##### (in addition, or replacing Night Eagle):

- Tru-Lok® Front & Rear Locking Differentials
- Electronic Front Sway-Bar Disconnect
- 77.2:1 Crawl Ratio
- Red Tenneco 2" diameter shocks [front/rear]
- Off-Road Plus Mode
- 32" Off-Road Tyres [255/75R17]
- 17" Granite Crystal Alloy Wheels
- Steel Rear Bumper
- Rubicon Hood Decal
- McKinley Leather Trimmed Seats
- Leather-Wrapped Shift Knob & Parking Brake Handle
- Heated Front Seats
- Heated Steering Wheel



| Capability & Performance                                    | Code | Night Eagle | Rubicon |
|---|------|-------------|---------|
| Selec-Trac® Active On Demand 4x4 System                     | DHP  | ●           | -       |
| Rock-Trac® Active On Demand 4X4 System                      | DHF  | -           | ●       |
| Tru-Lok® Front Locking Differential                         | DSL  | -           | ●       |
| Tru-Lok® Rear Locking Differential                          | DSH  | -           | ●       |
| Rear Stabiliser Bar   | SHF  | ●           | ●       |
| Red Tenneco Shocks - Front                                  | SFF  | -           | ●       |
| Red Tenneco Shocks - Rear                                   | SGF  | -           | ●       |
| Performance Suspension                                      | SDD  | -           | ●       |
| Electronic Front Stabiliser Bar Disconnect                  | SHG  | -           | ●       |
| Dana M210 Front Axle  | DJF  | ●           | ●       |
| Dana M220 Rear Axle   | DRF  | ●           | ●       |
| Rear Axle Ratio 4.10  | DMF  | ●           | ●       |
| Skid Plate - Fuel Tank                                      | XEE  | ●           | ●       |
| Skid Plate - Transfer Case                                  | XEF  | ●           | ●       |
| Skid Plate - Transmission                                   | XE9  | ●           | ●       |
| Black Injection Molded Front Bumper                         | MBA  | ●           | ●       |
| Steel Front Bumper  | MC6  | -           | ○       |
| Steel Rear Bumper   | MD6  | -           | ●       |
| Wash-Out Interior with Removable Carpet and Drain Plugs     | -    | ●           | ●       |
| Safety, Security & Driver Assistance                        | Code | Night Eagle | Rubicon |
| Electronic Stability Control                                | BNB  | ●           | ●       |
| Hill Start Assist   | BNG  | ●           | ●       |
| Traction Control  | BNM  | ●           | ●       |
| Electronic Roll Mitigation                                  | BNS  | ●           | ●       |
| Trailer Sway Control  | BNT  | ●           | ●       |
| Heavy Duty 4-Wheel Disk Brakes with ABS                     | BR2  | ●           | ●       |
| Sport Bar   | CLM  | ●           | ●       |
| Remote Keyless Entry  | GXM  | ●           | ●       |
| Remote Proximity Keyless Entry                              | GXD  | ●           | ●       |
| Sentry Key Theft Deterrent System                           | GXX  | ●           | ●       |
| Security Alarm  | LSB  | ●           | ●       |
| 4 Airbags (2 Front, 2 Side Seat)                            | -    | ●           | ●       |
| Parkview Reverse Parking Camera                             | XAC  | ●           | ●       |
| ParkSense Rear Park Assist System                           | XAA  | ●           | ●       |
| ParkSense Front Park Assist System (NAW Steel Front Bumper) | XHU  | ●           | ●       |
| Cruise Control  | NHM  | ●           | ●       |
| Adaptive Cruise Control with Stop                           | NH3  | ●           | ●       |

| Safety, Security & Driver Assistance                | Code | Night Eagle | Rubicon |
|---|------|-------------|---------|
| Full Speed Forward Collision Warning Plus           | LSU  | ●           | ●       |
| Blind Spot Monitoring                               | XAN  | ●           | ●       |
| Rear Cross Path Detection                           | -    | ●           | ●       |
| Tyre Pressure Monitoring Display                    | XGM  | ●           | ●       |
| Performance Suspension                              | SDD  | -           | ●       |
| Comfort & Convenience                               | Code | Night Eagle | Rubicon |
| Automatic Headlamps                                 | LMG  | ●           | ●       |
| Automatic Headlamp Leveling System                  | JKJ  | ●           | ●       |
| Rear View Auto Dim Mirror                           | GNK  | ●           | ●       |
| Remote Start System                                 | XBM  | ●           | ●       |
| Speed Limiting Device                               | NH2  | ●           | ●       |
| Air Conditioning with Automatic Temperature Control | HAB  | ●           | ●       |
| Speed-Sensitive Power Locks                         | JPH  | ●           | ●       |
| Power Adjustable, Heated Mirrors                    | GTB  | ●           | ●       |
| Power Windows                                       | JPY  | ●           | ●       |
| 12V Auxiliary Power Outlet                          | JJJ  | ●           | ●       |
| Tilt/Telescope Steering Column                      | SUD  | ●           | ●       |
| Torx Tool Kit                                       | XE4  | ●           | ●       |
| Freedom Panel Storage Bag                           | CS2  | -           | ●       |
| Rear Window Defroster                               | GFA  | ●           | ●       |
| Utility   | Code | Night Eagle | Rubicon |
| Cargo Area Tie Down Loops                           | CKT  | ●           | ●       |
| Cargo Group with Trail Rail Management System       | CMD  | ○           | ○       |
| Spray-In Bedliner                                   | XMF  | ○           | ○       |
| Aux Switches (4x Programmable Switches)             | LH2  | ○           | ○       |
| 240 Amp Alternator                                  | BAL  | ●           | ○       |
| 700 Amp Maintenance Battery                         | BCH  | ●           | ●       |

Standard (●) Option (○) Not Offered (-) Not Available With (NAW)

| Audio & Connectivity                                      | Code | Night Eagle | Rubicon |
|---|------|-------------|---------|
| 8.4" Uconnect 4 Touch Screen with Navigation              |      |             |         |
| Satellite Navigation                                      |      |             |         |
| Bluetooth Phone & Audio                                   |      |             |         |
| AM/FM/DAB+ Radio  |      |             |         |
| Apple CarPlay <sup>(2)(4)</sup>                           |      |             |         |
| Android Auto <sup>(3)(4)</sup>                            |      |             |         |
| 7.0" Multi-View Driver Information Display                | JAL  | •           | •       |
| 9-Speaker Alpine Premium Audio System including Subwoofer | RC4  | •           | •       |
| Steering Wheel Mounted Audio Controls                     | RDZ  | •           | •       |
| Wireless Bluetooth Speakers                               | RSJ  | ○           | ○       |
| Media Hub (USB, AUX, 12V)                                 | RSF  | •           | •       |
| Remote USB Port   | RSX  | •           | •       |
| Exterior  | Code | Night Eagle | Rubicon |
| Alloy Wheels - 17-inch                                    | -    | •           | •       |
| Heavy Duty Rock Slider with Step Assist                   | MMU  | •           | •       |
| Grille - Black  | MW7  | •           | -       |
| Grille - Body Colour/Accent Colour                        | MF4  | -           | •       |
| Fender Flares - Black                                     | MM2  | -           | •       |
| Fender Flares - Body Colour                               | MM3  | •           | ○       |
| Hard Top - Removable, Black 3-Piece                       | HT1  | •           | •       |
| Hard Top - Removable, Body Colour 3-Piece                 | HT3  | -           | ○       |
| Deep Tint Sunscreen Windows <sup>#</sup>                  | GCD  | •           | •       |
| Removable Full Metal Doors                                | GCF  | •           | •       |
| Fold Down Windscreen                                      | -    | •           | •       |
| Exterior Mirrors - Black                                  | LE4  | •           | •       |
| Exterior Mirrors - with Supplemental Signals              | LEB  | •           | •       |
| Headlamps - LED   | LPX  | •           | •       |
| Fog Lamps - LED   | LNV  | •           | •       |
| Tail Lamps - LED  | LAY  | •           | •       |
| Daytime Running Lamp System - LED                         | LPY  | •           | •       |
| Rubicon Hood Decal  | MYA  | -           | •       |
| Vented Hood   | -    | •           | •       |
| Black Trail Rated Badge                                   | MGD  | •           | -       |
| Red Trail Rated Badge                                     | MTB  | -           | •       |
| Fixed Long Mast Antenna - Right, Front Fender             | RDD  | •           | •       |

| Interior                                | Code | Night Eagle | Rubicon |
|---|------|-------------|---------|
| Seat - Cloth Bucket                     | *A7  | •           | -       |
| Seat - Rubicon Leather Trimmed Bucket   | *AL  | -           | •       |
| Seat - Heated Front                     | JPM  | -           | •       |
| Rear Seat - 60/40 Split Folding         | CFN  | •           | •       |
| Gloss Black I/P Bezels                  | JES  | •           | -       |
| Red-Ical I/P Bezels                     | JEL  | -           | •       |
| Base Interior Accents                   | XSB  | •           | -       |
| Bright Interior Accents                 | XSC  | -           | •       |
| Floor Mats - Front & Rear               | CLE  | •           | •       |
| Steering Wheel - Premium Wrapped        | SCJ  | •           | •       |
| Steering Wheel - Heated                 | NHS  | -           | •       |
| Urethane Shift Knob                     | CV3  | •           | -       |
| Leather-Wrapped Shift Knob              | CVW  | -           | •       |
| Leather-Wrapped Parking Brake Handle    | CVP  | -           | •       |
| Premium Door Trim Panel                 | CBF  | -           | •       |
| Front Seat Back Map Pockets             | CSM  | •           | •       |
| Sliding Sun Visors w/Mirrors            | GNU  | •           | -       |
| Sun Visors w/Illuminated Vanity Mirrors | GNC  | -           | •       |
| Passenger Assist Handles                | CSR  | •           | •       |
| Lockable Rear Underseat Storage         | CUW  | ○           | ○       |
| LED Interior Lighting                   | LHA  | -           | •       |

Standard (•) Option (○) Not Offered (-)

(#) Deep Tint Windows applies to rear passenger windows only.

Driver and front passenger windows and windscreen are not tinted.

|  | Code  | Comments   | Night Eagle | Rubicon |
|--|---|--|-------------|---------|
| <b>Lifestyle Adventure Group</b><br>HD Electrical Group<br>AUX Switches (4x Programmable Switches)<br>240 Amp Alternator<br>Cargo Group with Trail Rail System<br>Lockable Rear Underseat Storage<br>Spray In Bedliner<br>Wireless Speaker - Bluetooth | ADH<br>LH2<br>BAL<br>CMD<br>CUW<br>XMF<br>RSJ | -  | O           | O       |
| <b>Rubicon Premium Package</b><br>Body Colour Fender Flares<br>Body Colour Freedom Hard Top  | MM3<br>HT3                                    | -  | -           | O       |
| <b>Trail Ready Package</b><br>Steel Front Bumper<br>17-inch Machined Black Painted Wheels  | MC6<br>WGQ                                    | Removes XHU -<br>ParkSense Front Park<br>Assist System | -           | O       |

Option (O) Standard (S) Not Available (-) Not Available With (NAW)



WFP - 17-inch Black  
Alloy Wheels  
(Standard on Night Eagle)



WFJ - 17-Inch Granite Crystal  
Alloy Wheels  
(Standard on Rubicon)



WGQ - 17-inch Machined  
Black Painted Wheels  
(Option on Rubicon)

# Gladiator

## EXTERIOR COLOURS



PW7 - Bright White  
(Standard)



PX8 - Black  
(Option)



PAU - Granite Crystal  
(Option)



PDN - Sting Grey  
(Option)



PGG - Sarge Green  
(Option)



PRC - Firecracker Red  
(Option)



PBJ - Hydro Blue  
(Option)



PSE - Silver Zynith  
(Option)



PJF - High Velocity  
(Option)

Jeep®



A7X9 - Black with Peak Embossing and Black Stitching  
(Standard - Night Eagle)



ALX9 - Black Leather Trimmed Bucket Seats  
(Option - Rubicon)

|                  | Night Eagle     | Rubicon |
|------------------|-----------------|---------|
| Option Code      | A7X9            | ALX9    |
| Seat Material    | Cloth           | Leather |
| Seat Colour      | Black           | Black   |
| Instrument Panel | Gloss Black     | Radical |
| Steering Wheel   | Premium Wrapped |         |

### Exterior Colour

|                       |   |   |
|-----------------------|---|---|
| Bright White (PW7)    | • | • |
| Black (PX8)           | ○ | ○ |
| Granite Crystal (PAU) | ○ | ○ |
| Sting Grey (PDN)      | ○ | ○ |
| Firecracker Red (PRC) | ○ | ○ |
| Hydro Blue (PBJ)      | ○ | ○ |
| Sarge Green (PGG)     | ○ | ○ |
| Silver Zynith (PSE)   | ○ | ○ |
| High Velocity (PJF)   | ○ | ○ |

Standard (•) Option (○) Not Offered (-)

| Technical Specifications                   |  | Night Eagle<br>3.6L 8AT 4x4                          | Rubicon<br>3.6L 8AT 4x4 |
|--|--|--|-------------------------|
| <b>Body &amp; Chassis</b>                  |  |  |                         |
| Layout                                     |  | Front Engine, 4x4                                    |                         |
| Construction                               |  | Body on frame chassis, open steel and aluminium body |                         |
| Assembly Plant                             |  | Toledo Supplier Park, Toledo, Ohio, USA.             |                         |
| Doors                                      |  | 4-Door   |                         |
| Seats                                      |  | 5  |                         |
| <b>Powertrain</b>                          |  |  |                         |
| Description                                |  | 3.6L Pentastar V6 w/ ESS                             |                         |
| Capacity                                   |  | 3604   |                         |
| Cylinders                                  |  | 6  |                         |
| Configuration                              |  | V  |                         |
| Aspiration (Natural / Forced)              |  | Naturally Aspirated                                  |                         |
| Max. Power (kW @ rpm)                      |  | 209 @ 6400   |                         |
| Max. Torque (Nm @ rpm)                     |  | 347 @ 4100   |                         |
| Valves                                     |  | 24   |                         |
| Compression                                |  | 11.03:01   |                         |
| Bore & Stroke (mm)                         |  | 96.0 x 83.0  |                         |
| <b>Fuel <sup>(1)</sup></b>                 |  |  |                         |
| System                                     |  | Sequential, Multi Port, Electronic, Returnless       |                         |
| Type                                       |  | Unleaded Petrol                                      |                         |
| Fuel Tank Capacity (L)                     |  | 83   |                         |
| Economy (Urban, L/100km)                   |  | 15.4   |                         |
| Economy (Highway, L/100km)                 |  | 10.6   |                         |
| Economy (Combined, L/100km)                |  | 12.4   |                         |
| <b>Emissions</b>                           |  |  |                         |
| Emission Standard Met                      |  | 5  |                         |
| Emissions (Combined, CO <sub>2</sub> g/km) |  | 288  |                         |
| <b>Steering</b>                            |  |  |                         |
| Type                                       |  | Electro-Hydraulic Power                              |                         |
| Turning Circle - Kerb to Kerb (m)          |  | 13.6   |                         |
| Column Adjustment                          |  | Tilt/Telescopic                                      |                         |

| Technical Specifications                        |  | Night Eagle<br>3.6L 8AT 4x4                            | Rubicon<br>3.6L 8AT 4x4 |
|---|--|--|-------------------------|
| <b>Weights</b>                                  |  |  |                         |
| Tare Weight (kg)                                |  | 2,135  | 2,195                   |
| Kerb Mass (kg)                                  |  | 2,187  | 2,242                   |
| Gross Vehicle Mass (kg)                         |  | 2,880  | 2,935                   |
| Payload (kg) <sup>(10)</sup> = GVM - Kerb Mass  |  | 693  | 693                     |
| Max. Braked Towing Capacity (kg) <sup>(9)</sup> |  |  | 2,721                   |
| Max. Unbraked Towing Capacity (kg)              |  |  | 750                     |
| Max. Tongue Download (kg) <sup>(5)</sup>        |  |  | 272                     |
| Gross Combined Mass (kg) Incl. Braked Towing    |  | 5,601  | 5,656                   |
| <b>Transmission</b>                             |  |  |                         |
| Type  |  | 8-Speed Automatic                                      |                         |
| Ratio - 1st                                     |  | 4.71   |                         |
| Ratio - 2nd                                     |  | 3.13   |                         |
| Ratio - 3rd                                     |  | 2.10   |                         |
| Ratio - 4th                                     |  | 1.67   |                         |
| Ratio - 5th                                     |  | 1.28   |                         |
| Ratio - 6th                                     |  | 1.00   |                         |
| Ratio - 7th                                     |  | 0.84   |                         |
| Ratio - 8th                                     |  | 0.67   |                         |
| Reverse   |  | 3.30   |                         |
| <b>Brakes</b>                                   |  |  |                         |
| Front - Type                                    |  | Ventilated disk, floating twin piston caliper with ABS |                         |
| Front - Size (mm)                               |  | 330 x 28   |                         |
| Rear - Type                                     |  | Solid disk, floating single piston caliper with ABS    |                         |
| Rear - Size (mm)                                |  | 350 x 22   |                         |
| <b>Wheels &amp; Tyres</b>                       |  |  |                         |
| Wheel Type                                      |  | Alloy  |                         |
| Wheel Size (Inches)                             |  | 17.0 x 7.5   | 17.0 x 7.5              |
| Tyre Size                                       |  | 245 / 75   | 255 / 75                |
| Spare Wheel                                     |  | Under-Vehicle Mounted                                  |                         |

| Weights & Capacities                 | Night Eagle<br>3.6L 8AT 4x4   | Rubicon<br>3.6L 8AT 4x4                            |
|--------------------------------------|---|--|
| <b>Dimensions</b>                    |   |  |
| Length (mm)                          | 5,591   |  |
| Width (mm)                           | 1,894   |  |
| Height (mm)                          | 1,905   | 1,909  |
| Wheelbase (mm)                       | 3,488   |  |
| Front Track (mm)                     | 1,636   |  |
| Rear Track (mm)                      | 1,636   |  |
| <b>Suspension</b>                    |   |  |
| Type                                 | Coil  |  |
| Front                                | Solid axle, link coil, leading arms, track bar, coil springs, stabilizer bar  |  |
| Rear                                 | Solid axle, link coil, trailing arms, track bar, coil springs, stabilizer bar |  |
| Shocks                               | Gas-charged monotube shock absorbers  | High-pressure, gas charged Tenneco monotube shocks |
| Electronic Stabiliser Bar Disconnect | -   | Front  |
| <b>4x4 Specifics</b>                 |   |  |
| 4x4 System                           | Selec-Trac® 4x4 Active On-Demand  | Rock-Trac® 4X4 Active On-Demand                    |
| Operating Mode                       | 2WD High; 4WD High Auto; 4WD High; Neutral; 4WD Low                           |  |
| Low Range Ratio                      | 2.72:1  | 4.0:1  |
| Rear Axle Ratio                      | 4.10  | 4.10   |
| Front Axle                           | Dana M210   |  |
| Rear Axle                            | Dana M220   |  |
| Electronic Locking Differentials     | -   | Tru-Lock® Front & Rear                             |
| Running Clearance (mm)               | 249   |  |
| Approach Angle (Degrees)             | 40.7  |  |
| Breakover Angle (Degrees)            | 18.4  |  |
| Departure Angle (Degrees)            | 25.1  |  |
| Wading Depth (mm)                    | 760 <sup>(6)</sup>  |  |
| Service & Warranty                   | Night Eagle   | Rubicon  |
| Service Intervals                    | 12,000km / 12 months  |  |
| Warranty                             | 5 year / 100,000 km <sup>(7)</sup>  |  |
| Roadside Assist                      | Lifetime roadside assist when you service through Jeep <sup>(8)</sup>         |  |

## JEEP CAPPED PRICE SERVICING

We've capped the maximum price you'll pay for the first five services based on the standard service intervals for your vehicle.

Petrol: Scheduled servicing due every 12 months or 12,000 km, whichever comes first.

|             |                           |       |
|-------------|---------------------------|-------|
| Night Eagle | Automatic 3.6L 4x4 Petrol | \$399 |
| Rubicon     | Automatic 3.6L 4x4 Petrol | \$399 |

## JEEP WAVE COMMITMENT



### 5 YEAR / 100,000KM FACTORY WARRANTY\*

Peace of mind with every new vehicle



### CAPPED PRICE SERVICING^

Revamped program with more competitive, transparent pricing



### LIFETIME ROADSIDE ASSISTANCE~

When you service through Jeep



### AFFORDABLE PARTS

Parts prices adjusted, to help reduce the cost of ownership



### TECHNICAL SPECIALISTS

Including a team of flying mechanics, ready to travel anywhere in Australia to get you back on the road



### CUSTOMER CARE

Dedicated support, with faster response times

## AUTHENTIC JEEP ACCESSORIES

When it comes to your Jeep vehicle, not all parts are created equal. All Genuine Jeep accessories fitted at purchase are covered by the same 5-year/100,000km warranty\* applied to your Jeep. This means you can personalise your vehicle with complete confidence.



Roof Rack Kit



Tow Bar Kit



Soft Tonneau Cover



Grill & Winch Guard



[jeep.com.au](http://jeep.com.au)

Overseas models may be shown in imagery, Australian model and actual colours may vary. All product illustrations and specifications are based upon current information. Stellantis (Australia and New Zealand) Pty Ltd ABN 23 125 956 505 trading as Stellantis Australia reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, technical information, accessories, colours, materials and to change or discontinue models. All vehicles, models, features, colours and/or accessories shown may not be available in Australia from time to time or at all. "Optional" may mean available as an option but only at an additional cost. For the details of the vehicles, models, features, colours and/or accessories currently available in Australia, please contact an authorised Jeep Dealer.

(1) Fuel consumption figures are according to Australian Design Rule (ADR) 81/02. Driving style, road and traffic conditions, fitment of accessories, environmental influences and vehicle condition can lead to consumption figures which may differ from those calculated with these standards. (2) Apple CarPlay® requires an iPhone 5 or later version of iPhone, running iOS 7.1 or above. The function of Apple CarPlay® requires mobile data for full capability. Compatibility and performance can vary and change. (3) Android Auto® requires an Android 5.0 or later version of Android, installed with the Android Auto® Application. The function of Android Auto® requires mobile data for full capability. Compatibility and performance can vary and change. (4) Android Auto® and Apple Carplay® is available on, and compatible with, Uconnect® Systems installed in select Chrysler and Jeep vehicles. Uconnect® Systems do not support the Pandora® application, but it may appear as part of Android Auto® and/or Apple Carplay®. FCA is not responsible for the availability, compatibility or use of applications, products and software supplied or supported by third parties. (5) Trailer tongue download subject to certain operating conditions. Please refer to Owner's Manual for full details. (6) This vehicle is capable of crossing through water at a depth of 760mm (30 inches) at speeds no greater than 8km/h (5mph). Water ingestion can occur causing damage to your vehicle that may not be covered by the New Vehicle Warranty. (7) 5 years from the date of vehicle registration or 100,000km (whichever comes first). (8) After your warranty period expires, scheduled maintenance services must be conducted through a Jeep Authorised Dealership at manufacturer specified intervals to maintain Lifetime Roadside Assist. Free Roadside assist is not redeemable for cash. (9) Maximum towing capacity is based on Aggregate Trailer Mass (ATM). Please follow towing information in the Owner Manual or consult your preferred Jeep dealer for details. (10) Subject to State and Territory regulations. Payload is defined as the Gross Vehicle Mass (GVM) minus the kerb mass. Payload is the maximum combined value of occupants, cargo, added options, added structures and tow ball download (when towing). The GVM must not be exceeded. The Gross Combined Mass (the combined weight of the fully loaded vehicle including tow ball download (when towing) and trailer must also not be exceeded. Please see Owner's Manual for vehicle specifications.