

# SWIFT

Major Specifications  
and Equipment



Standard and optional equipment available may vary for individual markets. Please enquire at your dealers, as specifications and illustrations may refer to models not available in your region. Specifications in non-metric units are approximate. SUZUKI MOTOR CORPORATION reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models.

All photographs in this catalogue were taken with relevant permission. Images of the vehicles without number plates on public roads are composite photos.

**SUZUKI**  
SUZUKI MOTOR CORPORATION  
300 Takatsuka-cho, Minami-ku, Hamamatsu City, JAPAN 432-8611

SWIFT SPEC. SHEET (G)  
99999-BB105-001 1008 Printed in Japan

**SUZUKI**

Way of Life!

## Model Lineup

**GLX**



Ablaze Red Pearl 2 (ZRJ)



**GL**



Snow White Pearl (ZMT)



**GA**



Smoky Green Metallic 2 (ZRL)



# Major Equipment

Engine		Petrol		
		1.4L	2WD	LHD
Drive system		5		
Steering		5MT		
Number of doors		5MT/4AT		
Transmission		GA		
Grade		GL		
<b>CHASSIS</b>				
Tyres and wheels	175/65R15 + steel wheels (full wheel caps)	S	S	-
	185/55R16 + aluminium-alloy wheels	-	(*a)	S
Spare tyre and wheel	T135/70R15 + steel wheel (for temporary use only)	S	S	S
<b>EXTERIOR</b>				
Black-coloured pillars	A and B pillars	S	S	S
Outside door handles	Unpainted	S	-	-
	Coloured	-	S	S
Tailgate opener	Electromagnetic	S	S	S
<b>VISIBILITY</b>				
Headlamps	Halogen multireflector	S	S	S
Fog lamps	Front	-	(*a)	S
Green-tinted windows		S	S	S
UV-cut glass	Front door windows	S	S	S
Wipers	Front: 2-speed (low, high) + adjustable intermittent + washer	S	S	S
	Rear: 1-speed + intermittent + washer	S	S	S
Rear window demister		S	S	S
Outside door mirrors	Coloured	-	S	S
	Electrically adjustable	S	S	S
Day/night rearview mirror		S	S	S
<b>STEERING AND INSTRUMENT PANEL</b>				
3-spoke steering wheel	Urethane	S	S	-
	Leather covered	-	(*a)	S
	Audio switches	-	(*a)	S
Power steering		S	S	S
Tilt-adjustable steering wheel		S	S	-
Tilt- and telescope-adjustable steering wheel		-	-	S
Information display integrated into meter cluster	Digital clock	S	S	S
	Outside temperature gauge	-	S	S
	Fuel consumption gauge (instantaneous/average)	S	S	S
	Driving range	S	S	S
	Gear position indicator (AT)	-	S	S
Light-off and key reminder	Alarm	S	S	S
Driver's seatbelt reminder	Lamp	S	S	S
Door ajar reminder	Lamp	S	S	S
Low fuel warning	Lamp	S	S	S
<b>DRIVING AMENITIES</b>				
Electric windows	Front	S	S	S
	Rear	S	S	S
Central door locking (including tailgate)	Switch (driver's side)	S	S	S
Remote-control door locks	With hazard lamp answerback function	S	S	S
Keyless push start system		-	-	S
Air conditioner	Manual	(*a)	S	-
	Automatic	-	-	S
Heater		S	S	S
Pollen filter		S	S	S
Audio	Antenna (mounted at rear of roof)	S	S	S
	Speaker x 4	S	S	S
	Tweeter x 2	-	S	S
	CD tuner + MP3 playback function	(*a)	(*a)	S

Engine		Petrol		
		1.4L	2WD	LHD
Drive system		5		
Steering		5MT		
Number of doors		5MT/4AT		
Transmission		GA		
Grade		GL		
<b>INTERIOR</b>				
Cabin lights	Front map light	-	-	S
	Centre cabin light (3-position)	S	S	S
	Luggage area light (mounted at rear quarter trim)	S	S	S
Sun visors	Both sides	S	S	S
	With ticket holders (both sides)	-	S	S
	With vanity mirrors (both sides)	-	S	S
Assist grips	Driver's side	-	-	S
	Passenger's side	S	S	S
	Rear x 2	S	S	S
Coat hooks	Rear x 2	S	S	S
Cup holders	Front x 1, Rear x 2	S	S	S
Bottle holders	Front x 2, Rear x 2	S	S	S
Instrument-panel upper box		S	S	S
Storage pockets	Front and rear doors	S	S	S
Shift knob (MT)	Unpainted	S	-	-
	Silver coloured	-	S	S
USB socket (centre-lower box)		(*a)	(*a)	S
12V interior accessory socket	Centre console area	S	S	S
Footrest	Driver's side	S	S	S
Remote fuel lid opener		S	S	S
Inside door openers	Chromed	-	S	S
<b>SEATS</b>				
Front seats	Seat height adjuster (driver's side)	-	S	S
	Seatback pocket (passenger's side)	-	S	S
Rear seats	60:40-split single-folding	S	S	S
Seatback convenience hook	Passenger's seatback	S	S	S
<b>LUGGAGE AREA</b>				
Luggage area cover		S	S	S
Luggage area board		S	S	S
<b>SAFETY, SECURITY AND ENVIRONMENTAL COMPATIBILITY</b>				
SRS dual front airbags		S	S	S
SRS side airbags (incorporated into front seats)		-	-	S
SRS curtain airbags		-	-	S
Foot-protecting design	Brake and clutch pedals	S	S	S
Seatbelts	Front: 3-point ELR seatbelts with pretensioners, force limiters and height adjusters	S	S	S
	Rear: 3-point ELR seatbelts x 3	S	S	S
ISOFIX child seat anchorages	x 2	S	S	S
Child seat tether anchorages	x 2	S	S	S
Childproof rear door locks		S	S	S
Side impact door beams		S	S	S
ABS with EBD function		S	S	S
Brake assist function		S	S	S
Shift lock (AT)		-	S	S
High-mount stop lamp		S	S	S
Immobilizer		S	S	S
Freewheeling key cylinders		S	S	S

S : Standard O : Option - : Not available

Standard and optional equipment availability may vary for individual markets.

(\*a): Set option.



## Major Specifications

Number of doors	5-door		
Engine	Petrol 1.4L VVT		
Drive system	2WD LHD/RHD		
Steering			
<b>DIMENSIONS</b>			
Overall length	mm	3,850	
Overall width	mm	1,695	
Overall height	mm	1,510	
Wheelbase	mm	2,430	
Tread	Front	mm	1,490(15inch) / 1,480(16inch)
	Rear	mm	1,495(15inch) / 1,485(16inch)
Minimum turning radius*	m	4.8(15inch) / 5.2(16inch)	
Minimum ground clearance	mm	140	
<b>CAPACITIES</b>			
Seating capacity	persons	5	
Luggage capacity*	Max. volume (without /with sunroof) litres	900/870	
	Rear seatback folded (VDA method) litres	533	
	Rear seatback raised (VDA method) litres	210	
Fuel tank capacity	litres	42	
<b>ENGINE</b>			
Type		K14B	
Number of cylinders		4	
Number of valves		16	
Piston displacement	cm <sup>3</sup>	1,372	
Bore x stroke	mm	73.0x82.0	
Compression ratio		10.0	
Maximum output	kW/rpm	70/6,000	
Maximum torque	N·m/rpm	130/4,000	
Fuel distribution		Multipoint injection	
<b>TRANSMISSION</b>			
Type		5MT	4AT
Gear ratio	1st	3.545	2.875
	2nd	1.904	1.568
	3rd	1.310	1.000
	4th	0.969	0.697
	5th	0.769	-
	Reverse	3.250	2.300
Final gear ratio		4.105	4.375
<b>CHASSIS</b>			
Steering		Rack & pinion	
Brakes	Front	Ventilated disc	
	Rear	Drum, leading and trailing / Disc	
Suspension	Front	MacPherson strut with coil spring	
	Rear	Torsion beam with coil spring	
Tyres		175/65R15, 185/55R16	
<b>WEIGHTS</b>			
Kerb weight (min./with full options)	kg	1,005/1,025	1,035/1,055
Gross vehicle weight	kg	1,480	
<b>PERFORMANCE</b>			
Maximum speed	km/h	170	165
0-100 km/h*	secs	10.9	12.3

Specifications may vary for individual markets.

\*: Manufacturer data

### ■5-doors



## Colours

### ■ Exterior Colours



Ablaze Red Pearl 2 (ZRJ)



Boost Blue Pearl Metallic (ZRZ)



Sunlight Copper Pearl Metallic 2 (ZFM)



Smoky Green Metallic 2 (ZRL)



Snow White Pearl (ZMT)



Star Silver Metallic (ZMU)




Mineral Gray Metallic (ZMW)




Super Black Pearl (ZMV)

### ■ Seat Materials



Main



Side