


# APV

Mobile living

Commercial Van



Way of Life!

# The ideal partner

Suzuki's APV Commercial Van is the ideal choice for today's-and tomorrow's-light - commercial and fleet businesses, offering more interior space, plus better performance, durability and reliability; all that and passenger-car comfort, too. Yet the APV Commercial Van is still nimble enough to meet the diverse needs of its users.




The instrument panel looks like that of a passenger car, with all major controls and compartments smartly placed for ideal functionality.



The slide- and reclining-adjustable seats feature adjustable head restraints for added comfort.



## Spirited performance meets demands



The **aluminium 1.6-litre 16 valve engine** is extremely fuel-efficient yet delivers exceptional output and torque when required.

The compact and lightweight **front MacPherson strut & coil spring suspension** is specifically tuned for straight-line stability.

**Large 14-inch tyres** are fitted to steel wheels with five mounting bolts for increased durability.

## All-round utility satisfies expectations



**Full-width tailgate** swings upwards with ease, while the **flat door** maximises cargo capacity.

**Front door step boards** and **front passenger's access support grip** ease cabin entry and exit.

Handy cockpit compartments, like **glove box** and **driver's side storage pocket**, keep small items within easy reach.

## Comprehensive safety ensures confidence



Suzuki's **TECT body** directs collision-impact energy away from the cabin, with the nose acting as a buffer for increased protection.

Rigid cabin construction incorporates **side impact door beams** to help protect occupants and cargo in side collisions.

**SRS (Supplemental Restraint System)** front dual airbags deploy in front, offset and diagonal collisions to help reduce the severity of occupant injury.

The APV Commercial Van is equipped with reliable **ventilated disc brakes** in the front and reliable **drum brakes** in the rear.

**Headlamps and taillights** are well elevated for better all-round visibility plus reduced vulnerability in minor collisions.

The **high-mount stop lamp** helps prevent rear-end collisions by alerting trailing drivers to imminent stops.


# APV COMMERCIAL VAN



## Major Equipment

Front mud flaps / Green-tinted windows / Rear window demister / Power steering / Central door locking / Remote-control door locks / Manual air conditioner\* / CD MP3 tuner / Sun visors (Driver's side with ticket holder + passenger's side) / Passenger's side access support grip / Slide and reclining adjustment for front seats / SRS front dual airbags / 3-point ELR front seatbelts with pretensioners and force limiters / side impact door beams / High-mount stop lamp / Auxillary power socket

## Dimensional Views



## Exterior Colours



Superior White  
(26U)



Silky Silver Metallic  
(Z2S)



Real Black  
(ZBC)

## Major Specifications

Body Type	Commercial Van	
Grade	G16A	
Engine	G16A	
Transmissions	5MT	
<b>Dimensions</b>		
Overall length	mm	4,155
Overall width	mm	1,655
Overall height	mm	1,860
Wheelbase	mm	2,625
Front overhang	mm	700
Rear overhang	mm	830
Tread	Front mm	1,435
	Rear mm	1,435
Minimum turning radius	m	4.9
Minimum ground clearance	mm	190
<b>Capacity</b>		
Seating Capacity	persons	2
<b>Engine</b>		
Type	G16A	
Number of cylinders	4	
Number of valves	16	
Piston displacement	cm <sup>3</sup>	1,590
Bore x stroke	mm	75.0 x 90.0
Compression ratio	9.5	
Maximum output	kW/rpm	68 / 5,750
Maximum torque	N·m/rpm	127 / 4,500
Fuel distribution	Multipoint Injection	
<b>Transmission</b>		
Type	5MT	
Gear Ratio	1st	3.652
	2nd	1.947
	3rd	1.423
	4th	1.000
	5th	0.795
	Reverse	3.466
Final gear ratio	5.375	
<b>Chassis</b>		
Steering	Rack & Pinion	
Brakes	Front	Ventilated disk
	Rear	Drum, leading & Trailing
Suspension	Front	McPherson strut & coil spring
	Rear	Rigid axle with leaf spring
Tyres	185R14C	
<b>Weights</b>		
Kerb Weight	kg	1,198
Gross vehicle weight	kg	1,950
<b>Capacity</b>		
Fuel tank capacity	litres	46
Fuel consumption	8.2l/100km	

Standard and optional equipment available may vary for individual markets. Please enquire at your dealers, as specifications and illustrations may refer to models not available in your region. Specifications in non-metric units are approximate. SUZUKI MOTOR CORPORATION reserves the right to change, without notice, prices, colours, materials, equipment, specifications and models, and also to discontinue models.



[www.suzukiqld.com.au](http://www.suzukiqld.com.au)



APV Commercial Van Catalogue  
APRIL 2012 99999-GC416-Q02