

Alto Refreshed



19.73*
kmpl

*Test result of rule 115 of CMVR.

1
INDIA'S No. 1
SELLING CAR

let's
ALTO go

Let's go for a refreshing drive.



Guess what makes the Alto more desirable? A savvy digital fuel gauge that helps you track the improved mileage, that incidentally at 19.73 kmpl*, ranks the best in its class. What's more, with smart changes to the interiors, the Alto adds a dash of freshness to your lifestyle. But, it's not all about looks! The car now matches up to BS IV norms; a fresh start for the environment as well. It is time for a refreshing change. With Alto, 'Let's Go'.


Here's what makes the Alto Refreshing:

- Best-in-class fuel efficiency - 19.73 kmpl* • 0 to 100 kms in 17.7 seconds • Integrated headrest • Grey and black dashboard • New speedometer with digital fuel gauge • Tubeless radials • BS IV compliant




*Test result of rule 115 of CMVR.

Let's go for Best-in-class Mileage



32-bit on board computer for dynamic computerised fuel injection



4 valves per cylinder that burns fuel efficiently

Let's go for Optimum Performance



47 ps engine for optimum power



0 - 100 kms in 17.7 seconds

Let's go for Easy Drive & Handling



Intelligent drive assist power steering



Low turning radius for effortless turning and parking

Let's go for Comfort



Seats with Integrated Headrest



Multi-flow cooling
A.C. (A.C. with
heater)

Let's go for Style



All new Speedometer with Digital Fuel Indicator



Dual Tone Dashboard



Clear-lens
headlamps




Sparkling tail
lamps

Let's go for Safety



Tubeless Radials



Booster assisted brakes
for shorter braking
distance



Collapsible steering
column for avoiding injury
to driver



iCATS

INTELLIGENT COMPUTERISED

ANTI-THEFT SYSTEM

- Factory fitted, making your vehicle 100% safe and secure
- The vehicle only starts with the original key
- Feature found only in high end luxury cars


STANDARD EQUIPMENT LIST

| EXTERIOR | *Alto | *Alto LX | *Alto LXI |
|---|------------|------------|------------|
| Stylish Front Bumper | • | • | • |
| Stylish Front Grill | • | • | • |
| INTERIOR | | | |
| Fabric Seats | | • | |
| Moulded Carpet | • | • | • |
| Luggage Compartment Carpet | • | • | • |
| Moulded Door Trims | • | • | • |
| Cabin Lamp | • | • | • |
| Electronic Tripmeter | • | • | • |
| Floor Front Console with Cup Holders | • | • | • |
| Floor Rear Console | • | • | • |
| Glove Box | • | • | • |
| Front Door Pockets | • | • | • |
| All New Speedometer with Digital Fuel Indicator | • | • | • |
| COMFORT | | | |
| AC with Heater | | • | • |
| Front Seats | Integrated | Integrated | Integrated |
| Rotary Control for AC | • | • | |
| Tinted Glasses | • | • | |
| Outside Rear View Mirror (RHS) | • | • | • |
| Remote Fuel Lid Opener | | • | |
| Electronic Power Steering | | • | |
| SAFETY | | | |
| Clear Lens Headlamps | • | • | • |
| Head Lamp Leveling Device - 4 Steps | • | • | • |
| Clear Lens Tail Lamps | • | • | • |
| Collapsible Steering Column | • | • | • |
| Side-Impact Beams | • | • | • |
| Front and Rear Seat Belts | • | • | • |
| Rear Seat Head Restraints | | Integrated | |
| High Mount Stop Lamp | • | • | • |
| Booster Assisted Brakes | • | • | • |
| ICATS Security System | • | • | • |
| Tubeless Tyres | • | • | • |

TECHNICAL SPECIFICATIONS

| WEIGHT | | |
|------------------------|--------------------|--|
| Kerb Weight | ALTO | 690 kg |
| | ALTO LX / ALTO LXI | 705 kg |
| Gross Vehicle Weight | | |
| | | 1140 kg |
| ENGINE | | |
| Swept Volume | | 796 cc |
| Engine Type | | FC Engine, 4 Valves |
| | | Per Cylinder MPFI |
| No. of Cylinders | | 3 |
| Engine Control | | 32 Bit Computer |
| Maximum Power | | 47 PS @ 6200 rpm |
| Maximum Torque | | 62 Nm @ 3000 rpm |
| Transmission | | 5 Speed, All |
| | | Synchromesh, Manual |
| SUSPENSION SYSTEM | | |
| Front | | McPherson Strut with Torsion Type Roll Control Device |
| Rear | | Coil Spring Gas - Filled Shock Absorbers with Three - Link Rigid Axle and Isolated Trailing Arms |
| SEATING | | |
| Capacity | | 5 Persons |
| TYRES | | |
| Tyre Size | | 145 / 80 R12 (Tubeless) |
| DIMENSIONS | | |
| Overall Length | | 3495 mm |
| Overall Width | | 1475 mm |
| Overall Height | | 1460 mm |
| Wheelbase | | 2360 mm |
| Tread | Front | 1295 mm |
| | Rear | 1290 mm |
| Minimum Turning Radius | | 4.6 m |
| Ground Clearance | | 160 mm |

*All variants are BS IV version only



790 sales points, 2886 service centres, 1379 cities covered by service network and over 16900 trained sales personnel as on 1st March, 2010.

Available in vibrant colours



MIDNIGHT BLACK*



ECRU BEIGE*



FIRE BRICK RED*



SUPERIOR WHITE



SILKY SILVER*



BLUE BLAZE*

*Metallic colour

Colours shown may vary from actual body colours due to printing on paper. Accessories shown & coloured bumper are not part of standard equipment.

Maruti Suzuki India Limited reserves the right to change without notice, prices, colours, equipment specification and models and also to discontinue models. Accessories shown in this entire brochure are not part of original equipment. For variant specific features refer to equipment list.

Maruti Suzuki India Limited,
Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi - 110070.
Tel.: 46781000 Fax: 46150275, 46150276

Dealer Stamp



Anytime MARUTI

Ask anything about Maruti. Anytime.
Call 1800 1800 180 (Toll Free) or 09910 202020. Visit us at <http://www.marutialto.com>

