

Omni CARGO



CARRY ANYTHING, ANYTIME, ANYWHERE.*



FLAT CARGO BED



So you can accommodate a large volume of goods.

MANOEUVRABILITY



4.1m
Perfect for city roads as well as crowded market lanes.

METAL GRILLE PARTITION



Keeps you and your goods perfectly safe.

SLIDING DOOR



For easy loading and unloading even in narrow lanes.

REFLECTOR STRIPS



Perfectly suited for commercial application.

WELDED WINDOWS



For extra safety and security of goods.

Omni Cargo has been designed to perfectly partner your growing business. A complete solution that improves delivery time and boosts your profits.

Speed & Manoeuverability: It's fast so you can improve up-time and adhere to tight delivery schedules. It's compact


so as to easily manoeuver through narrow and crowded market lanes.

Safety: Omni Cargo has various built-in safety features to keep you and your goods in perfect shape.

Spacious: Even loading and unloading in an Omni Carg



MINERALS & MEDICINES



is very easy. It has a side sliding door and a rear hatch, allowing you direct access to your goods.

Economical: Plus, Omni Cargo costs very little to run and maintain. Saving you a bundle, month after month. Year after year.

You can put your logo/graphics and make it a mobile advertisement for your business.

So carry your goods in the safe, stylish and contemporary Omni Cargo. And watch your business grow!

Accessories & colour body graphics shown are not part of the standard equipment.




FLOWERS & FASHION



CASH & COURIER





BOOKS & BOXES



SPECIFICATIONS	
DIMENSION	
Length	3370 mm
Width	1410 mm
Height	1640 mm
Wheel base	1840 mm
Ground clearance	165 mm
Turning radius	4.1 m
CARGO AREA DIMENSIONS	
Length	1600 mm
Width	940 mm
Height	1000 mm
GOODS CARRYING CAPACITY	475 kg
CARGO AREA VOLUME	2000 litres
WEIGHT	
Kerb weight	775 kg
Gross vehicle weight	1450 kg
ENGINE	
Type	4 stroke cycle, water cooled
Number of cylinders	3 Cylinders
Piston displacement	796 cc
No. of engine valves	6
POWER TRANSMISSION	
Type	Manual, 4 forward, all synchromesh, 1 reverse
SUSPENSION	
Front	McPherson strut
Rear	Leaf spring with shock absorbers
BRAKES SYSTEM	
Front	Disc (Booster Assisted)
Rear	Drum
TYRES	
Type size	145R 12LT 6PR (Radial)
CAPACITY	
Fuel tank (Petrol)	36 litres
Seating capacity	2 persons
PERFORMANCE	
Maximum power	35.0 bhp @ 5000 rpm
Maximum torque	6.1 kgm @ 3000 rpm


STANDARD EQUIPMENT	
INTERIOR EQUIPMENT	
ELR Type seatbelts (Front)	●
Metal grille partition	●
Adjustable front seat head restraints	●
Sliding facility on driver's seat	●
Rear view mirror	●
Floor carpeting (Front)	●
Steering lock	●
Glove compartment with lock	●
Dashboard with cup holder and spaces for utility items	●
Two Tone Upholstery	●
ELECTRICAL EQUIPMENT	
2 speed windshield wiper	●
3 position cabin levers	●
Multi-function levers	●
Headlamp leveling device	●
EXTERIOR EQUIPMENT	
Hatchback door lock	●
Front and rear thermoplastic bumper	●
Laminated glass windshield	●
Mud flap (front & rear)	●
Outside rear view mirror (right)	●
Reflector tape (front & rear)	●
Clear lens headlamps	●



*Only available in Superior White colour.

Omni CARGO

Bharat III



*All dimensions are in mm.

Ask your Maruti Suzuki dealer for assistance on colour body graphics.

317 sales outlets, 1970 service centres, 1046 cities as on 28-02-2005.

Dealer Stamp

Maruti Udyog Limited reserves the right to change without notice, sizes, colours, equipment, specifications and models and also to discontinue models. Accessories shown in the pictures may not be part of the standard equipment. For variant specific features refer to separate leaflet.

Maruti Udyog Limited
11th floor, Jeevan Prakash Building,
25, Kasturba Gandhi Marg,
New Delhi-110001, India



Visit us at
OMNI.MARUTIUDYOG.COM

MOS
Maruti Ozone Service

Anytime MARUTI
1600 11 1515

Ask anytime about Maruti. Anytime.

MARUTI
SUZUKI
Carry on US