



Way of Life!

SUPER CARRY





DESIGN

The Super Carry has been designed with your business needs in mind. Its strong, built-to-last petrol-driven power, 750kg load-capacity, and load box that is the widest in its class are all implemented with a no-nonsense approach to your business.

With the exterior features that allow you to secure any load, and a removable bed to allow for other body options, the Super Carry is the best choice for your business needs



EASE OF USE

Ease of use is a big part of the Super Carry's appeal. With a 4.3m turning radius and ground clearance of 175mm, the width of the Super Carry is easy to manoeuvre in any situation.

With practical and reliable design and structure, the Super Carry is a purpose-built drive that you can really depend on.



THE POWER OF CONVENIENCE

While the design of the Super Carry is simple and straightforward, the cabin has what it takes to carry the load.

With a functional dashboard and 7-position drivers-seat slide, the interior of the Super Carry gives you all the movement you need, with none of the fuss.

The cabin has ample leg- and head-room, to ensure you get the job done without feeling cramped. The interior features:

- Sun visors
- Assist grips
- 12v accessory socket
- Driver's and passenger pockets with bottle holders

ENGINE

Type	G12B	
Number of Cylinders	4	
Number of Valves	16	
Piston Displacement	cm ³ 1 196	1 196
Bore X Stroke	mm 71 x 75.5	71 x 75.5
Compression Ratio		10,0
Maximum Output	kW @ r/min	54/6,000
Maximum Torque	Nm @ r/min	101/3,000
Fuel Distribution	Multipoint injection	

TRANSMISSION

Type	5MT	
Gear Ratio	1st	4,43
	2nd	2,30
	3rd	1,67
	4th	1,26
	5th	1,00
	Reverse	5,15
Final Gear Ratio	3,727	

DIMENSIONS

Overall Length	mm	3 800
Overall Width	mm	1 562
Overall Height	mm	1 883
Wheelbase	mm	2 110
Front Overhang	mm	925
Rear Overhang	mm	765
Tread Front	mm	1 345
Tread Rear	mm	1 330
Load Deck Length	mm	2 183
Load Deck Width	mm	1 488
Load Deck Height	mm	300
Minimum Ground Clearance	mm	175

CAPACITIES

Seating Capacity	Persons	2
Fuel Tank Capacity	Litres	30


SUPER CARRY SPECIFICATIONS

Steering	Rack & Pinion	
Brakes Front	Ventilated Disc (13 inch)	
Brakes Rear	Drum, Leading & Trailing	
Suspension Front	MacPherson Strut with Coil Spring	
Suspension Rear	Rigid Axle with Leaf Spring	
Tyres	Steel Wheels with Centre Cap	155 R13 LT8PR
Spare Tyre & Wheel	Steel Wheel	155 R13 LT8PR
Kerb Weight	kg	850
Maximum Payload	kg	750
Gross Vehicle Weight	kg	1 600
Fuel Consumption	l / 100km	6.0

SUPER CARRY EQUIPMENT

Tailgate Opening Functions	*
Rope Hooks	Tailgate x3
	Side Panels x8 (one side x4)
Mud Flaps	Front
Headlamps	Halogen Multireflector
Headlamp Levelling Device	Manual
Wipers	Front: 2 Speeds (low; high)
Outside Door Mirrors	Manually Adjustable

Note: As product improvements may be introduced at any time, specifications are subject to change without notice.



BERIBI

Lot No. 30, Beribi Industrial Complex II
Jalan Gadong BE1118, Brunei Darussalam
Tel +673 245 316/3 Fax +673 245 3161

GADONG

Lot 20735, Spg 137, Km 4,
Jalan Gadong, Brunei Darussalam
Tel +673 242 1298 / 242 1268

KUALA BELAIT BRANCH

Lot 8989, Units 1-4, Block A, Jalan Pandan 7,
Kg Pandan KA1931 Kuala Belait, Brunei Darussalam
Tel +673 333 4284 Fax +673 333 4286



Suzuki_Brunei



Suzuki Brunei