

1976
Cordoba

The praise winning sport size Chrysler



A true luxury automobile in the Chrysler tradition

An immediate success when it was introduced, Chrysler now presents Cordoba for 1976. A luxury automobile of trimmer proportions, more personal size. And because it's Chrysler, you get all the Chrysler quality and Chrysler dependability you expect.

Cordoba has won overwhelming plaudits from discerning drivers everywhere. It has accepted its place with those who enjoy a sport size automobile replete with luxury features and gracious interiors.

And, those extra touches for which you'd expect to pay more come built right in with Cordoba. Standard equipment is the economical 360 C.I.D. V-8 engine, TorqueFlite automatic transmission, power front disc brakes, power

steering and Space Saver Spare Tire. Rich velour-covered contoured seats with centre armrest. Thick shag carpeting throughout that reaches up the doors and seat backs and envelopes you in comfort. Soundproofed Unibody construction that creates an environment of quiet relaxation.

Of course, you can choose options tailored to your personal style. These include a sun roof for sunny drives. Bucket seats of the softest Corinthian leather. A tilt steering wheel that adjusts to your way of driving your Cordoba.

Chrysler Cordoba. A sport size automobile with Chrysler elegance. Test drive it and it's certain to win your praises.



Cordoba

Standard Features

AIR PUMP—400 (4-barrel, dual exhaust)
8-cylinder engine
ALTERNATOR—50 amp. hour with transistorized voltage regulator
ANTI-FREEZE—Glycol base —35°
*ARMRESTS—Front and rear, padded
ASH RECEIVERS—Instrument panel and rear armrests
BATTERY—440 amp. hour
*BODY—Unibody construction combines body and frame into one solid, strong unit. Seven-stage rustproofing
*BRAKES—Dual braking system. Self-adjusting front and rear
Front—power disc
Rear—drum type with bonded linings
*BUMPERS—Hydraulic bumper system sustains barrier impacts at speeds up to 5 m.p.h. front and rear
*BUMPER GUARDS—Front and rear
BUMPER PROTECTIVE RUBBER STRIPS—Front and rear
CARPET—Shag type front and rear. Trunk carpet and spare tire cover
CATALYTIC EXHAUST SYSTEM—318 8-cylinder engine
CIGARETTE LIGHTER
COAT HOOKS—Left and right side of special soft plastic
COOLANT RESERVE SYSTEM
DOOR CHECKS—2-position on all doors
ELECTRONIC DIGITAL CLOCK
EMISSION CONTROLS—Closed crankcase ventilation. Air pre-heat. Evaporative control and charcoal canister. Automatic vacuum, sparks advance exhaust, gas recirculation and electric-assist choke. Air pump on 400-4 barrel dual exhaust engine
HEADLINING—Moulded one-piece fibreglass
HEATER/DEFROSTERS—with upper level ventilation
HORNS—Dual
IGNITION—Electronic ignition system eliminates breaker points and condenser. Reduces tune-ups and emissions. Provides easier starting
INSIDE HOOD RELEASE
*INSTRUMENT PANEL AND CONTROLS—Padded, recessed controls, variable intensity lights, key-left-in ignition warning buzzer, master cylinder and park brake warning indicator, glove

box lock, seat belt warning light for driver only, combined temperature and fuel gauge with low fuel indicator light
INSULATION—Special insulation. Seals on hood, doors, dash panel, roof, trunk and floor pan help keep out noises and heat
LIGHTS—Single headlights, taillights opera light, stoplights and backup lights, side marker lights and reflectors, dome light with front door courtesy switch, turn signal lights with lane change feature, 4-way emergency flasher, map and courtesy light. Glove box lamp, ash receiver lamp, trunk lamp, ignition switch lamp, headlamp "on" warning buzzer
*MIRRORS—Outside; rear view left. Inside; prismatic day/night, balljoint mounted with energy-absorbing lip around edge of glass
PAINT—19 colours in durable sparkling acrylustre finish. Featured colours: Vintage Red "Sunfire Metallic" and Deep Sherwood "Sunfire Metallic"
OPERA WINDOW
*SEATS—Bench type with driver and passenger head restraints. Foam pads and flame-resistant materials, seat-back latches and energy-absorbing front-seat back
*SEAT BELTS—Combined lap and shoulder belts—for driver and front outboard passenger. Lap belts for all remaining passengers. Automatic retractors for driver and front passenger and outboard passengers in rear seat. Seat belt reminder light and buzzer for driver
*SIDE IMPACT—Protection beam in doors
SPACE SAVER SPARE TIRE WITH CARPETED TIRE COVER
*SUN VISORS—Left and right, padded swivel type
*STEERING—Power, impact-absorbing wheel and steering column, steering column lock, 3-spoke steering wheel with 3 horns switches and padded hub
SUSPENSION—Torsion-quiet ride. Special group of rubber bushings on fore structure, steering mechanism, Torsion bars, and rear springs greatly reduce road noise. Front and rear sway bar. Torsion bars front. Leaf springs rear and Oriflow shock absorbers
TIRES—Whitewall steel-belted radials
*Safety features

TRANSMISSION—Automatic 3-speed Torqueflite
*WHEELS—15" safety-rim
WHEEL COVERS
*WINDSHIELD—Heavy laminated glass prevents inside shattering
*WINDSHIELD WASHERS—Dual electric
*WINDSHIELD WIPERS—Dual with overlap wipe pattern
WINDOWS—Ventless side windows

Selected Optional Equipment

AIR CONDITIONING
AUTOMATIC SPEED CONTROL
BATTERY—500 amp. extended life
CONSOLE
ELECTRIC HEATED REAR WINDOW—Includes heavy-duty 100 amp. heavy duty alternator
ENGINE BLOCK HEATERS
GLASS—Tinted windshield only or all windows
MIRRORS—Left or right outside remote control—Dual racing mirrors, remote control (chrome or painted)
PACKAGES—There are special package options available, some of which are: Air Conditioning Package and the Light and Heavy Trailer Towing Package. See your dealer for full details
POWER EQUIPMENT—Deck lid electric release, door locks, seats and windows
RADIOS—AM pushbutton, AM/FM pushbutton, AM with 8-track stereo tape player, AM/FM multiplex, AM/FM multiplex with 8-track stereo tape player or AM/FM multiplex with search tuner
SUSPENSION—Heavy-duty including front sway bar and front and rear shocks
SUN ROOF—Manually operated
SURE-GRIP DIFFERENTIAL—Rear axle
TACHOMETER
TILT STEERING WHEEL
TIRES—Steel-belted radials with raised white letters
UNDERCOATING AND HOOD SILENCER PAD
VINYL ROOF—Full or Landau type
WHEEL COVERS—Wire
WHEELS—Styled road wheels
WINDSHIELD WIPERS—3-speed
THERE ARE MANY OTHER OPTIONS AVAILABLE. SEE YOUR DEALER FOR FULL DETAILS.

Seat Availability

Model	Standard Seat	Material	Optional Seat	Material
Cordoba	Bench with centre armrest	Cloth & Vinyl (Velour)	Bucket	Leather
			60-40 Split back bench with centre armrest and recliners	Cloth & Vinyl (Velour)
			Bench with centre armrest	Cloth & Vinyl (Velour)

Chrysler Cordoba — Basic Specifications

Exterior Dimensions	2-Door Special (Pillared Hardtop)	Interior Dimensions	2-Door Special (Pillared Hardtop)
Wheelbase	115.0"	Effective headroom—front	37.6"
Overall length*	215.3"	—rear	36.6"
Overall width	77.1"	Effective leg room—front	42.4"
Overall height	52.6"	—rear	32.3"
Track—front	61.9"	Shoulder room—front	58.6"
—rear	62.0"	—rear	61.0"
Road clearance	4.8"	Hip room—front	55.8"
Approx. shipping weight lbs.	4030	—rear	57.0"
*Includes Bumper Guards			
Luggage Compartment	2-Door Special (Pillared Hardtop)	Entrance height—front	29.3"
Usable space (cu. ft.) estimated	13.7"	—rear	—
Usable length	49.5"	Seat height—front	8.6"
Usable width	73.2"	—rear	10.6"
Loading height	29.2"		

Engine and Transmission Specifications — 8-Cylinder

	Standard	Optional	Optional	
Displacement (cu. in.)	360	318	400	400
Bore (in.)	4.00	3.91	4.34	4.34
Stroke (in.)	3.58	3.31	3.38	3.38
Installed Net Horsepower @ R.P.M.	170 @ 4000	145 @ 4000	205 @ 4000	240 @ 4400
Installed Net Torque @ R.P.M.	280 @ 2400	250 @ 1600	305 @ 3200	325 @ 3200
Compression Ratio	8.4 to 1	8.5 to 1	8.2 to 1	8.2 to 1
Carburetor	1-2 Barrel	1-2 Barrel	1-4 Barrel	1-4 Barrel
Air Cleaner	Silenced	Silenced	Single Snorkel	Double Snorkel
Catalytic Exhaust System	N.A.	Standard	N.A.	N.A.
Exhaust	Single	Single	Single	Dual
Fuel Required	Leaded or Unleaded	Unleaded	Leaded or Unleaded	Leaded or Unleaded
Torqueflite, 3-speed Automatic Transmission	Standard	Standard	Standard	Standard




Chassis Specifications — 8-Cylinder

ENGINE DISPLACEMENT (cu. in.)			318	360/400
BRAKES	Type	Disc Front; Drum Rear	Standard	Standard
	Size, Inches	Disc Brakes	Front Wheels	10.8 x 7.16
		Drum Brakes	Rear Wheels	11 x 2.5
CAPACITIES (Imperial)	Fuel Tank, gallons		21.2	21.2 (a)
	Engine Crankcase, quarts		3.25	3.25
	Cooling System, with Heater, quarts		13.6	13.3
REAR AXLE RATIOS	Standard Ratio		2.71	2.71 (b)
STEERING RATIOS	Power	Gear Ratio	15.7:1	15.7:1
		Overall Ratio	18.82:1	18.82:1
		Wheel Turns, Lock-to-Lock	3.5	3.5
	Turning Diameter, Curb-to-Curb, ft.		41.2	41.2
SUSPENSION	Type	Torsion Bar	Front	Front
		Leaf Spring	Rear	Rear
	Rear Spring	Length, Inches	57.0	57.0
		Number of Leaves	5	5
TRANSMISSION	Torqueflite 3-speed Automatic		Standard	Standard
WHEELS & RIMS	Rim Size		5.5JJ	5.5JJ
	Tire Size (Steel Belted Radial)		GR78 x 15	GR78 x 15

(a) 17.1 with 400-4 barrel dual exhaust engine

(b) 3.21 on 400-4 barrel dual exhaust engine


Interiors and Options



- A. Cordoba interior bench seat with centre arm rest.
- B. Urethane-coated "Turbo" wheel.
- C. Tilt Steering Wheel. Adjusts up and down for each driver's comfort and convenience.
- D. Standard trunk carpeting and spare tire cover.
- E. Manual sun roof for fresh breezes on cool sunny days. Available on all Cordoba roofs.
- F. Cordoba instrument panel. Modular with walnut-like inserts. Angled towards driver.
- G. AM/FM Pushbutton radio with 8-track stereo tape deck.

Air Conditioning Discount Package

Package includes full Vinyl roof, undercoating and hood pad, remote control outside mirror (left), tinted glass, (all windows), 3-speed wipers, accessory floor mats, electric heated rear window, AM pushbutton radio, single rear seat speaker, automatic speed control, air conditioning. Electric fuel pacer.



If you circled the world for a year, you couldn't outdrive our warranty.

1 Unlimited mileage warranty for 12 months
Excludes police cars and taxis only.

Worn-out items replaced

2 Includes selected items such as shocks, mufflers, brake linings and disc brake pads. During the first 12 months, if they wear out, they will be replaced without charge for parts or labour.


3 No charge for parts or labour
Any part which proves defective in normal use, will be replaced without charge, regardless of mileage. Even tires are covered by the tire manufacturer.

4 What do you have to do?
You must perform normal maintenance such as changing the oil, filters and replacing wiper blades.



The Chrysler Warranty The first year's on us.

That's our way of saying unlimited mileage for the first year.



All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional, at extra cost. Chrysler Canada Ltd. reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, standard and optional equipment listed, colours and materials, and to change or discontinue models.

