

CAMARO 2015

CHEVROLET



CENTURY
AUTO.CA

Camaro 2SS Coupe in Black
with available features and dealer-
installed Chevrolet Accessories.



CENTURY
AUTO.CA

SOUL MEETS BODY.


*There's an urge that drives you.
A reflection of your inner self that's
mirrored in sheet metal and powered
by bold, purposeful design. With power
and confidence, you advance in leaps
and bounds. All while satisfying your
deepest desires. This isn't just a machine.
It's a muse.*

The 2015 Chevrolet Camaro.

FIND NEW ROADS™

EXTERIOR DESIGN

Red Rock Metallic with available S Package and available features.



ALL EYES ON YOU.

1. Power-folding convertible top and available rally stripes.
2. High-Intensity Discharge (HID) headlamps with signature LED halo rings, included with available RS Package and ZL1.
3. Functional hood air extractor (Z/28 shown).



LOOK AT ME. Iconic styling that's impossible to ignore. Athletic and aerodynamic. Determined and deliberate. Unmistakable presence with performance that proves it.

STATUS AMPLIFIED. Available on LT and SS, the RS Package includes 20-in. Bright Silver-painted aluminum wheels,² distinctive HID headlamps with LED halo rings plus LED tail lamps. It also features a body-colour shark fin antenna, roof ditch mouldings³ and a rear spoiler.

WHEEL ATTITUDE. Camaro turns heads with a variety of wheel designs, including the standard 18-in. Silver-painted aluminum on LS, the 20-in. Bright Silver-painted aluminum on SS and the 20-in. forged-aluminum Black-painted 10-spoke² on ZL1.

1 From 2015 Chevrolet Camaro Review. Kelley Blue Book's KBB.com. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc. 2 These wheels are paired with summer-only tires. Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tires and wheel combinations. 3 Upgraded combination may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details. © GM Corp. 2015.

**ALL SYSTEMS GO.**

1. Available colour Head-Up Display (HUD). Information at eye level.
2. Available Chevrolet MyLink® with Navigation and more – on command.
3. Rear vision camera included with available Rear Vision Package. Watches your back.
4. Driver Information Centre. Details at a glance.



AVAILABLE CHEVROLET MYLINK. With Bluetooth® wireless technology, Chevrolet MyLink¹ lets you make calls, stream music, access contacts and more using spoken commands or the 178 mm (7-in.) diagonal colour touch-screen display.

SIRI EYES FREE.² For compatible iPhone® users, the system allows limited hands-free interactions for those times when you need to read or compose text messages, make phone calls or play your favourite music.

MOBILE APPS. With the myChevrolet³ and OnStar RemoteLink⁴ mobile apps, you can start your vehicle remotely,⁵ check diagnostics, contact roadside assistance, schedule routine maintenance and more.

1 Full functionality requires compatible Bluetooth and smartphone and USB connectivity for some devices. MyLink Camaro does not include CD player. Visit MyLink.Chevrolet for more details.
2 Requires available Chevrolet MyLink and compatible iPhone running iOS 6 or later. 3 Requires iPhone or Android platform.
4 Available on select Apple, Android, BlackBerry and Windows devices. Requires active OnStar service plan. Services vary by device, vehicle, conditions and the type of service plan you have. Please visit onstar.ca/mobile for vehicle availability, system limitations and further details. 5 Requires automatic transmission and factory-installed and enabled remote start.

CAMARO

**“ALMOST GOT OUT AND LIFTED THE HOOD
TO CONFIRM THAT THIS CHEVROLET
CAMARO 2LT WAS THE V6 MODEL.”**

— AUTOWEEK



**323^{HP} / 278<sup>LB.-FT.
TORQUE</sup> / 0-96^{KM/H IN} 6.4^{SECONDS¹}**

3.6L DUAL OVERHEAD CAM V6 ENGINE. Direct Injection and Variable Valve Timing make for a powerfully efficient V6. Not only does it deliver 323 hp and propel you from 0 to 96 km/h (0 to 60 mph) in 6.4 seconds,¹ it offers a highway fuel consumption rating of 7.9 L/100 km.²

4.5-LINK INDEPENDENT REAR SUSPENSION. Camaro elevates finesse and balance to an art form. The independent rear suspension provides Camaro with excellent handling characteristics while cornering.

STANDARD 6-SPEED MANUAL TRANSMISSION. Camaro further tempers power with control featuring a standard 6-speed manual transmission, StabiliTrak[®] and traction control, which can help you with any unexpected changes in weather and road conditions.

Camaro 2LT convertible in Blue Velvet Metallic with available S Package and available features.

¹ Camaro 2LT Coupe, ² 2015 Chevrolet Camaro 2LT equipped with a 3.6L V6 engine and automatic transmission. Fuel consumption estimates based on preliminary testing in accordance with 2015 Model Year Government of Canada approved test methods. Your actual fuel consumption may vary.

**CENTURY
AUTO.CA**

CAMARO SS

PURE
ADRENALINE.

Camaro SS Coupe in Bright Yellow (extra-cost colour)
with available ILE Performance Package and
available RS Package.

426 HP / 420 LB.-FT.
TORQUE / 0-96 KM/H IN 4.7 SECONDS¹

Track-tested. Uniquely tuned. SS-specific stabilizer bars
and dampers. Limited-slip differential. Brembo® brakes.
20-in. wheels and Pirelli® P ZERO™ high-performance
summer-only tires.²



LIGHT YOUR FIRE.

1. Available ILE Performance Package – competition ready. TREMEC® 6-speed manual transmission. F6E Performance Ride and Handling Suspension. Upgraded chassis and body structure. 3.91 final-drive ratio. 20-in. forged-aluminum wheels. Goodyear® Eagle® F1 Supercar® Gen 2 summer-only tires.² Shown with available dual-mode performance exhaust.
2. Six-speed manual transmission with launch control. 0 to 96 km/h (0 to 60 mph) in 4.7 seconds. 426 horsepower. Highway fuel consumption rating of 9.9 L/100 km.³
3. Available RECARO® driver and front passenger performance seats.

1 Camaro SS Coupe with manual transmission. 2 Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details. 3 2015 Chevrolet Camaro SS equipped with a 6.2L V-8 engine and manual transmission. Fuel consumption estimates based on GM preliminary testing in accordance with new 2015 Model Year Government of Canada approval test methods. Your actual fuel consumption may vary.

CENTURY
AUTO.CA


CAMARO ZL1



THE MOST TECHNOLOGICALLY
ADVANCED CAMARO EVER.

Camaro ZL1 Coupe in Silver Ice Metallic.

580 HP / 556 LB.-FT.
TORQUE / 0-96 KM/H IN 3.9 SECONDS¹



ZL1 COUPE LAPSED NÜRBURGRING IN 7:41.27.

1. All-aluminum 6.2L V8 features a sixth-generation Eaton® supercharger.

2. Magnetorheological shocks adjust damping levels up to 1000 times per second for top responsiveness and control. Performance Traction Management on ZL1 Coupe combines Magnetic Ride Control™, launch control, traction control and StabiliTrak Electronic Stability Control for racetrack performance.

3. ZL1 Convertible. All the best of ZL1, plus the open air.

1 Camaro ZL1 Coupe with available automatic transmission.

CENTURY
AUTO.CA

CAMARO Z/28



KING OF THE TRACK.

Camaro Z/28 Coupe in Summit White.

505 ^{HP} / 481 ^{LB.-FT.} _{TORQUE} / 7:37.47 ^{LAP AT} NÜRBURGRING



ENGINEERED BY PERFORMANCE PERFECTIONISTS.

1. Standard front RECARO® performance bucket seats and flat-bottom steering wheel.
2. Hand-assembled LS7 V8 – the most powerful naturally aspirated, regular production GM small block V8 ever.
3. 19-in. Black forged-aluminum wheels with Pirelli® P Zero™ Trofeo R summer-only tires.

1. Do not use summer-only tires in winter conditions, as it could adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details.

ACCESSORIES



MAKE YOUR CAMARO A TRUE ORIGINAL WITH A VAST ARRAY OF ACCESSORY CHOICES.

1. Black fender hash marks add classic "race car" flavour.

2. 5-spoke Black-painted 20-in. wheels offer a custom look. Available ZL1 performance brakes also shown.

3. Body-colour engine cover and strut tower brace.

4. Black-painted rear spoiler aids downforce and grabs attention.



COMPLETE CARE

CHEVROLET COMPLETE CARE

We're with you all the way. Chevrolet Complete Care reflects our commitment to you and your new Camaro. Please visit chevrolet.ca or see your dealer for full details.

- 2-year/40,000 km¹ Complimentary Oil Changes²
- 3-year/60,000 km¹ New Vehicle Limited Warranty
- 5-year/160,000 km¹ Powertrain Component Limited Warranty, with \$0 deductible on repairs and the warranty is fully transferable at no charge
- 5-year/160,000 km¹ Courtesy Transportation
- 5-year/160,000 km¹ 24/7 Roadside Assistance
- 6-year/160,000 km¹ rust-through perforation coverage
- 8-year/130,000 km¹ coverage on catalytic converters and Powertrain Control Modules (PCMs)

- OnStar with the Directions & Connections Plan for 6 months³
- The Chevrolet website at chevrolet.ca
- OnStar Basic Plan⁴ for 5 years on most Chevrolet vehicles — includes RemoteLink Key Fob Services to remotely start and lock/unlock your vehicle and activate your horn and lights from anywhere. Plus, get OnStar Vehicle Diagnostics⁵ and Dealer Maintenance Notification to make service scheduling simple. For Emergency and Advisor-based services, check out our additional available plans.

OTHER OWNERSHIP PRIVILEGES AND PROGRAMS⁶

- GM Protection Plan (GMPP) — the only extended service plan backed by the resources and commitment of General Motors, GMPP may be purchased at the time of sale or subsequently during the New Vehicle Limited Warranty period.

- Chevrolet Certified Service — to help your Chevrolet vehicle live up to its performance promise, Chevrolet Certified Service — found exclusively at your Chevrolet dealer — is there. With all the engineering excellence in your vehicle, GM-trained technicians have the expertise to care for all of it.

- Chevrolet Owner Centre — as an owner, take advantage of the Chevrolet Owner Centre. This online owner's destination gives you access to contests, current offers and the latest driving and maintenance tips. Find out more at chevroletowner.ca.

1 Whichever comes first. Additional conditions and limitations apply. See dealer for details. 2 Limit of four complimentary Lube-Oil-Filter services in total. Fluid top-offs, inspections, tire rotations, wheel alignments and balancing, etc., are not covered. 3 Visit onstar.ca for coverage maps, details and system limitations. Services vary by model and conditions. OnStar acts as a link to existing emergency service providers. After the trial period (if applicable), an active OnStar service plan is required. 4 The OnStar Basic Plan is available for 5 years from the date of delivery of the eligible new 2015 Model Year vehicle and is transferable. It includes OnStar Vehicle Diagnostics (capabilities vary by model), Dealer Maintenance Notification and access to RemoteLink Key Fob Services (available on select Apple, Android, BlackBerry and Windows devices). Please visit onstar.ca/mobile for more details. The OnStar Basic Plan does not include any Emergency Services, Automatic Crash Response, Stolen Vehicle Assistance, live Advisor service, or Hands-Free Calling. These and other services are available under a paid plan. See OnStar User Terms and Privacy Statement (including software terms) for more details. If you sell your vehicle or wish to cancel use of Basic Plan services, you must contact OnStar at 1.888.4.ONSTAR (1.888.466.7827). 5 Capabilities vary by model. Visit onstar.ca for details and system limitations. 6 Conditions and limitations apply. 7 Subject to eligibility. 8 Program subject to change.

ENGINES Chevrolet products are equipped with engines produced by GM Powertrain or other suppliers to GM worldwide. The engines in Chevrolet products may also be used in other GM makes and models.

ASSEMBLY Chevrolet vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered and that, if there are changes, they are acceptable to you.

FLEET ORDERS Some standard content may be deleted from fleet orders. See dealer for details.

AN IMPORTANT NOTE ABOUT ALTERATIONS AND WARRANTIES Installation or alterations to the original equipment vehicle (or chassis) distributed by General Motors are not covered by the General Motors New Vehicle Limited Warranty. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design, features, materials or workmanship of any alterations by such supplier.

TRADEMARKS The marks appearing in this brochure, including but not limited to, General Motors, GM, Chevrolet, the Chevrolet emblem, Camaro and their respective logos, emblems, slogans and vehicle models and body designs; and other marks such as Active Fuel Management, GM New Roads, Hydromatic, Magnetic Ride Control, MyLink, SS, StabiliTrak, TAPshift and Z/28 are trademarks of General Motors LLC and/or General Motors of Canada Limited, its subsidiaries, affiliates or licensors. ©Copyright 2014 General Motors of Canada Limited. All rights reserved. OnStar, the OnStar emblem and OnStar RemoteLink are registered trademarks of OnStar LLC. Apple, iPhone and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. BlackBerry is a registered trademark of Michelin North America Inc. BlackBerry is a registered trademark of BlackBerry Limited. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Boston Acoustics is a registered trademark of Boston Acoustics Inc. Brembo is a registered trademark of Brembo S.p.A. Eaton is a registered trademark of Eaton Corporation Plc. Facebook is a registered trademark of Facebook Inc. Goodyear, Eagle and F1 Supercar are registered trademarks of Goodyear Canada Inc. Gracetime is a registered trademark of Gracetime Inc. Pirelli is a registered trademark and P-Zero and P-Zero Nero are trademarks of Pirelli & C. S.p.A. RECARO is a registered trademark of RECARO Holding GmbH. SiriusXM, the SiriusXM logo, channel names and logos are trademarks of SiriusXM Radio Inc. Stitcher and Stitcher Smart Radio are registered trademarks of Stitcher SmartRadio Inc. TheftLock is a registered trademark of Delphi Technologies, Inc. TREMEC is a registered trademark of The Kru Group. Twitter is a trademark of Twitter, Inc. YouTube is a registered trademark of Google Inc. Android and Google Play are trademarks of Google Inc.

COPYRIGHT ©Copyright 2014 General Motors of Canada Limited. All rights reserved. All text, images, graphics, and other materials in this brochure are subject to the copyright and other intellectual property rights of General Motors LLC and/or General Motors of Canada Limited. These materials may not be reproduced, distributed or modified without the express written permission of General Motors LLC and/or General Motors of Canada Limited.

Printed in USA, September 2014


PERFORMANCE

	CAMARO V6	CAMARO SS	CAMARO SS WITH 1LE PERFORMANCE PACKAGE	CAMARO ZL1	CAMARO Z/28
ENGINE	3.6L DOHC V6 DI VVT, aluminum block and heads	6.2L LS3 V8, aluminum block and heads (manual) 6.2L L99 V8, aluminum block and heads (automatic)	6.2L LS3 V8, aluminum block and heads	6.2L LSA supercharged V8, aluminum block and heads	7.0L LS7 V8, aluminum block and heads
BORE AND STROKE, MM (IN.)	94 x 85.6 (3.70 x 3.37)	103.25 x 92 (4.06 x 3.62)	103.25 x 92 (4.06 x 3.62)	103.25 x 92 (4.06 x 3.62)	104.8 x 101.6 (4.13 x 4.00)
COMPRESSION RATIO	11.5:1	10.7:1 (manual); 10.4:1 (automatic)	10.7:1	9.1:1	11.0:1
HORSEPOWER	323 @ 6800 rpm	426 @ 5900 rpm (manual) 400 @ 5900 rpm (automatic)	426 @ 5900 rpm	580 @ 6000 rpm	505 @ 6100 rpm
TORQUE	278 lb.-ft. @ 4800 rpm	420 lb.-ft. @ 4600 rpm (manual) 410 lb.-ft. @ 4300 rpm (automatic)	420 lb.-ft. @ 4600 rpm	556 lb.-ft. @ 4200 rpm	481 lb.-ft. @ 4800 rpm
REDLINE	7000 rpm	6600 rpm (manual); 6200 rpm (automatic)	6600 rpm	6200 rpm	7000 rpm
AXLE RATIO	3.27:1 (1LS, LT); 2.92:1 (2LS)	3.45:1 (manual); 3.27:1 (automatic)	3.91:1	3.73:1 (manual); 3.23:1 (automatic)	3.91:1
0 TO 96 KM/H (0 TO 60 MPH)	6.4 seconds (2LS) 5.9 seconds (1LS and LT Coupe)	4.7 seconds – manual Coupe 4.8 seconds – automatic Coupe	4.7 seconds	4.0 seconds (man. Coupe) 3.9 seconds (auto. Coupe) 4.2 seconds (man. Convertible) 4.1 seconds (auto. Convertible)	3.98 seconds
QUARTER MILE	14.8 seconds @ 150 km/h (93 mph) – 2LS 14.3 seconds @ 158 km/h (98 mph) – 1LS, manual LT Coupe 14.4 seconds @ 158 km/h (98 mph) – automatic LT Coupe	12.9 seconds @ 182 km/h (113 mph) – man. Coupe 13.3 seconds @ 169 km/h (105 mph) – auto. Coupe	12.9 seconds @ 182 km/h (113 mph)	12.1 seconds @ 193 km/h (120 mph) – man. Coupe 12.0 seconds @ 192 km/h (119 mph) – auto. Coupe 12.4 seconds @ 188 km/h (117 mph) – man. Convertible 12.3 seconds @ 188 km/h (117 mph) – auto. Convertible	12.02 seconds @ 195 km/h (122 mph)
SKID PAD (MAXIMUM LATERAL ACCELERATION)	.80 g (LS) .82 g (LT); .90 g (LT with RS Package)	.90 g	1.0 g	1.0 g (Coupe); .98 g (Convertible)	1.08 g
TOP SPEED	250 km/h (155 mph) 182 km/h (113 mph LS, 1LT with 18" wheels)	250 km/h (155 mph)	250 km/h (155 mph)	290 km/h (180 mph) – man. Coupe 296 km/h (184 mph) – auto. Coupe 250 km/h (155 mph) – man. Convertible 250 km/h (155 mph) – auto. Convertible	277 km/h (172 mph) – with wicker 280 km/h (174 mph) – without wicker – production spec
BRAKING SYSTEM	4-wheel disc with 4-wheel ABS	Front 1-piece 355 mm (14.0 in.) rotors with Brembo 4-piston calipers and rear 1-piece 365 mm (14.4 in.) rotors with Brembo 4-piston calipers; 4-wheel ABS	Front 1-piece 355 mm (14.0 in.) rotors with red-painted Brembo 4-piston calipers and rear 1-piece 365 mm (14.4 in.) rotors with red-painted Brembo 4-piston calipers; 4-wheel ABS	Front 2-piece 370 mm (14.6 in.) rotors with Brembo 6-piston calipers and rear 1-piece 365 mm (14.4 in.) rotors with Brembo 4-piston calipers; 4-wheel ABS	Front 394 mm (15.5 in.) Brembo carbon ceramic rotors with 6-piston calipers and rear 390 mm (15.3 in.) Brembo carbon ceramic rotors with 4-piston calipers; 4-wheel ABS
BRAKING DISTANCE	96 to 0 km/h (60 to 0 mph) in 37.5 m (123 ft.) – LT with RS Package and 20" wheels 96 to 0 km/h (60 to 0 mph) in 39.0 m (128 ft.) – LT with 19" wheels 96 to 0 km/h (60 to 0 mph) in 40.2 m (132 ft.) – LS, 1LT with 18" wheels	96 to 0 km/h (60 to 0 mph) in 37.5 m (123 ft.)	96 to 0 km/h (60 to 0 mph) in 36.6 m (120 ft.)	96 to 0 km/h (60 to 0 mph) in 38.4 m (126 ft.)	96 to 0 km/h (60 to 0 mph) in 34.7 m (113.8 ft.) Capable of 1.5 g in deceleration
CURB WEIGHT, KG (LB.)	1679 kg (3702 lb.) – 2LS Coupe 1687 kg (3719 lb.) – 1LS Coupe	1773 kg (3908 lb.) – manual Coupe 1790 kg (3946 lb.) – automatic Coupe	1758 kg (3875 lb.)	1869 kg (4120 lb.) – manual Coupe 1984 kg (4374 lb.) – manual Convertible	1733 kg (3820 lb.)
POWER-TO-WEIGHT, KG (LB.)	5.20 kg (11.46 lb.) – 2LS Coupe 5.22 kg (11.51 lb.) – 1LS Coupe	4.16 kg (9.17 lb.) – manual Coupe 4.48 kg (9.87 lb.) – automatic Coupe	4.13 kg (9.10 lb.)	3.22 kg (7.10 lb.) – manual Coupe 3.42 kg (7.55 lb.) – manual Convertible	3.43 kg (7.56 lb.)
CURB WEIGHT/HORSEPOWER					
WEIGHT DISTRIBUTION (F/R)	51.8/48.2 (manual Coupe) 52.2/47.8 (automatic Coupe)	51.8/48.2 (manual Coupe) 52.2/47.8 (automatic Coupe)	51.8/48.2	52.4/47.6 (manual Coupe) 51.6/48.4 (manual Convertible)	53/47
TIRES	BFGoodrich® Radial T/A (P245/55R18) – LS, 1LT Pirelli® P Zero Nero™ (P245/50R19) – 1LT with available 19" wheels, 2LT Pirelli P Zero™ (P245/45R20) front and (P275/40R20) rear (1LT/2LT with RS Package)	Pirelli P Zero (245/45R20 front; 275/40R20 rear) ¹	Goodyear® Eagle® F1 Supercar® Gen 2 (P285/35ZR20) ¹	Goodyear Eagle F1 Supercar Gen 2 (P285/35ZR20 front; P305/35ZR20 rear) ¹	Pirelli P Zero™ Trofeo R (305/30ZR19) ¹
STABILIZER BARS (DIAMETER IN MILLIMETRES)	–	23 mm front; 24 mm rear	27 mm front; 28 mm rear	25 mm front; 28 mm rear (Coupe) 23 mm front; 26 mm rear (Convertible)	25 mm front; 26 mm rear

SELECT VEHICLE FEATURES

CAMARO COUPE 1LS	Camaro 1LS includes these standard features:
323 hp 3.6L V6 engine with Direct Injection and Variable Valve Timing (VVT)	
6-speed manual transmission with Hill Start Assist ² and limited-slip rear differential ²	
4-wheel disc brakes with ABS and Panic Brake Assist	
StabiliTrak Electronic Stability Control System and traction control	
4-wheel independent sport suspension	
18-in. silver-painted aluminum wheels	
Power exterior mirrors	
Dual exhaust system with polished stainless steel tips	
Driver Information Centre with compass and tire pressure monitoring system	
Air conditioning with air filtration system and particulate/pollen filter	
CAMARO COUPE/CONVERTIBLE 1SS	Camaro 1SS enhances 1LT features with:
426 hp 6.2L V8 engine (standard with manual transmission)	
400 hp 6.2L V8 engine (with available automatic transmission)	
Brembo performance braking system and performance suspension	
20-in. bright silver-painted aluminum wheels	
OnStar with 6 months of the Directions & Connections Plan featuring Turn-by-Turn Navigation ⁴ and OnStar RemoteLink ⁵	
CAMARO COUPE/CONVERTIBLE 2SS	Camaro 2SS enhances 1SS features with:
Heated, power exterior mirrors with driver side auto-dimming feature	
Power windows, programmable door locks and remote keyless entry system	
Tilt and telescopic adjustable steering column and cruise control	
Tonneau cover (Convertible)	
Steering wheel-mounted Bluetooth ⁶ cruise and audio system controls	
Front bucket seats with power recliners and cloth seating surfaces	
AM/FM stereo, CD player, auxiliary audio input jack and SiriusXM Satellite Radio ³	
Bluetooth hands-free phone connectivity	
Leather-appointed front seating surfaces with heated front bucket seats	
OnStar with 6 months of the Directions & Connections Plan featuring Turn-by-Turn Navigation ⁴ and OnStar RemoteLink ⁵	
CAMARO COUPE/CONVERTIBLE ZL1	Camaro ZL1 enhances 2SS features with:
580 hp supercharged 6.2L V8 engine with centre console-mounted supercharger boost gauge	
6-speed automatic transmission with TAPshift ⁷ manual shift control and 2.92 rear axle ratio	
Magnetic Ride Control suspension and Brembo high-performance braking system	
20-in. black-painted 10-spoke forged-aluminum wheels	
Unique ZL1 front and rear fascias, unique grille, front splitter, side rocker extensions, sport rear spoiler and all-aluminum hood with carbon fibre insert	
Xenon ⁸ High-Intensity Discharge (HID) headlamps	
Fog lamps	
Leather-wrapped steering wheel and shifter	
Power 6-way front bucket seats with Sport cloth seating surfaces	
Chevrolet MyLink ⁹ Radio infotainment system with 178 mm (7-in.) colour touch-screen display	
USB port ¹⁰ in floor console and Bluetooth wireless audio streaming.	
CAMARO Z/28	
505 hp LS7 7.0L V8 engine with dry-sump oil system	
TREMEC ¹¹ TR6060 6-speed manual transmission with close-ratio gearset	
19-in. bright silver-painted aluminum wheels	
Limited-slip differential with helical gearset and Performance Traction Management	
Heated, power exterior mirrors with driver side auto-dimming feature	
Brembo 6-piston front/4-piston rear monoblock calipers with carbon ceramic rotors	
Rear Vision Package (Coupe)	
Z/28-specific appointments, including front splitter, side rocker panels, fender flares, rear spoiler, rear diffuser and 19-in. black forged-aluminum wheels	
Driver Information Centre and Head-Up Display (HUD) instrumentation with colour display	
RECARO ¹² front seats with leather-appointed seating surfaces and sueded microfibre inserts	

DIMENSIONS



¹ Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details. ² Included with manual transmission only. ³ Available in 10 Canadian provinces and the 48 contiguous United States. Subscription sold separately after trial period. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-877-209-0079 to cancel. Other fees and taxes will apply. All fees and programming subject to change. See SiriusXM "Terms & Conditions" and completed Terms of Use at www.siriusxm.ca. ⁴ Available on select vehicles. ⁵ Available on select vehicles. ⁶ Available on select vehicles. ⁷ Available on select vehicles. ⁸ Available on select vehicles. ⁹ LS 1LT Coupe with automatic transmission 1679 kg (3702 lb.). ¹⁰ LS 1LT Coupe with automatic transmission 1688 kg (3722 lb.). ¹¹ LS 1LT Convertible with automatic transmission 1679 kg (3702 lb.). ¹² LS 1LT Convertible with automatic transmission 1688 kg (3722 lb.). ¹³ LS 1LT Coupe with automatic transmission 1790 kg (3946 lb.). ¹⁴ LS 1LT Convertible with automatic transmission 1909 kg (4209 lb.). ¹⁵ LS 1LT Convertible with automatic transmission 1997 kg (4403 lb.).

SPECIFICATIONS

● STANDARD ○ AVAILABLE - NOT AVAILABLE

	1LS 2LS	1LT 2LT	1SS 2SS	ZL1	Z/28
SAFETY AND SECURITY					
Airbags					
- driver and front passenger, dual-stage, frontal with Passenger Sensing System and airbag suppression	●	●	●	●	●
- driver and front passenger, seat-mounted side-impact ¹	●	●	●	●	●
- driver and front passenger, seat-mounted high-position side-impact ²	-	●	●	●	●
- front-to-rear, outboard seating positions, head curtain side-impact ¹	●	●	●	●	●
OnStar In-Vehicle Communications and Assistance Service - includes 6 months of the Directions & Connections Plan with Turn-by-Turn Navigation ³ and OnStar RemoteLink ⁴	●	●	●	●	●
Safety restraints					
- 3-point belts for all seating positions with front safety belt pre-tensioners	●	●	●	●	●
- LATCH (Lower Anchors and Top tethers for Children), rear seats	●	●	●	●	●
Security system - content theft alarm, audible/visible	●	●	●	●	●
StabiliTrak - Electronic Stability Control System	●	●	●	●	●
Theft-deterrent system - electronic immobilizer	●	●	●	●	●
Traction control - electronic, full-function, all-speed	●	●	●	●	●
MECHANICAL					
Brakes					
- power, 4-wheel disc	●	●	●	●	●
- 4-wheel Anti-lock Braking System (ABS) with Panic Brake Assist and Hill Start Assist	●	●	●	●	●
- Brembo [®] 4-piston front and rear calipers	-	-	●	-	-
- 2-piece front and 1-piece rear rotors, Brembo 6-piston front and 4-piston rear calipers	-	-	-	●	-
- Brembo carbon ceramic 2-piece front/rear rotors, monoblock 6-piston front and 4-piston rear calipers	-	-	-	-	●

¹ Coupe models only. ² Convertible models only. ³ Visit onstar.ca for coverage maps, details and system limitations. Services vary by model and conditions. OnStar acts as a link to existing emergency service providers. After the trial period, an active OnStar service plan is required. Customers will be able to access this service only if they accept the OnStar User Terms and Privacy Statement (including software terms). ⁴ Available on select Apple, Android, BlackBerry and Windows devices. Requires an active OnStar service plan. Services vary by device, vehicle and conditions and the type of service plan you have. Please visit onstar.ca/mobile for vehicle availability, system limitations and further details. ⁵ Deleted on 1LS, 1LT and 2LT when available automatic transmission is specified. ⁶ Requires available 6-speed automatic transmission. ⁷ Not available with 6-speed automatic transmission. ⁸ Standard on 1LS only. ⁹ Included with available 1LS SS Performance Package. ¹⁰ Available on 2LS only. ¹¹ Deletes limited-slip rear differential. ¹² Includes remote vehicle starter system. ¹³ Included with available 6-speed automatic transmission. ¹⁴ Available on 1SS, standard on 2SS. ¹⁵ Fog lamps act as daytime running lamps when equipped with Xenon HID headlamps. ¹⁶ Included with available RS Package. ¹⁷ Included on 2LT. ¹⁸ Included on 2SS. ¹⁹ Available on 1LT Coupe. Standard on 2LT Coupe, 1LT and 2LT Convertible. ²⁰ Available on 1SS Coupe. Standard on 2SS Coupe, 1SS and 2SS Convertible. ²¹ Standard on 1LT and 2LT Convertible. ²² Standard on 1LT. ²³ Included with available 19" polished-aluminum wheels on 1LT. ²⁴ Includes P245/50R19 all-season[†] touring tires on 1LT. ²⁵ Requires available RS Package. ²⁶ Includes 6-speaker audio system. ²⁷ Transmission fluid temperature gauge is replaced with a supercharger boost gauge on ZL1. ²⁸ Included with available Sueded Microfibre Package. ²⁹ Includes SS embroidery on head restraints. ³⁰ Included with available RECARO performance front bucket seats. ³¹ Includes ZL1 embroidery on head restraints. ³² Includes Z/28 embroidery on head restraints. ³³ Requires black interior. ³⁴ Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Visit MyLink.Chevrolet.ca for more details. ³⁵ Data plan rates apply. ³⁶ At time of printing, detailed map coverage is available for most major urban areas of the United States and for certain metropolitan areas of Canada (Vancouver, Calgary, Edmonton, Winnipeg, Windsor, London, Toronto, Ottawa, Montreal, Quebec City and Halifax). Coverage is significantly limited outside these areas. ³⁷ Available in 10 Canadian provinces and the 48 contiguous United States. Subscription sold separately after trial period. If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-877-209-0079 to cancel. Other fees and taxes will apply. All fees and programming subject to change. See SiriusXM "Terms & Conditions" and complete details at siriusxm.ca. ³⁸ Included with available air conditioning. ³⁹ 8-speaker system included on Convertible models; 9-speaker system included on Coupe models. ⁴⁰ Available on 1LT, standard on 2LT. ⁴¹ Not compatible with all devices. ⁴² Requires black interior. Not available with 6-speed automatic transmission, performance short-throw shifter, Stripe Packages or Interior Trim Packages. ⁴³ Available on 2LT only. ⁴⁴ Available on 2SS only.


[†] All-season tires may not satisfy winter tire requirements in all regions of the country. Tires specifically designed for severe winter conditions and marked with the winter tire symbol  may be required during certain months or in certain regions. Contact your Provincial, Municipal or local road authority for information regarding which tires are required in your particular area. ^{††} Do not use summer-only tires in winter conditions, as it would adversely affect vehicle safety, performance and durability. Use only GM-approved tire and wheel combinations. Unapproved combinations may change the vehicle's performance characteristics. For important tire and wheel information, see your dealer for details.

	1LS 2LS	1LT 2LT	1SS 2SS	ZL1	Z/28
MECHANICAL (CONTINUED)					
Differential - rear limited-slip	● ⁵	● ⁵	●	●	●
Engine					
- 3.6L DOHC V6 with VVT and Direct Injection					
- short-throw shifter and Hill Start Assist	-	-	○ ⁹	●	●
- 6-speed automatic with overdrive and TAPshift manual shift control	○ ^{10,11}	○ ^{11,12}	○ ¹²	○ ¹²	-
- 6-speed manual with performance short-throw shifter	-	-	○ ⁷	-	-
- L99 6.2L V8 with SFI, Active Fuel Management [®] and available automatic transmission	-	○ ¹³	○ ¹³	○ ¹³	-
Exterior					
Convertible top					
- power with rear glass window ²	-	●	●	●	-
- tonneau cover ²	-	○	○ ¹⁴	●	-
Fascias					
- front and rear body-colour with rear diffuser	●	●	-	-	-
- unique SS lower body extensions, lower grille, front air scoop and rear diffuser	-	-	●	-	-
- unique ZL1 front and rear fascias, unique grille, front splitter, rear diffuser and side rocker extensions	-	-	●	-	-
Engine block heater	○	○	-	-	-
Exhaust system					
- aluminized stainless steel	●	●	●	●	●
- dual with polished stainless steel tips	●	●	●	-	-
- dual mode performance with quad polished tips	-	○ ⁶	○ ⁷	●	●
Steering					
- power hydraulic, rack-and-pinion, variable ratio	●	●	-	-	-
- power electric, rack-and-pinion, variable ratio	-	-	●	●	●
Suspension					
- 4-wheel independent, Sport (FE2)	●	●	-	-	-
- 4-wheel independent, Performance (FE3 on Convertible; FE4 on Coupe)	-	-	●	-	-
- 4-wheel independent, Performance with Magnetic Ride Control (FES)	-	-	-	●	-
- 4-wheel independent, DSSV (Dynamic Suspension Spool Valve) dampers	-	-	-	-	●

	1LS 2LS	1LT 2LT	1SS 2SS	ZL1	Z/28
MECHANICAL (CONTINUED)					
Transmission					
- 6-speed manual with Hill Start Assist	● ⁸	●	●	-	-
- 3.6L DOHC V6 with VVT and Direct Injection	-	-	○ ⁹	●	●
- short-throw shifter and Hill Start Assist	-	-	○ ^{10,11}	○ ^{11,12}	○ ¹²
- 6-speed automatic with overdrive and TAPshift manual shift control	○ ^{10,11}	○ ^{11,12}	○ ¹²	○ ¹²	-
- 6-speed manual with performance short-throw shifter	-	-	○ ⁷	-	-
- L99 6.2L V8 with SFI, Active Fuel Management [®] and available automatic transmission	-	○ ¹³	○ ¹³	○ ¹³	-
Exterior					
Convertible top					
- power with rear glass window ²	-	●	●	●	-
- tonneau cover ²	-	○	○ ¹⁴	●	-
Fascias					
- front and rear body-colour with rear diffuser	●	●	-	-	-
- unique SS lower body extensions, lower grille, front air scoop and rear diffuser	-	-	●	-	-
- unique ZL1 front and rear fascias, unique grille, front splitter, rear diffuser and side rocker extensions	-	-	●	-	-
Engine block heater	○	○	-	-	-
Exhaust system					
- aluminized stainless steel	●	●	●	●	●
- dual with polished stainless steel tips	●	●	●	-	-
- dual mode performance with quad polished tips	-	○ ⁶	○ ⁷	●	●
Steering					
- power hydraulic, rack-and-pinion, variable ratio	●	●	-	-	-
- power electric, rack-and-pinion, variable ratio	-	-	●	●	●
Suspension					
- 4-wheel independent, Sport (FE2)	●	●	-	-	-
- 4-wheel independent, Performance (FE3 on Convertible; FE4 on Coupe)	-	-	●	-	-
- 4-wheel independent, Performance with Magnetic Ride Control (FES)	-	-	-	●	-
- 4-wheel independent, DSSV (Dynamic Suspension Spool Valve) dampers	-	-	-	-	●

	1LS 2LS	1LT 2LT	1SS 2SS	ZL1	Z/28
EXTERIOR (CONTINUED)					
Mouldings					
- black roof ditch ¹	●	●	●	-	-
- body-colour roof ditch ¹	-	○ ¹⁷	○ ¹⁸	●	●
Park assist - rear, obstacle detection with audible warning	-	○ ¹⁹	○ ²⁰	●	●
Rear vision camera	-	○ ¹⁹	○ ²⁰	●	-
Spoiler					
- rear, deck-lid	-	○ ^{16,21}	●	-	-
- rear, deck-lid, specific	-	-	○ ⁹	●	●
Sunroof - power, tilt/sliding glass panel with express-open feature ¹	-	○	○	○	-
Pedals - Sport alloy	-	-	-	●	●
Tires					
- P245/55R18 all-season [†] touring	●	● ²²	-	-	-
- P245/50R19 all-season [†] touring	-	○ ^{17,23}	-	-	-
- P245/45R20 front and P275/40R20 rear summer performance ^{††}	-	○ ¹⁶	●	-	-
- P285/35R20 front and P305/35R20 rear summer high-performance ^{††}	-	-	○ ⁹	-	-
- P305/30R19 summer high-performance ^{††}	-	-	-	●	-
Wheels					
- 18" x 7.5" silver-painted aluminum	●	● ²²	-	-	-
- 19" x 8" bright silver-painted aluminum	-	○<			

INTERIOR FABRICS



1 Standard on LS. 2 Standard on 1LT and 1SS. 3 Standard on 2LT and 2SS. 4 Available on 2LT and 2SS. 5 Standard on ZL1. 6 Standard on Z/28. 7 Not available on Z/28. 8 Not available on LS. 9 Available at extra cost. 10 Requires available RS Package. 11 Requires available 1LE SS Performance Package.

EXTERIOR COLOURS



CONVERTIBLE TOP COLOURS

EXTERIOR COLOURS	INTERIOR COLOURS					
	BLACK	GRE	BEIGE	BLACK	INFERNO	BLU
G1M - Blue Velvet Metallic ⁷	●	●	●	●	●	●
G7C - Red Hot	●	●	●	●	●	●
G7D - Bright Yellow ⁷	●	●	—	●	—	—
G7P - Red Rock Metallic ⁷	●	●	●	●	—	—
GAN - Silver Ice Metallic	●	●	●	●	●	●
GAZ - Summit White	●	●	●	●	●	●
GBA - Black	●	●	●	●	●	●
GBE - Crystal Red Tintcoat ^{7,8,9}	●	●	●	●	—	—
GLJ - Ashen Grey Metallic	●	●	●	●	●	●




WHEELS



DEALER-INSTALLED ACCESSORIES

PERSONALIZE YOUR CAMARO AT GMACCESORIES.CA





FIND NEW ROADS™

CENTURY
AUTO.CA

190-15-B-007E



[facebook.com/
chevroletcanada](http://facebook.com/chevroletcanada)



[twitter.com/
chevroletcanada](http://twitter.com/chevroletcanada)



[youtube.com/
chevroletcanada](http://youtube.com/chevroletcanada)

CHEVROLET.CA

