

COMMERCIAL VEHICLES 2020

CHEVROLET 



CENTURY
AUTO.CA



STRONG TRUCKS MAKE YOUR BUSINESS EVEN STRONGER.

Strong businesses are built on strong foundations. And that starts with your trucks. Chevy is a brand you can count on to get the job done. The big news this year is the all-new Silverado HD pickup, plus an all-new Silverado 3500 HD Chassis Cab. Add this to the Silverado 1500 introduced last year, and you have a formidable lineup of trucks to help your business run on all cylinders.

FIND NEW ROADS™

**CENTURY
AUTO.CA**



¹ Terms apply. Available on select properly equipped 2016 to 2020 model year GM vehicles (excludes Volt, City Express Vans and GM vehicles built without OnStar hardware, which includes but is not limited to select base Chevrolet trucks). Requires an active connected vehicle services plan. Fees, services, and availability subject to change without notice. Applicable taxes not included. Does not include emergency or security services. Visit gmfleet.ca for details. ² Business Choice offers available for eligible companies with an active FAN or business number valid with the purchase or lease of eligible new or demonstrator Chevrolet vehicles at participating dealers delivered in Canada between September 19, 2019, and December 31, 2020. Please go to gmbusinesschoice.ca or contact your local Chevrolet dealer for full program details and eligibility on all available Business Choice options. Business Choice offers may not be redeemed for cash and may not be combined with certain other consumer incentives. Limitations and conditions apply. Void where prohibited. GM Canada reserves the right to amend or terminate offers for any reason in whole or in part at any time without prior notice. ³ Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

OnStar Vehicle Insights! Our GM-exclusive telematics solution, OnStar Vehicle Insights is available on select 2016 to 2020 models. With no additional hardware required, it is ready to be activated by the account holder. Coming to Canada later in 2020.

Business Choice. This program can give you the best value on the vehicles you count on. Business Choice² includes cash allowance on either GM Accessories or upfits³, and you can even add the most current retail offers to your deal. Learn more at gmbusinesschoice.ca.

Business Elite Dealers. These specialized dealers provide the know-how to help you select the right vehicles for the job. Plus, every Business Elite service department has the facilities, tools and technicians for your needs. Learn more at gmfleet.ca/business-elite-dealers.html.

**CENTURY
AUTO.CA**

Silverado 1500 Double Cab Standard
Bed WT with available dealer-
installed Bed-Mounted Tool Box
from Chevrolet Accessories¹



SILVERADO 1500

THE VERY DEFINITION OF WORK ETHIC.

We put over 100 years of truck-building know-how into the next-generation Chevy Silverado. It starts with strong choices: eight models with bold styling and distinct personalities, along with six powerful, advanced engines. We added our most functional pickup bed and smart, purposeful technology to help deliver towing confidence every day.

¹ Accessory warranty coverage, if any, varies. See your GM Warranty Booklet or GM dealer for details.



Truck bed offers 12 standard fixed tie-downs with 9 more available removable tie-downs from Chevrolet Accessories.³

Available bed-mounted 120-volt AC power outlet.

Durabed combines roll-formed high-strength steel with more cargo volume than the previous generation.

SILVERADO 1500 HIGHLIGHTS

- Six different engine choices available:
 - All-new Duramax® 3.0L Turbo-Diesel I-6 with 277 horsepower and 460 lb.-ft. of torque
 - EcoTec3 6.2L V8 with Dynamic Fuel Management and 420 horsepower and 460 lb.-ft. of torque
 - EcoTec3 5.3L V8 with Dynamic Fuel Management and 355 horsepower and 383 lb.-ft. of torque
 - EcoTec3 5.3L V8 with Active Fuel Management® and 355 horsepower and 383 lb.-ft. of torque
 - EcoTec3 4.3L V6 with 285 horsepower and 305 lb.-ft. of torque
 - 2.7L Turbo with 310 horsepower and 348 lb.-ft. of torque
- Fully boxed ladder-type frame made of high-strength steel
- 4-wheel disc brakes with Duralife® rotors and Anti-lock Braking System (ABS)
- Available heavy-duty automatic locking rear differential
- Standard recovery hooks¹ (4x4 models)
- Available Z71 Off-Road Package
- Available Work Truck Package that includes skid plates and a heavy-duty air filter with air filter monitor
- Available Advanced Trailering System with in-vehicle app²



¹ To avoid the risk of injury, never use recovery hooks to tow a vehicle. See the Owner's Manual for more information. ² App functionality and feature availability vary with vehicle equipment and trim level. Data connection may be required and data charges may apply. Requires an active service plan and working electrical system. Terms and limitations apply. ³ Accessory warranty coverage, if any, varies. See your GM Warranty Booklet or GM dealer for details.

CENTURY
TRUCK

Silverado 2500 HD Regular Cab
Long Bed WT 4x4.



SILVERADO HD

CAPABILITY WITHOUT COMPROMISE.

Everything we know about building trucks is found in the 2020 Chevrolet Silverado HD. It's the strongest, most capable Silverado HD ever. It has five distinct trim levels with big, bold style. Powertrain options that don't know the meaning of the word *quit*. Increased towing capability across the lineup, with advanced trailering technologies designed to make a long day of towing easy. With an available power up/down tailgate Silverado offers the hardest-working pickup bed in the business.

CENTURY
AUTOMOTIVE

All-new integrated BedSteps
and larger CornerSteps.

Snow plow installation is easier than ever. Shown
below with upfit from an independent supplier.⁶

Work Truck interior features a deep console for
files along with abundant storage areas.

SILVERADO 2500 HD AND 3500 HD HIGHLIGHTS

- All-new 6.6L V8 gas engine with Direct Injection and Variable Valve Timing, 401 horsepower and 464 lb.-ft. of torque and heavy-duty 6-speed transmission
- Available Duramax 6.6L V8 Turbo-Diesel engine with 445 horsepower and 910 lb.-ft. of torque and all-new Allison® 10-speed automatic transmission
- Up to 35,500 lb. (16,103 kg) of maximum towing capability^{1,2} with available Duramax 6.6L V8 Turbo-Diesel engine
- Up to 17,370 lb. (7879 kg) of maximum towing capability^{2,3} with 6.6L V8 gas engine
- Maximum payload: Up to 7442 lb. (3376 kg)⁴
- 2365 L (83.5 cu. ft.)⁵ of cargo volume on Long Bed models
- Fully boxed ladder-type frame made of high-strength steel
- Standard Durabed with a roll-formed high-strength steel floor that's stronger, lighter and more durable than a traditional stamped steel floor
- 12 standard fixed tie-downs all rated up to 500 lb. (227 kg) per corner in any direction



¹ Requires Silverado 3500 HD Regular Cab WT 2WD DRW with available gooseneck hitch. ² Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ³ Requires Silverado 2500 HD Regular Cab Long Bed with 17-in. wheels and available fifth-wheel/gooseneck hitch. ⁴ Requires Silverado 3500 HD Regular Cab Long Bed 2WD DRW. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ⁵ Cargo and load capacity limited by weight and distribution. ⁶ Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

Silverado 3500 HD Crew Cab Long Bed LT 4x4 DRW
with available Duramax 6.6L V8 Turbo-Diesel
engine and Gooseneck/5th-Wheel Package.



SILVERADO TOWING

CONFIDENCE IS KEY.

Silverado 1500 and HD models offer numerous features to help make towing easier, including an available Technology Package, on select models,¹ that provides multiple camera views² – up to 15 total views with available accessory cameras – to help make it easier to hitch a trailer and tow with confidence. But Silverado pickups are not just about electronic towing technology. Every Silverado 3500 HD Dually equipped with the available Duramax 6.6L V8 Turbo-Diesel engine is now capable of towing over 31,000 lb. (14,000 kg).^{3, 4}

¹ Available on LTZ and High Country models only. ² Read the vehicle Owner's Manual for important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details. ³ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁴ Requires available fifth-wheel/gooseneck hitch.


CENTURY
COUNTRY

Fifth-Wheel Trailer Hitch available
from Chevrolet Accessories¹


Vertical trairling mirrors standard
on every Silverado HD.

myChevrolet[®] App with Trailing² syncs with
the available Advanced Trailing System.

Up to 15 total views available, on select properly equipped
vehicles with the purchase of accessory cameras³



¹ Accessory warranty coverage, if any, varies. See your GM Warranty Booklet or GM dealer for details. ² Device data connection required. Available on select Apple and Android devices. Some features require connected vehicle services trial or active plan and working electrical system. Service availability, features and functionality vary by model and/or vehicle configuration. Visit onstar.ca for details and limitations. ³ Available on LTZ and High Country, and requires the available Technology Package. Read the vehicle Owner's Manual for important feature limitations and information. Some camera views require available accessory camera and installation. Not compatible with all trailers. See your dealer for details.



ALL-NEW LARGER-DIAMETER FRONT AND REAR PROP SHAFTS HAVE BEEN OPTIMIZED FOR HIGH TORQUE AND IMPROVED DURABILITY

CHASSIS IS 20% STIFFER THAN THE PREVIOUS GENERATION

POWER TAKE-OFF FEATURE (PTO) ON TRUCKS WITH AVAILABLE ALLISON® TRANSMISSION

AVAILABLE DUAL ALTERNATORS

LARGER AXLES HANDLE LARGER LOADS THAN PREVIOUS GENERATION

FULLY BOXED LADDER-TYPE FRAME MADE OF HIGH-STRENGTH STEEL

NEW INTEGRAL FRONT-END STRUCTURE REDUCES MASS AND IMPROVES RIDE AND HANDLING

CAPABILITY IS OUR MIDDLE NAME.

So bring it on. The All-New Silverado 3500 HD can handle nearly anything you throw its way. We improved or upgraded virtually every element to deliver our best heavy-duty pickup

ever. To make that happen, we used seven different types of steel, with each gauge chosen to maximize capability. That means we used the right material in the right place to help

do the right job. Everything about this truck has been optimized for durability and dependability to ensure you're driving the strongest, most capable Silverado HD ever.

**CENTURY
AUTOMOTIVE**

Power up/down tailgate standard on High Country and available on LTZ.

Available LED cargo area lighting and perimeter lighting.

Durabed is our most functional pickup bed.



CENTURY
AUTO.CA

Silverado 3500 HD Chassis Cab with an upfit from an independent supplier.¹



SILVERADO 3500 HD CHASSIS CAB

AN ALL-NEW CHASSIS CAB THAT'S BORN TO HAUL.

All new for 2020, the Silverado 3500 HD Chassis Cab is even stronger and more capable for any job you want to throw its way. Both Chassis Cab and Bed Delete models provide a solid platform for the upfits¹ you need to run your business. This next-generation truck features a stiffer frame, larger axles, larger-diameter prop shafts and upgraded U-joints. There's also an abundance of power and payload capability with a choice of an all-new 6.6L V8 gas engine or an available Duramax 6.6L V8 Turbo-Diesel engine, the latter equipped with an all-new Allison[®] 10-speed automatic transmission.

CENTURY
AUTO.CA

¹ Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

Silverado 3500 HD Regular Cab Chassis Cab WT
with a dump body upfit from an independent supplier²

Silverado 3500 HD Crew Cab Chassis Cab LT with
a service body upfit from an independent supplier²

Interior provides plenty of storage compartments
and comfort amenities.

3500 HD CHASSIS CAB HIGHLIGHTS

- All-new 6.6L V8 gas engine with 401 horsepower and 464 lb.-ft. of torque and 6-speed automatic transmission
- Available Duramax 6.6L V8 Turbo-Diesel engine with 910 lb.-ft. of torque
- Exhaust brake standard with Duramax 6.6L V8 Turbo-Diesel engine
- All-new Allison® 10-speed automatic transmission
- Available in Regular Cab or Crew Cab models, with 60-in. or 84-in. cab-to-axle measurements and 34-in. frame rail spacing
- Robust frame with nine high-strength steel cross members
- Larger axles with a 12-in. ring gear on Turbo-Diesel models
- Heavy-duty locking rear differential
- Available Power Take-Off (PTO) Package
- GVWR of 14,000 lb. (6350 kg)¹
- Three fuel tank options – front, rear or combined – for an available total fuel capacity of 238 L (52.4 imp. gal.)



¹ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ² Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

Colorado Crew Cab WT with
available features and dealer-
installed Chevrolet Accessories!



COLORADO

A GREAT UTILITY PLAYER FOR ANY FIELD YOU WORK IN.

Colorado pickup offers on-the-job capability in a smaller, more manoeuvrable size. It's built with hard-working truck attributes like a fully boxed high-strength steel frame with seven cross members for strength and durability. Powerful and efficient engines help Colorado turn hard jobs into routine work. Colorado also offers truck-proven technologies like Electric Power Steering, StabiliTrak® Electronic Stability Control System with rollover mitigation and Auto Grade Braking.

**CENTURY
AUTO.CA**

1 Accessory warranty coverage, if any, varies. See your GM Warranty Booklet or GM dealer for details.

Available Chevrolet Infotainment System³ keeps you entertained and connected while you're on the road.

Standard rear under-seat storage on Extended Cab models.

Rear seatbacks on Crew Cab models fold down for extra storage space.

COLORADO HIGHLIGHTS

- Three engines to choose from:
 - 2.5L direct-injected 4-cylinder engine with 200 horsepower and 6-speed automatic transmission
 - Available 3.6L direct-injected DOHC V6 engine with 308 horsepower and 275 lb.-ft. of torque and 8-speed automatic transmission
 - Available Duramax 2.8L I-4 Turbo-Diesel engine with 181 horsepower and 6-speed automatic transmission
- Standard CornerStep rear bumper
- Maximum payload: Up to 1578 lb. (716 kg)^{1,2} with available 3.6L engine
- Z82 Trailering Package, standard on ZR2 and available on WT, LT and Z71
- Integrated trailer brake controller, standard on ZR2 and available on WT, LT and Z71
- Automatic locking rear differential, standard on Z71 and available on WT and LT
- 4-wheel disc brakes with Duralife rotors and Anti-lock Braking System (ABS)
- Four standard fixed lower tie-downs with 13 available
- Available factory-installed spray-on bedliner



¹ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² Requires Crew Cab Short Box WT 2WD model with available 3.6L V6 engine. ³ Chevrolet Infotainment System functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Data plan rates may apply.

Express 3500 Extended Wheelbase
Cargo Van with available features.



EXPRESS CARGO VAN

IT LOOKS EVEN BETTER ON YOUR BALANCE SHEETS.

For many businesses, there's no substitute for a hard-working full-size van. Express 2500 and 3500 vans give you what matters most — a choice of strong powertrains, an easily configurable cargo bay, up to 8032 L (283.6 cu. ft.) of cargo space¹ and a standard-height roof that provides easy access to parking garages and takes the worry out of backing up in unfamiliar low-clearance areas. Plus, its proven design means it can be a dependable partner to your business for many years.

**CENTURY
AUTO.CA**

¹ Express Cargo Van with Extended Wheelbase. Cargo and load capacity limited by weight and distribution.

Up to 10,000 lb. (4536 kg)² of towing capability.

Numerous equipment packages for your exact needs are available from independent suppliers⁴

EXPRESS CARGO VAN HIGHLIGHTS

- Standard 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque
- Available Vortec® 6.0L V8 engine with 341 horsepower and 373 lb.-ft. of torque
- Available Duramax 2.8L I-4 Turbo-Diesel engine with 181 horsepower and 369 lb.-ft. of torque with standard exhaust brake
- Full-frame design for strength and durability
- Maximum payload capacity: up to 4250 lb. (1928 kg)¹
- Available heavy-duty automatic locking rear differential
- Up to 10,000 lb. (4536 kg)² of towing capability
- Up to 8032 L (283.6 cu. ft.) of cargo space³
- Six standard D-ring cargo tie-downs
- Available interior bin packages and rooftop storage for ladders and other large work gear⁴
- Standard StabiliTrak Electronic Stability Control System



¹ Express 3500 Cargo Van with 4.3L V6 engine and 135" wheelbase. These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² With available Vortec 6.0L V8 engine. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ³ Express Cargo Van with Extended Wheelbase. Cargo and load capacity limited by weight and distribution.

⁴ Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

Express 3500 Extended Wheelbase
Passenger Van with available features.



EXPRESS PASSENGER VAN

A LARGE VAN THAT MOVES SMALL CROWDS.


Express Passenger Van is built to haul people, with a choice of 12- or 15-passenger seating, depending on model. Standard features like a StabiliTrak Electronic Stability Control System, a Tire Pressure Monitoring System¹ and Anti-lock Braking System (ABS) let you travel with confidence. Express Passenger Van's proven design means you can count on years of dependable service. Technology features like a standard 120-volt AC power outlet, available built-in 4G LTE Wi-Fi® Hotspot² (data plan required) and an available USB port³ can help keep passengers entertained during trips.

CENTURY
1 Does not monitor spare tire. 2 Services and connectivity vary by model and/or vehicle configuration and conditions as well as geographical and technical restrictions. 4G LTE service available in select markets. Requires active connected vehicle services and a data plan to access the vehicle's built-in Wi-Fi Hotspot. Accessory power must be active to use the Wi-Fi Hotspot. Data plans provided by AT&T or its local service provider. Credit card is required for purchase. Visit onstar.ca for vehicle availability, coverage maps, details and system limitations. 3 Not compatible with all devices.

Available 341-horsepower Vortec 6.0L V8 engine.

Express Passenger Van is a practical choice for mobility and paratransit conversions.

Standard seating for 12 passengers and available seating for 15 with Extended Wheelbase.



EXPRESS PASSENGER VAN HIGHLIGHTS

- Standard seating for 12 passengers
- Available seating for 15 with Extended Wheelbase
- Standard rear passenger air conditioning
- Standard 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque
- Available Vortec 6.0L V8 engine with 341 horsepower and 373 lb.-ft. of torque
- Available Duramax 2.8L I-4 Turbo-Diesel engine with 181 horsepower and 369 lb.-ft. of torque with standard exhaust brake
- Standard StabiliTrak Electronic Stability Control System
- 4-wheel disc brakes with Duralife rotors and Anti-lock Braking System (ABS)
- Standard Rear Vision Camera¹



¹ Read the vehicle Owner's Manual for important feature limitations and information.

Express 4500 Cutaway with an
upfit from an independent supplier.¹



EXPRESS CUTAWAY

AN EXPRESS CUTAWAY FOR ANY PROFESSION.

If you need additional volume and capacity over a traditional van and still want ease and convenience for the operator, check out Express Cutaway. The full-frame design of Express Cutaway can handle a wide variety of upfits,¹ including service/utility, cube body or shuttle bus. Its robust construction is strong, versatile and proven. The perimeter frame provides a stable platform for a confident driving experience and many years of durability. Express Cutaway is cut out to be the right choice for whatever you have in mind.

¹ Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

CHEVROLET
AUTOMOTIVE

Express Cutaway 3500 models come in various box sizes from independent upfitters²

Express 4500 models feature dual rear wheels for heavier applications.

Utility truck upfits are available in multiple configurations from independent upfitters²

EXPRESS 3500 AND 4500 CUTAWAY HIGHLIGHTS

- 4.3L V6 engine with 276 horsepower and 298 lb.-ft. of torque, standard on 3500
- Vortec 6.0L V8 engine and 341 horsepower with 373 lb.-ft. of torque, standard on 4500 and available on 3500
- Available compressed natural gas (CNG)/liquified propane gas (LPG) capable V8 engine
- Available GVWR up to 14,200 lb. (6441 kg)¹
- Full ladder-type frame design for strength and durability
- Wheelbase lengths of 139-in., 159-in. and 177-in. available on 3500 models; wheelbase lengths of 159-in. and 177-in. available on 4500 models
- Available automatic locking rear differential
- Standard StabiliTrak Electronic Stability Control System
- Hill Start Assist
- 4-wheel disc brakes with Anti-lock Braking System (ABS)



¹ Express 4500 Cutaway. Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ² Equipment from independent suppliers: See An Important Note About Alterations And Warranties on the Complete Care page.

SILVERADO 1500

MODEL AVAILABILITY ● AVAILABLE – NOT AVAILABLE

| TRIM LEVEL | STANDARD ENGINE | AVAILABLE ENGINES | 2WD | 4x4 | REGULAR CAB LONG BED | DOUBLE CAB STANDARD BED | CREW CAB SHORT BED | CREW CAB STANDARD BED |
|-------------------|-----------------------|---|-----|-----|-------------------------|-------------------------------|-----------------------|--------------------------|
| WT | 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82) | ● | ● | ● | ● | ● | ● |
| CUSTOM | 4.3L EcoTec3 V6 (LV3) | 2.7L Turbo (L3B), 5.3L EcoTec3 V8 (L82) | ● | ● | – | ● | ● | ● |
| CUSTOM TRAIL BOSS | 4.3L EcoTec3 V6 (LV3) | 5.3L EcoTec3 V8 (L82), 6.2L EcoTec3 V8 (L87) | – | ● | – | ● | ● | ● |
| LT | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), Duramax 3.0L ¹ I-6 (LM2) | ● | ● | – | ● | ● | ● |
| RST | 2.7L Turbo (L3B) | 5.3L EcoTec3 V8 (L84), 6.2L EcoTec3 V8 (L87), Duramax 3.0L ¹ I-6 (LM2) | ● | ● | – | ● | ● | ● |
| LT TRAIL BOSS | 5.3L EcoTec3 V8 (L84) | 6.2L EcoTec3 V8 (L87) | – | ● | – | – | ● | ● |
| LTZ | 5.3L EcoTec3 V8 (L84) | 6.2L EcoTec3 V8 (L87), Duramax 3.0L ¹ I-6 (LM2) | ● | ● | – | ● | ● | ● |
| HIGH COUNTRY | 5.3L EcoTec3 V8 (L84) | 6.2L EcoTec3 V8 (L87), Duramax 3.0L I-6 (LM2) | – | ● | – | – | ● | ● |

STANDARD EQUIPMENT

Standard on every Silverado:

| MECHANICAL |
|--|
| Battery – run-down protection system with retained accessory power |
| Brakes – power, 4-wheel disc with Duralife rotors and 4-wheel Anti-lock Braking System (ABS) |
| Frame – fully boxed frame with hydroformed front section |
| StabiliTrak – Electronic Stability Control System with Proactive Roll Avoidance, Traction Control, Electronic Trailer Sway Control and Hill Start Assist |
| Steering – rack-and-pinion with Electric Power Steering (EPS) assist |
| EXTERIOR |
| Bumper – rear CornerStep |
| Cargo area lighting – integrated with centre high-mounted stop lamp |
| Fuel filler – capless fuelling |
| Lighting – daytime running lamps with exterior automatic lamp control |
| Pickup bed – Durabed |
| Tailgate and bed rail – protection cap |
| Tie-downs – 12 fixed cargo tie-downs, rated at 500 lb. (227 kg) ² per corner |
| Tire – carrier lock |
| Tire – full-size spare |

| INTERIOR |
|---|
| Airbags ³ – dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag |
| Air conditioning – with rear-seat air vents (Double Cab and Crew Cab) |
| Assist handles – driver and front passenger, A-pillar; rear passenger, B-pillar |
| Connectivity – Bluetooth® phone connectivity and wireless audio streaming ⁴ and Apple CarPlay® ⁵ and Android Auto™ ⁶ compatibility |
| Door locks – manual (Regular Cab); power programmable with lock-out protection and manual rear door child security (Double Cab and Crew Cab) |
| Instrument cluster – 6-gauge with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure |
| Media – USB port ⁷ |
| Power outlet – 12-volt auxiliary, front |
| Rear Seat Reminder ⁸ (Double Cab and Crew Cab) |
| Rear Vision Camera ⁹ |
| Teen Driver technology |
| Tire Pressure Monitoring System – with Tire Fill Alert (does not monitor spare tire) |
| Windows – manual (Regular Cab); power with driver express-up/-down, all others express-down (Double Cab and Crew Cab) |

¹ Not available on Crew Cab Standard Bed 2WD model. ² These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ³ A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ⁴ Visit my.gm.ca/Chevrolet/en/learnAbout/bluetooth for more information. Full Bluetooth feature functionality varies by device, model and/or vehicle configuration, and software version. ⁵ Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. ⁶ Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and an Android compatible smartphone running Android 5.0 or higher. Data plan rates apply. ⁷ Not compatible with all devices. ⁸ Does not detect people or items. Always check rear seat before exiting. ⁹ Read the vehicle Owner's Manual for important feature limitations and information.

SILVERADO 1500 (CONTINUED)

ENGINES

| 2.7L TURBO (L3B) | DURAMAX 3.0L I-6 TURBO-DIESEL (LM2) | ECOTEC3 4.3L V6 (LV3) | ECOTEC3 5.3L V8 (L82) | ECOTEC3 5.3L V8 (L84) | ECOTEC3 6.2L V8 (L87) |
|---|---|---|---|---|--|
| Active Fuel Management | Diesel Exhaust Brake System | Active Fuel Management | Active Fuel Management | Dynamic Fuel Management | Dynamic Fuel Management |
| 310 hp @ 5600 rpm | 277 hp @ 3750 rpm | 285 hp @ 5300 rpm | 355 hp @ 5600 rpm | 355 hp @ 5600 rpm | 420 hp @ 5600 rpm |
| 348 lb.-ft. torque @ 1500 rpm | 460 lb.-ft. torque @ 1500 rpm | 305 lb.-ft. torque @ 3900 rpm | 383 lb.-ft. torque @ 4100 rpm | 383 lb.-ft. torque @ 4100 rpm | 460 lb.-ft. torque @ 4100 rpm |
| 6800 lb. (3084 kg) | 9300 lb. (4218 kg) | 7900 lb. (3583 kg) | 11,000 lb. (4990 kg) | 11,600 lb. (5262 kg) | 13,400 lb. (6078 kg) |
| Maximum towing capability ^{1,2} | Maximum towing capability ^{1,5} | Maximum towing capability ^{1,7} | Maximum towing capability ^{1,8} | Maximum towing capability ^{1,9} | Maximum towing capability ^{1,10} |
| 2070 lb. (939 kg) | 1870 lb. (848 kg) | 2250 lb. (1021 kg) | 2180 lb. (989 kg) | 2190 lb. (993 kg) | 2090 lb. (948 kg) |
| Maximum payload capability ^{3,4} | Maximum payload capability ^{3,6} | Maximum payload capability ^{3,7} | Maximum payload capability ^{3,7} | Maximum payload capability ^{3,9} | Maximum payload capability ^{3,11} |

DIMENSIONS, in. (mm)

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | REGULAR CAB | DOUBLE CAB | CREW CAB |
|-----------|--------------|-------------------------|-------------------------|----------------------------|------------------|-----------------------|-----------------------|
| Wheelbase | 139.6 (3545) | 147.4-147.5 (3745-3746) | 147.4-157.1 (3745-3989) | Headroom (front/rear) | 43.1 /- (1095/-) | 43.0/39.9 (1093/1013) | 43.0/40.1 (1093/1019) |
| Length | 229.5 (5829) | 231.7 (5885) | 231.7-241.2 (5885-6127) | Legroom (front/rear) | 44.5/- (1131/-) | 44.5/35.2 (1131/895) | 44.5/43.4 (1131/1102) |
| Height | 75.6 (1921) | 75.6-78.5 (1920-1993) | 75.4-78.4 (1914-1990) | Shoulder Room (front/rear) | 66.1/- (1678/-) | 66.0/64.9 (1677/1648) | 66.0/65.2 (1677/1655) |
| Width | 81.1 (2061) | 81.2 (2063) | 81.2 (2063) | Hip Room (front/rear) | 60.9/- (1547/-) | 61.2/60.2 (1554/1530) | 61.2/60.2 (1554/1530) |

MAXIMUM CAPACITIES

| | REGULAR CAB | DOUBLE CAB | CREW CAB | | REGULAR CAB | DOUBLE CAB | CREW CAB |
|--------------------------|-------------|------------------------|------------------------|---|------------------------|----------------------------|-------------------------|
| Fuel tank, L (imp. gal.) | 106 (23.3) | 91 (20.0) | 91 (20.0) | Cargo volume, L (cu. ft.) ¹² | 2523 (89.1) – Long Bed | 2031 (71.7) – Standard Bed | 1781 (62.9) – Short Bed |
| | – | 83 (18.3) – 2WD Diesel | 83 (18.3) – 2WD Diesel | | | | |

¹ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ² Requires Silverado 1500 Double Cab Standard Bed 2WD, Crew Cab Short Bed 2WD or Crew Cab Standard Bed 2WD. ³ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ⁴ Requires Silverado 1500 Double Cab Standard Bed 2WD. ⁵ Requires Silverado 1500 Double Cab Standard Bed 4x4 or Crew Cab Short Bed 4x4. ⁶ Requires Silverado 1500 Crew Cab Short Bed 2WD or 4x4. ⁷ Requires Silverado 1500 Regular Cab Long Bed 2WD. ⁸ Requires Silverado 1500 Crew Cab Short Bed Custom 4x4 with available Max Trailering Package. ⁹ Requires Silverado 1500 Double Cab Standard Bed 2WD with available Max Trailering Package. ¹⁰ Requires Silverado 1500 Double Cab Standard Bed RST 4x4 with available Max Trailering Package and 20" wheels. ¹¹ Requires Silverado 1500 Double Cab Standard Bed RST 4x4 with available Max Trailering Package and 20" wheels or Double Cab Standard Bed 4x4 with available Max Trailering Package. ¹² Cargo and load capacity limited by weight and distribution.

SILVERADO 1500 (CONTINUED)

PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | MAX. PAYLOAD ¹ | MAX. CONVENTIONAL TRAILER WEIGHT ² |
|---|-----------------------------|------------------------------|--|
| REGULAR CAB | | lb. (kg) | lb. (kg) |
| Long Bed 2WD | 4.3L V6 | 2250 (1021) | 7900 (3583) |
| | 5.3L V8 (L82) with 6-speed | 2180 (989) | 10,000 (4536) |
| Long Bed 4x4 | 4.3L V6 | 2130 (966) | 7700 (3493) |
| | 5.3L V8 (L82) with 6-speed | 2070 (939) | 9800 (4445) |
| DOUBLE CAB | | | |
| Standard Bed 2WD | 2.7L Turbo | 2070 (939) | 6800 (3084) |
| | 4.3L V6 | 2040 (925) | 7700 (3493) |
| | 5.3L V8 (L82) with 6-speed | 1970 (894) | 9700 (4400) |
| | 5.3L V8 (L84) with 8-speed | 1980 (898) | 9800 (4445) |
| | Duramax 3.0L I-6 | 1780 (807) | 7600 (3447) |
| Standard Bed 2WD with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2190 (993) | 11,600 (5262) |
| Standard Bed 4x4 | 2.7L Turbo | 2050 (930) | 6600 (2994) |
| | 4.3L V6 | 2020 (916) | 7500 (3402) |
| | 5.3L V8 (L82) with 6-speed | 1950 (885) | 9500 (4309) |
| | 5.3L V8 (L84) with 8-speed | 1970 (894) | 9600 (4355) |
| | 6.2L V8 | 1690 (767) | 9300 (4218) |
| | Duramax 3.0L I-6 | 1770 (803) | 9300 (4218) |
| Standard Bed 4x4 with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2180 (989) | 11,400 (5171) |
| | 6.2L V8 | 2090 (948) | 12,100 (5489) |
| Standard Bed RST 4x4 with Max Trailing Package and 20" Wheels | 6.2L V8 | 2090 (948) | 13,400 (6078) |
| Standard Bed Trail Boss 4x4 | 4.3L V6 | 1770 (803) | 7400 (3357) |
| | 5.3L V8 (L82) with 6-speed | 1670 (758) | 9500 (4309) |
| | 5.3L V8 (L84) with 10-speed | 1680 (762) | 9400 (4264) |
| | 6.2L V8 | 1780 (807) | 9300 (4218) |
| | | | |
| CREW CAB | | | |
| Short Bed 2WD | 2.7L Turbo | 2060 (934) | 6800 (3084) |
| | 4.3L V6 | 2040 (925) | 7700 (3493) |
| | 5.3L V8 (L82) with 6-speed | 2060 (934) | 9700 (4400) |
| | 5.3L V8 (L84) with 8-speed | 2060 (934) | 9800 (4445) |
| | Duramax 3.0L I-6 | 1870 (848) | 7600 (3447) |
| Short Bed 2WD with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2180 (989) | 11,500 (5216) |

| MODEL | ENGINE | MAX. PAYLOAD ¹ | MAX. CONVENTIONAL TRAILER WEIGHT ² |
|--|-----------------------------|------------------------------|--|
| CREW CAB (CONTINUED) | | lb. (kg) | lb. (kg) |
| Standard Bed 2WD | 2.7L Turbo | 1990 (903) | 6800 (3084) |
| | 4.3L V6 | 1960 (889) | 7600 (3447) |
| | 5.3L V8 (L82) with 6-speed | 1990 (903) | 9600 (4355) |
| | 5.3L V8 (L84) with 8-speed | 1990 (903) | 9700 (4400) |
| Standard Bed 2WD with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2110 (957) | 11,400 (5171) |
| Short Bed 4x4 | 2.7L Turbo | 2050 (930) | 6600 (2994) |
| | 4.3L V6 | 2020 (916) | 7500 (3402) |
| | 5.3L V8 (L82) with 6-speed | 2050 (930) | 9500 (4309) |
| | 5.3L V8 (L84) with 8-speed | 2060 (934) | 9600 (4354) |
| | 5.3L V8 (L84) with 10-speed | 2060 (934) | 9300 (4218) |
| | 6.2L V8 | 1670 (757) | 9200 (4173) |
| | Duramax 3.0L I-6 | 1870 (848) | 9300 (4218) |
| Short Bed 4x4 with Custom Max Trailing Package | 5.3L V8 (L82) with 6-speed | 2050 (930) | 11,000 (4990) |
| Short Bed 4x4 with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2170 (984) | 11,300 (5126) |
| | 6.2L V8 | 2060 (934) | 12,000 (5443) |
| Short Bed Trail Boss 4x4 | 4.3L V6 | 1770 (803) | 7400 (3357) |
| | 5.3L V8 (L82) with 6-speed | 2050 (930) | 9500 (4309) |
| | 5.3L V8 (L84) with 10-speed | 1770 (803) | 9400 (4264) |
| | 6.2L V8 | 1780 (807) | 9300 (4218) |
| Standard Bed 4x4 | 2.7L Turbo | 2000 (907) | 6600 (2994) |
| | 4.3L V6 | 1970 (894) | 7400 (3357) |
| | 5.3L V8 (L82) with 6-speed | 2000 (907) | 9500 (4309) |
| | 5.3L V8 (L84) with 8-speed | 2010 (912) | 9500 (4309) |
| | 5.3L V8 (L84) with 10-speed | 2010 (912) | 9200 (4173) |
| | 6.2L V8 | 1600 (726) | 9100 (4128) |
| | Duramax 3.0L I-6 | 1850 (839) | 9200 (4173) |
| Standard Bed 4x4 with Max Trailing Package | 5.3L V8 (L84) with 8-speed | 2130 (966) | 11,300 (5126) |
| | 6.2L V8 | 2010 (912) | 11,900 (5398) |
| Standard Bed Trail Boss 4x4 | 4.3L V6 | 1710 (776) | 7300 (3311) |
| | 5.3L V8 (L82) with 6-speed | 1710 (776) | 9400 (4264) |
| | 5.3L V8 (L84) with 10-speed | 1720 (780) | 9400 (4264) |
| | 6.2L V8 | 1780 (807) | 9300 (4218) |

¹ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² Conventional trailer towing weight. Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.



SILVERADO HD

MODEL AVAILABILITY ● AVAILABLE – NOT AVAILABLE

| MODEL | SERIES | STANDARD ENGINE 6.6L V8 GAS | AVAILABLE ENGINE DURAMAX 6.6L V8 | 2WD | 4x4 | REGULAR CAB LONG BED | DOUBLE CAB STANDARD BED | DOUBLE CAB LONG BED | CREW CAB STANDARD BED | CREW CAB LONG BED |
|--------------|---------|-----------------------------------|-------------------------------------|-----|-----|-------------------------|----------------------------|------------------------|--------------------------|----------------------|
| WT | 2500 HD | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 3500 HD | ● | ● | ● | ● | ● | – | ● | ● ¹ | ● |
| CUSTOM | 2500 HD | ● | – | ● | ● | – | ● | ● | ● | ● |
| LT | 2500 HD | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | 3500 HD | ● | ● | ● | ● | ● | – | ● | ● ¹ | ● |
| LTZ | 2500 HD | ● | ● | ● | ● | – | ● | ● | ● | ● |
| | 3500 HD | ● | ● | ● | ● | – | – | – | ● ¹ | ● |
| HIGH COUNTRY | 2500 HD | ● | ● | – | ● | – | – | – | ● | ● |
| | 3500 HD | ● | ● | – | ● | – | – | – | ● ¹ | ● |

STANDARD EQUIPMENT

Standard on every Silverado HD:

MECHANICAL

Air filter – high-capacity with air filtration monitoring

Battery – run-down protection system with retained accessory power

Brakes – power, 4-wheel disc with Duralife rotors and 4-wheel Anti-lock Braking System (ABS) and brake lining wear indicator

Cooling – external engine and transmission oil coolers

Differential – heavy-duty automatic locking rear

Engine – 6.6L V8 with Variable Valve Timing (VVT) and Direct Injection

Frame – fully boxed frame with hydroformed front section

StabiliTrak – Electronic Stability Control System with Proactive Roll Avoidance and Traction Control; includes Electronic Trailer Sway Control and Hill Start Assist

Trailering Package – trailer hitch with 2.5-in. receiver and 2-in. insert, 7-pin wiring connector and Hitch Guidance²

Transmission – 6-speed automatic, heavy-duty

EXTERIOR

BedSteps – integrated on forward portion of bed on driver and passenger side

Bumper – rear CornerSteps

Cargo area lighting – integrated with centre high-mounted stop lamp

Fuel filler – capless fuelling (gas engine only)

Lamps – daytime running lamps, automatic on/off with automatic delay

Pickup bed – Durabed

Tailgate and bed rail – protection cap

Tie-downs – 12 fixed cargo tie-downs, rated at 227 kg (500 lb.)³ per corner

EXTERIOR (CONTINUED)

Tire – carrier lock

Tire – full-size spare

Wipers – front, 2-speed with variable delay (intermittent)

INTERIOR

Airbags⁴ – dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag

Air conditioning

Air vents – rear, heating/cooling (Double Cab and Crew Cab)

Assist handles – driver and front passenger, A-pillar; rear passenger, B-pillar

Connectivity – Bluetooth® phone connectivity and wireless audio streaming⁵

Display – outside temperature

Door locks – manual (Regular Cab); power programmable with lock-out protection and manual rear door child security (Double Cab and Crew Cab)

Instrument cluster – 6-gauge with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Power outlet – 12-volt auxiliary, front

Rear Seat Reminder⁶ (Double Cab and Crew Cab)

Rear Vision Camera²

Teen Driver technology

Tire Pressure Monitoring System – with Tire Fill Alert (does not monitor spare tire)

Windows – manual (Regular Cab); power with driver express-up/-down, all others express-down (Double Cab and Crew Cab)

¹ SRW only. ² Read the vehicle Owner's Manual for important feature limitations and information. ³ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ⁴ A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ⁵ Visit my.gm.ca/Chevrolet/en/learnAbout/bluetooth for more information. Full Bluetooth feature functionality varies by device, model and/or vehicle configuration, and software version. ⁶ Does not detect people or items. Always check rear seat before exiting.

SILVERADO HD (CONTINUED)

ENGINES



6.6L V8 GAS Standard on all 2500 HD and 3500 HD models.

Variable Valve Timing (VVT) and Direct Injection

6-speed automatic transmission

401 hp @ 5200 rpm

464 lb.-ft. of torque @ 4000 rpm

Displacement: 6600 cc (403 cu. in.)

Bore and stroke: 103.25 mm x 98 mm

Compression ratio: 10.75:1

Alternator: 170 amps



DURAMAX 6.6L V8 TURBO-DIESEL Available on 2500 HD and 3500 HD models.

Direct Injection with high-pressure common rail

Allison® 10-speed automatic transmission

445 hp @ 2800 rpm

910 lb.-ft. of torque @ 1600 rpm

Displacement: 6619 cc (403 cu. in.)

Bore and stroke: 103 mm x 99 mm

Compression ratio: 16.0:1

Alternator: 220 amps

DIMENSIONS, in. (mm)

| | REGULAR CAB | DOUBLE CAB | CREW CAB |
|-----------|-----------------------|-------------------------|-------------------------|
| Wheelbase | 141.6 (3595) | 149.4-162.5 (3795-4127) | 158.9-172.0 (4037-4369) |
| Length | 235.5 (5982) | 240.5-256.5 (6107-6514) | 250.0-266.0 (6349-6756) |
| Height | 79.9-80.9 (2030-2056) | 79.8-80.9 (2027-2054) | 79.7-80.9 (2023-2054) |
| Width | 81.8-96.8 (2076-2457) | 81.9-96.8 (2079-2457) | 81.9-96.8 (2079-2457) |

| | REGULAR CAB | DOUBLE CAB | CREW CAB |
|----------------------------|-----------------|-----------------------|-----------------------|
| Headroom (front/rear) | 43.1/- (1095/-) | 43.0/39.9 (1093/1013) | 43.0/40.1 (1093/1019) |
| Legroom (front/rear) | 44.5/- (1131/-) | 44.5/35.2 (1131/895) | 44.5/43.4 (1131/1102) |
| Shoulder Room (front/rear) | 66.1/- (1678/-) | 66.0/64.9 (1677/1648) | 66.0/65.3 (1677/1659) |
| Hip Room (front/rear) | 60.9/- (1547/-) | 61.2/60.2 (1554/1530) | 61.2/60.2 (1554/1530) |

MAXIMUM CAPACITIES

| | REGULAR CAB | DOUBLE CAB | CREW CAB |
|--------------------------|-----------------------------------|--|------------|
| Fuel tank, L (imp. gal.) | 136 (29.9) 106 (23.3) - Diesel | 136 (29.9) 111 (24.4) - Standard Bed Diesel | 136 (29.9) |

| | |
|--|--|
| Cargo volume, L (cu. ft.) ¹ | 1970 (69.6) - Standard Bed 2365 (83.5) - Long Bed |
|--|--|

¹ Cargo and load capacity limited by weight and distribution.


SILVERADO HD (CONTINUED)

PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | WHEEL SIZE | GVWR lb. (kg) ¹ | MAX. PAYLOAD lb. (kg) ² | MAX. CONVENTIONAL TOWING lb. (kg) ³ | MAX. GOOSENECK/ 5TH-WHEEL TOWING lb. (kg) ³ |
|---------------------|-----------------|------------|----------------------------|------------------------------------|--|--|
| 2500 HD REGULAR CAB | | | | | | |
| Long Bed 2WD | 6.6L V8 gas | 17"/18" | 9900 (4490) | 3757 (1704) | 14,500 (6577) | 17,370 (7879) |
| | 6.6L V8 gas | 18"/20" | 10,150 (4604) | 3979 (1805) | 14,500 (6577) | 17,340 (7865) |
| | Duramax 6.6L V8 | 17" | 10,550 (4763) | 3544 (1608) | 14,500 (6577) | 18,510 (8396) |
| | Duramax 6.6L V8 | 18"/20" | 10,750 (4876) | 3715 (1685) | 14,500 (6577) | 18,480 (8382) |
| Long Bed 4x4 | 6.6L V8 gas | 17"/18" | 9900 (4490) | 3444 (1562) | 14,500 (6577) | 17,060 (7738) |
| | 6.6L V8 gas | 17" | 10,250 (4649) | 3794 (1721) | 14,500 (6577) | 17,060 (7738) |
| | 6.6L V8 gas | 18"/20" | 10,450 (4740) | 3965 (1799) | 14,500 (6577) | 17,030 (7725) |
| | Duramax 6.6L V8 | 17" | 10,900 (4944) | 3581 (1624) | 14,500 (6577) | 18,190 (8251) |
| | Duramax 6.6L V8 | 18"/20" | 11,025 (5001) | 3715 (1685) | 14,500 (6577) | 18,160 (8237) |
| 2500 HD DOUBLE CAB | | | | | | |
| Standard Bed 2WD | 6.6L V8 gas | 17"/18" | 9900 (4490) | 3441 (1561) | 14,500 (6577) | 17,050 (7734) |
| | 6.6L V8 gas | 17" | 10,050 (4559) | 3591 (1629) | 14,500 (6577) | 17,050 (7734) |
| | 6.6L V8 gas | 18"/20" | 10,250 (4649) | 3762 (1706) | 14,500 (6577) | 17,000 (7711) |
| | Duramax 6.6L V8 | 17" | 10,700 (4854) | 3390 (1538) | 14,500 (6577) | 18,200 (8255) |
| | Duramax 6.6L V8 | 18"/20" | 10,900 (4944) | 3561 (1615) | 14,500 (6577) | 18,170 (8242) |
| Standard Bed 4x4 | 6.6L V8 gas | 17" | 10,350 (4695) | 3576 (1622) | 14,500 (6577) | 16,740 (7593) |
| | 6.6L V8 gas | 18"/20" | 10,550 (4763) | 3747 (1700) | 14,500 (6577) | 16,710 (7580) |
| | Duramax 6.6L V8 | 17" | 11,000 (4990) | 3375 (1531) | 14,500 (6577) | 17,890 (8115) |
| | Duramax 6.6L V8 | 18"/20" | 11,200 (5080) | 3546 (1608) | 14,500 (6577) | 17,860 (8101) |
| Long Bed 2WD | 6.6L V8 gas | 17"/18" | 9900 (4490) | 3320 (1506) | 14,500 (6577) | 16,930 (7679) |
| | 6.6L V8 gas | 17" | 10,200 (4627) | 3620 (1642) | 14,500 (6577) | 16,930 (7679) |
| | 6.6L V8 gas | 18"/20" | 10,400 (4717) | 3792 (1720) | 14,500 (6577) | 16,900 (7666) |
| | Duramax 6.6L V8 | 17" | 10,900 (4944) | 3424 (1553) | 14,500 (6577) | 18,040 (8183) |
| | Duramax 6.6L V8 | 18"/20" | 11,100 (5035) | 3595 (1631) | 14,500 (6577) | 18,010 (8169) |
| Long Bed 4x4 | 6.6L V8 gas | 17" | 10,500 (4763) | 3633 (1662) | 14,500 (6577) | 16,650 (7552) |
| | 6.6L V8 gas | 18"/20" | 10,750 (4876) | 3854 (1748) | 14,500 (6577) | 16,620 (7539) |
| | Duramax 6.6L V8 | 17" | 11,200 (5080) | 3436 (1559) | 14,500 (6577) | 17,750 (8051) |
| | Duramax 6.6L V8 | 18"/20" | 11,450 (5194) | 3657 (1659) | 14,500 (6577) | 17,720 (8038) |

| MODEL | ENGINE | WHEEL SIZE | GVWR lb. (kg) ¹ | MAX. PAYLOAD lb. (kg) ² | MAX. CONVENTIONAL TOWING lb. (kg) ³ | MAX. GOOSENECK/ 5TH-WHEEL TOWING lb. (kg) ³ |
|------------------|-----------------|------------|----------------------------|------------------------------------|--|--|
| 2500 HD CREW CAB | | | | | | |
| Standard Bed 2WD | 6.6L V8 gas | 17"/18" | 9900 (4490) | 3329 (1510) | 14,500 (6577) | 16,940 (7684) |
| | 6.6L V8 gas | 17" | 10,150 (4604) | 3579 (1623) | 14,500 (6577) | 16,940 (7684) |
| | 6.6L V8 gas | 18"/20" | 10,350 (4695) | 3751 (1701) | 14,500 (6577) | 16,900 (7666) |
| | Duramax 6.6L V8 | 17" | 10,800 (4899) | 3332 (1511) | 14,500 (6577) | 18,050 (8187) |
| | Duramax 6.6L V8 | 18"/20" | 11,050 (5012) | 3553 (1612) | 18,500 (8392) | 18,500 (8392) |
| Standard Bed 4x4 | 6.6L V8 gas | 17" | 10,450 (4740) | 3589 (1628) | 14,500 (6577) | 16,650 (7552) |
| | 6.6L V8 gas | 18"/20" | 10,650 (4831) | 3760 (1706) | 14,500 (6577) | 16,620 (7539) |
| | Duramax 6.6L V8 | 17" | 11,150 (5058) | 3391 (1538) | 14,500 (6577) | 17,750 (8051) |
| | Duramax 6.6L V8 | 18"/20" | 11,350 (5148) | 3563 (1616) | 18,500 (8392) | 18,500 (8392) |
| Long Bed 2WD | 6.6L V8 gas | 17" | 10,300 (4672) | 3629 (1646) | 14,500 (6577) | 16,840 (7639) |
| | 6.6L V8 gas | 18"/20" | 10,500 (4763) | 3800 (1724) | 14,500 (6577) | 16,810 (7625) |
| | Duramax 6.6L V8 | 17" | 11,000 (4990) | 3365 (1526) | 14,500 (6577) | 17,880 (8110) |
| | Duramax 6.6L V8 | 18"/20" | 11,200 (5080) | 3536 (1604) | 18,500 (8392) | 18,500 (8392) |
| Long Bed 4x4 | 6.6L V8 gas | 17" | 10,650 (4831) | 3690 (1674) | 14,500 (6577) | 16,550 (7507) |
| | 6.6L V8 gas | 18"/20" | 10,850 (4921) | 3862 (1752) | 14,500 (6577) | 16,520 (7493) |
| | Duramax 6.6L V8 | 17" | 11,350 (5148) | 3426 (1554) | 14,500 (6577) | 17,590 (7979) |
| | Duramax 6.6L V8 | 18"/20" | 11,550 (5239) | 3597 (1632) | 18,500 (8392) | 18,500 (8392) |

¹ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ² These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ³ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.




SILVERADO HD (CONTINUED)

PAYLOAD AND TRAILER WEIGHT RATINGS (CONTINUED)

| MODEL | ENGINE | WHEEL SIZE | GVWR lb. (kg) ¹ | MAX. PAYLOAD lb. (kg) ² | MAX. CONVENTIONAL TOWING lb. (kg) ³ | MAX. GOOSENECK/ 5TH-WHEEL TOWING lb. (kg) ³ |
|----------------------------|-----------------|-----------------|----------------------------|------------------------------------|--|--|
| 3500 HD REGULAR CAB | | | | | | |
| Long Bed 2WD SRW | 6.6L V8 gas | 18"/20" | 10,750 (4876) | 4481 (2033) | 14,500 (6577) | 17,200 (7802) |
| | Duramax 6.6L V8 | 18"/20" | 11,500 (5216) | 4215 (1912) | 14,500 (6577) | 21,500 (9752) |
| Long Bed 4x4 SRW | 6.6L V8 gas | 18"/20" | 11,100 (5035) | 4534 (2057) | 14,500 (6577) | 16,950 (7688) |
| | Duramax 6.6L V8 | 18"/20" | 11,800 (5352) | 4217 (1913) | 14,500 (6577) | 21,500 (9752) |
| Long Bed 2WD DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 7442 (3376) | 16,800 (7620) | 16,800 (7620) |
| | Duramax 6.6L V8 | 17" – 5th-Wheel | 14,000 (6350) | 6532 (2963) | 20,000 (9072) | 32,000 (14,515) |
| | Duramax 6.6L V8 | 17" – Gooseneck | 14,000 (6350) | 6409 (2907) | 20,000 (9072) | 35,500 (16,103) |
| Long Bed 4x4 DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 7145 (3241) | 16,800 (7620) | 16,710 (7580) |
| | Duramax 6.6L V8 | 17" | 14,000 (6350) | 6196 (2811) | 20,000 (9072) | 31,760 (14,406) |
| 3500 HD DOUBLE CAB | | | | | | |
| Long Bed 2WD SRW | 6.6L V8 gas | 18"/20" | 11,100 (5035) | 4373 (1984) | 14,500 (6577) | 16,700 (7575) |
| | Duramax 6.6L V8 | 18"/20" | 11,850 (5375) | 4130 (1873) | 14,500 (6577) | 21,490 (9748) |
| Long Bed 4x4 SRW | 6.6L V8 gas | 18"/20" | 11,400 (5171) | 4391 (1992) | 14,500 (6577) | 16,500 (7484) |
| | Duramax 6.6L V8 | 18"/20" | 12,150 (5557) | 4148 (1882) | 14,500 (6577) | 21,210 (9621) |
| Long Bed 2WD DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 6985 (3168) | 16,400 (7439) | 16,400 (7439) |
| | Duramax 6.6L V8 | 17" | 14,000 (6350) | 6059 (2748) | 20,000 (9072) | 31,500 (14,288) |
| Long Bed 4x4 DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 6703 (3040) | 16,390 (7434) | 16,270 (7380) |
| | Duramax 6.6L V8 | 17" | 14,000 (6350) | 5777 (2620) | 20,000 (9072) | 31,340 (14,216) |
| MODEL | ENGINE | WHEEL SIZE | GVWR lb. (kg) ¹ | MAX. PAYLOAD lb. (kg) ² | MAX. CONVENTIONAL TOWING lb. (kg) ³ | MAX. GOOSENECK/ 5TH-WHEEL TOWING lb. (kg) ³ |
| 3500 HD CREW CAB | | | | | | |
| Standard Bed 2WD SRW | 6.6L V8 gas | 18"/20" | 11,000 (4990) | 4316 (1958) | 14,500 (6577) | 16,700 (7575) |
| | Duramax 6.6L V8 | 18"/20" | 11,750 (5330) | 4135 (1876) | 20,000 (9072) | 21,500 (9752) |
| Standard Bed 4x4 SRW | 6.6L V8 gas | 18"/20" | 11,350 (5148) | 4365 (1980) | 14,500 (6577) | 16,530 (7498) |
| | Duramax 6.6L V8 | 18"/20" | 12,100 (5489) | 4185 (1898) | 20,000 (9072) | 21,300 (9662) |
| Long Bed 2WD SRW | 6.6L V8 gas | 18"/20" | 11,150 (5058) | 4333 (1965) | 14,500 (6577) | 16,700 (7575) |
| | Duramax 6.6L V8 | 18"/20" | 11,900 (5398) | 4013 (1820) | 20,000 (9072) | 21,330 (9675) |
| Long Bed 4x4 SRW | 6.6L V8 gas | 18"/20" | 11,500 (5216) | 4398 (1995) | 14,500 (6577) | 16,410 (7444) |
| | Duramax 6.6L V8 | 18"/20" | 12,250 (5557) | 4078 (1850) | 20,000 (9072) | 21,040 (9544) |
| Long Bed 2WD DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 6894 (3127) | 16,300 (7394) | 16,200 (7348) |
| | Duramax 6.6L V8 | 17" | 14,000 (6350) | 5892 (2673) | 20,000 (9072) | 31,400 (14,243) |
| Long Bed 4x4 DRW | 6.6L V8 gas | 17" | 14,000 (6350) | 6610 (2998) | 16,300 (7394) | 16,180 (7339) |
| | Duramax 6.6L V8 | 17" | 14,000 (6350) | 5607 (2543) | 20,000 (9072) | 31,180 (14,143) |

¹ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ² These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ³ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.



SILVERADO 3500 HD CHASSIS CAB

MODEL AVAILABILITY

● AVAILABLE

| MODEL | REGULAR CAB | CREW CAB | 2WD | 4x4 | STANDARD ENGINE | STANDARD HP @ RPM/LB.-FT. TORQUE @ RPM | AVAILABLE ENGINE | AVAILABLE HP @ RPM/LB.-FT. TORQUE @ RPM | STANDARD SEATING (REGULAR CAB/ CREW CAB) |
|-------------------|-------------|----------|-----|-----|-----------------|--|------------------|---|--|
| Silverado 3500 HD | ● | ● | ● | ● | 6.6L V8 gas | 401 @ 5200/464 @ 4000 | Duramax 6.6L V8 | 445 @ 2800/910 @ 1600 | 3/6 |

STANDARD EQUIPMENT

| MECHANICAL |
|--|
| Air filter – high-capacity with air filtration monitoring |
| Alternator – 170 amps |
| Axle – dual rear wheel |
| Battery – heavy-duty, 720 cold-cranking amps |
| Brakes – power, 4-wheel disc with Duralife rotors and 4-wheel Anti-lock Braking System (ABS) and brake lining wear indicator |
| Cooling – external engine oil and auxiliary external transmission oil coolers |
| Differential – heavy-duty automatic locking rear |
| Fuel tank – front and rear, 238 L (52.4 imp. gal.) |
| StabiliTrak – Electronic Stability Control System with Proactive Roll Avoidance and Traction Control; includes Electronic Trailer Sway Control and Hill Start Assist |
| Steering – recirculating ball with smart flow power steering system |
| Transfer case – 2-speed, electronic with push-button controls (4x4 models) |
| EXTERIOR |
| Bumpers – front, Black |
| Daytime running lamps – with automatic exterior lamp control |
| Door handles – Black |
| Headlamps – halogen reflector with halogen daytime running lamps |
| Lamps – Smoked Amber roof marker (LED) |
| Mirrors – vertical trailering, manual-folding and manual-extending with lower convex mirrors |
| Recovery hooks ¹ – front, frame-mounted, Black |

| INTERIOR |
|---|
| Airbags ² – dual-stage frontal airbags for driver and front outboard passenger; seat-mounted side-impact airbags for driver and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal outboard passenger airbag |
| Air conditioning – single-zone |
| Assist handles – driver and front passenger, A-pillar; rear passenger, B-pillar |
| Connectivity – Bluetooth [®] phone connectivity and wireless audio streaming ³ |
| Display – outside temperature |
| Driver Information Centre – 3.5-in. diagonal monochromatic display |
| Entertainment – Chevrolet Infotainment 3 system ⁴ with 7-in. diagonal colour touch-screen, AM/FM stereo, Bluetooth [®] audio streaming ³ for two active devices, voice command pass-through to compatible phone, and Apple CarPlay ^{®5} and Android Auto ^{™6} compatibility |
| Floor covering – rubberized-vinyl |
| Instrument cluster – 6-gauge cluster with speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure |
| Media – USB port ⁷ on instrument panel |
| Seat – front 40/20/40 split-bench with manual 4-way driver and front-passenger seat adjusters |
| Seat – rear 60/40 split-folding bench (Crew Cab) |
| Steering column – tilt-wheel manual steering with security locking feature |
| Tire Pressure Monitoring System – with Tire Fill Alert (does not apply to spare tire) |

¹ To avoid the risk of injury, never use recovery hooks to tow a vehicle. See the Owner's Manual for more information. ² A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ³ Visit my.gm.ca/Chevrolet/en/learnAbout/bluetooth for more information. Full Bluetooth feature functionality varies by device, model and/or vehicle configuration, and software version. ⁴ Chevrolet Infotainment System functionality varies by model. Full functionality requires compatible Bluetooth and smartphone, and USB connectivity for some devices. Data plan rates may apply. ⁵ Vehicle user interface is a product of Apple and its terms and privacy statements apply. Requires compatible iPhone and data plan rates apply. ⁶ Vehicle user interface is a product of Google and its terms and privacy statements apply. Requires the Android Auto app on Google Play and an Android compatible smartphone running Android 5.0 or higher. Data plan rates apply. ⁷ Not compatible with all devices.

SILVERADO 3500 HD CHASSIS CAB (CONTINUED)

PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | AXLE RATIO | GVWR lb. (kg) ¹ | MAX. PAYLOAD lb. (kg) ² | GCWR lb. (kg) ³ |
|--|-----------------|------------|----------------------------|------------------------------------|----------------------------|
| Silverado 3500 HD Regular Cab Chassis Cab 2WD (146" Wheelbase with 60" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 7571 (3434) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 6638 (3011) | 40,000 (18,144) |
| Silverado 3500 HD Regular Cab Chassis Cab 2WD (171" Wheelbase with 84" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 7454 (3381) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 6516 (2956) | 40,000 (18,144) |
| Silverado 3500 HD Crew Cab Chassis Cab 2WD (177" Wheelbase with 60" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 7040 (3193) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 6078 (2757) | 40,000 (18,144) |
| Silverado 3500 HD Regular Cab Chassis Cab 4x4 (146" Wheelbase with 60" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 7204 (3268) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 6271 (2845) | 40,000 (18,144) |
| Silverado 3500 HD Regular Cab Chassis Cab 4x4 (171" Wheelbase with 84" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 7159 (3247) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 6221 (2822) | 40,000 (18,144) |
| Silverado 3500 HD Crew Cab Chassis Cab 4x4 (177" Wheelbase with 60" Cab-to-Axle Length) | 6.6L V8 gas | 3.73 | 14,000 (6350) | 6713 (3045) | 24,000 (10,886) |
| | Duramax 6.6L V8 | 3.42 | 14,000 (6350) | 5751 (2609) | 40,000 (18,144) |

¹ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ² These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ³ Gross Combination Weight Rating.



COLORADO

MODEL AVAILABILITY

● AVAILABLE – NOT AVAILABLE

| TRIM LEVEL | STANDARD ENGINE | AVAILABLE ENGINES | 2WD | 4x4 | EXTENDED CAB LONG BOX | CREW CAB SHORT BOX | CREW CAB LONG BOX |
|------------|----------------------|--|-----|-----|--------------------------|-----------------------|----------------------|
| BASE | 2.5L DOHC 4-cylinder | – | ● | – | ● | – | – |
| WT | 2.5L DOHC 4-cylinder | 3.6L DOHC V6, Duramax 2.8L I-4 Turbo-Diesel ¹ | ● | ● | ● | ● | ● |
| LT | 2.5L DOHC 4-cylinder | 3.6L DOHC V6, Duramax 2.8L I-4 Turbo-Diesel ² | ● | ● | ● | ● | ● |
| Z71 | 3.6L DOHC V6 | Duramax 2.8L I-4 Turbo-Diesel ³ | ● | ● | ● | ● | ● |
| ZR2 | 3.6L DOHC V6 | Duramax 2.8L I-4 Turbo-Diesel | – | ● | ● | ● | – |

STANDARD EQUIPMENT

MECHANICAL

Brakes – power, 4-wheel disc brakes with Duralife brake rotors, Anti-lock Braking System (ABS) and Hill Start Assist

Frame – fully boxed

StabiliTrak – Electronic Stability Control System with Traction Control

Steering – power, electric, rack-and-pinion, variable-assist

EXTERIOR

Cargo area lighting – integrated with centre high-mounted stop lamp

Fuel filler – capless fuelling

Headlamps – halogen, automatic on/off with automatic delay and daytime running lamps

Tailgate handle – black

Tire – compact spare or full-size spare

INTERIOR

Airbags⁴ – dual-stage frontal airbags for driver and front passenger; seat-mounted side-impact airbags for driver and front outboard passenger; head-curtain airbags for front and rear outboard seating positions; includes front outboard Passenger Sensing System for frontal passenger airbag

Air conditioning – single-zone

Door locks – power programmable with lock-out protection and rear door child security

Media – two USB ports⁵ and auxiliary input jack in front centre console

Rear Vision Camera⁶

Seat – power driver adjuster

Steering column – manual tilt

Teen Driver technology

Theft-deterrent system – engine immobilizer

Tire Pressure Monitor – with Tire Fill Alert (does not monitor spare tire, if equipped)

Windows – power driver express-up/-down, all others express-down

PAYLOAD AND TRAILER WEIGHT RATINGS

| ENGINE | AXLE RATIO | MAX. PAYLOAD lb. (kg) ⁸ | MAX. GCWR lb. (kg) ¹² | MAX. TRAILER WEIGHT lb. (kg) ⁷ | | | |
|--------------------------------------|---------------|---------------------------------------|-------------------------------------|---|--------------------------|-----------------|-----------------|
| | | | | EXTENDED CAB 2WD | EXTENDED CAB 4x4 | CREW CAB 2WD | CREW CAB 4x4 |
| 2.5L DOHC 4-cylinder | 4.10 | 1444 (655) ^{9,10} | 8500 (3856) | 3500 (1588) | 3500 (1588) | 3500 (1588) | – |
| 3.6L DOHC V6 | 3.42 | 1578 (716) ^{9,10} | 8500 (3856) | 3500 (1588) | 3500 (1588) | 3500 (1588) | 3500 (1588) |
| 3.6L DOHC V6 with Trailering Package | 3.42 | 1578 (716) ^{9,10} | 12,000 (5443) | 7000 (3175) | 7000 (3175) | 7000 (3175) | 7000 (3175) |
| Duramax 2.8L I-4 Turbo-Diesel | 3.42 | 1494 (678) ^{9,11} | 12,700 (5761) | – | 7700 (3493) ¹ | 7700 (3493) | 7600 (3447) |

¹ Available on Fleet and Government orders only. ² Not available on Extended Cab or Crew Cab Long Box 2WD models. ³ Crew Cab 4x4 only. ⁴ A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ⁵ Not compatible with all devices. ⁶ Read the vehicle Owner's Manual for important feature limitations and information. ⁷ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow. ⁸ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ⁹ Requires Colorado Crew Cab Short Box 2WD. ¹⁰ Requires WT model. ¹¹ Requires LT model. ¹² Gross Combination Weight Rating.

EXPRESS CARGO VAN

MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | STANDARD ENGINE | STANDARD HP @ RPM/ LB.-FT. TORQUE @ RPM | AVAILABLE ENGINES | MAX. PAYLOAD lb. (kg) ¹ | STANDARD SEATING |
|-------------------------|-------|-----------|-----------------|--|----------------------------------|---------------------------------------|------------------|
| 2500 Regular Wheelbase | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 3280 (1488) | 2 |
| 2500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 3060 (1388) | 2 |
| 3500 Regular Wheelbase | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 4250 (1928) | 2 |
| 3500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 4060 (1842) | 2 |

STANDARD EQUIPMENT

MECHANICAL

Brakes – power, 4-wheel disc brakes with Anti-lock Braking System (ABS)

StabiliTrak – Electronic Stability Control System with traction assistance and vehicle stability enhancement

Suspension – front independent with coil springs and stabilizer bar; rear hypoid drive axle with multi-leaf springs

Transmission – 8-speed automatic, electronically controlled with overdrive and Tow/Haul mode

EXTERIOR

Bumpers – front and rear, Black-painted with step pad

Door – swing-out passenger-side, 60/40 split

Headlamps – dual halogen composite

Mirrors – manual, Black

Wheels – 16-in. steel with Grey centre caps and steel spare

INTERIOR

Airbags² – frontal for driver and right-front passenger; seat-mounted side-impact for driver and right-front passenger and roof-rail mounted head-curtain

Air conditioning – single-zone manual

Audio system – AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front door speakers

Console – engine cover with open storage bin and three cupholders

Defogger – side windows

Power Convenience Package – power windows and power door locks

Power outlets – two auxiliary on engine console cover and 120-volt AC outlet on instrument panel

Seats – front bucket with outboard head restraints and inboard armrests, vinyl trim

PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | GVWR lb. (kg) ³ | PAYLOAD lb. (kg) ¹ | MAX. TRAILER WEIGHT lb. (kg) ⁴ |
|-------------------------|------------------|----------------------------|-------------------------------|---|
| 2500 Regular Wheelbase | 4.3L V6 | 8600 (3901) | 3280 (1488) | 7400 (3357) |
| | 6.0L V8 | 8600 (3901) | 3050 (1383) | 10,000 (4536) |
| | Duramax 2.8L I-4 | 8600 (3901) | 2850 (1293) | 7000 (3175) |
| 2500 Extended Wheelbase | 4.3L V6 | 8600 (3901) | 3060 (1388) | 7100 (3221) |
| | 6.0L V8 | 8600 (3901) | 2820 (1279) | 10,000 (4536) |
| | Duramax 2.8L I-4 | 8600 (3901) | 2640 (1198) | 6100 (2767) |
| 3500 Regular Wheelbase | 4.3L V6 | 9600 (4355) | 4250 (1928) | 7400 (3357) |
| | 6.0L V8 | 9600 (4355) | 4020 (1823) | 10,000 (4536) |
| | Duramax 2.8L I-4 | 9600 (4355) | 3820 (1733) | 6200 (2812) |
| 3500 Extended Wheelbase | 4.3L V6 | 9600 (4355) | 4060 (1842) | 7200 (3266) |
| | 6.0L V8 | 9600 (4355) | 3820 (1733) | 10,000 (4536) |
| | Duramax 2.8L I-4 | 9900 (4491) | 3930 (1783) | 6000 (2722) |

¹ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² **A NOTE ON CHILD SAFETY:** Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ³ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁴ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

EXPRESS PASSENGER VAN

MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | STANDARD ENGINE | STANDARD HP @ RPM/ LB.-FT. TORQUE @ RPM | AVAILABLE ENGINES | MAX. PAYLOAD lb. (kg) ¹ | STANDARD SEATING |
|-------------------------|-------|-----------|-----------------|--|----------------------------------|---------------------------------------|------------------|
| 2500 Regular Wheelbase | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 2550 (1157) | 12 |
| 3500 Regular Wheelbase | RWD | 135" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 3550 (1610) | 12 |
| 3500 Extended Wheelbase | RWD | 155" | 4.3L V6 | 276 @ 5200/298 @ 3900 | Vortec 6.0L V8, Duramax 2.8L I-4 | 3210 (1456) | 12 |

STANDARD EQUIPMENT

| MECHANICAL | INTERIOR |
|---|--|
| Brakes – power, 4-wheel disc brakes with Anti-lock Braking System (ABS) | Airbags ² – frontal for driver and right-front passenger; seat-mounted side-impact for driver and right-front passenger; roof-rail mounted head-curtain, provides coverage for outboard seating positions for first three rows only |
| StabiliTrak – Electronic Stability Control System with traction assistance and vehicle stability enhancement | Air conditioning – front and rear |
| Suspension – front independent with coil springs and stabilizer bar; rear hypoid drive axle with multi-leaf springs | Audio system – AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front door speakers |
| Transmission – 8-speed automatic, electronically controlled with overdrive and Tow/Haul mode | Console – engine cover with open storage bin and three cupholders |
| EXTERIOR | Defogger – front and side windows |
| Bumpers – front and rear with step pad | Heater – rear auxiliary |
| Daytime running lamps | Mirror – rear-view, with Rear Vision Camera ³ display |
| Door – swing-out passenger-side, 60/40 split | Power Convenience Package – power windows and power door locks |
| Glass – full-body window package | Power outlets – 2 auxiliary on engine console cover and 120-volt AC outlet on instrument panel |
| Headlamps – dual halogen composite | Seats – 12-passenger (2-3-3-4 seating configuration; 4-passenger seat is a 50/50 split, 2-piece configuration) |
| Mirrors – manual, Black | |

PAYLOAD AND TRAILER WEIGHT RATINGS

| MODEL | ENGINE | GVWR lb. (kg) ⁴ | PAYLOAD lb. (kg) ¹ | MAX. TRAILER WEIGHT lb. (kg) ⁵ |
|-------------------------|------------------|----------------------------|-------------------------------|---|
| 2500 Regular Wheelbase | 4.3L V6 | 8600 (3901) | 2550 (1157) | 6700 (3039) |
| | 6.0L V8 | 8600 (3901) | 2390 (1084) | 9600 (4355) |
| | Duramax 2.8L I-4 | 8600 (3901) | 2200 (998) | 6300 (2858) |
| 3500 Regular Wheelbase | 4.3L V6 | 9600 (4355) | 3550 (1610) | 6700 (3039) |
| | 6.0L V8 | 9600 (4355) | 3390 (1538) | 9600 (4355) |
| | Duramax 2.8L I-4 | 9600 (4355) | 3200 (1452) | 5700 (2586) |
| 3500 Extended Wheelbase | 4.3L V6 | 9600 (4355) | 3210 (1456) | 6300 (2858) |
| | 6.0L V8 | 9600 (4355) | 3050 (1383) | 9200 (4173) |
| | Duramax 2.8L I-4 | 9900 (4491) | 3170 (1438) | 5300 (2404) |

¹ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ³ Read the vehicle Owner's Manual for important feature limitations and information. ⁴ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁵ Before you buy a vehicle or use it for trailering, carefully review the Trailering section of the Owner's Manual. The weight of passengers, cargo and options or accessories may reduce the amount you can tow.

EXPRESS CUTAWAY

MODEL AVAILABILITY

| TRIM/SERIES | DRIVE | WHEELBASE | CAB-TO-AXLE LENGTH | STANDARD ENGINE | STANDARD HP @ RPM / LB.-FT. TORQUE @ RPM | STANDARD TRANSMISSION | AVAILABLE ENGINE | MAX. PAYLOAD lb. (kg) ¹ | STANDARD SEATING |
|----------------------|-----------|-----------|--------------------|-----------------|--|-------------------------------|------------------|------------------------------------|------------------|
| Express 3500 Cutaway | RWD | 139" | 80" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 8-speed automatic | Vortec 6.0L V8 | 5360 (2431) | 2 |
| Express 3500 Cutaway | RWD | 159" | 100" | 4.3L V6 | 276 @ 5200/298 @ 3900 | 8-speed automatic | Vortec 6.0L V8 | 5270 (2390) | 2 |
| Express 3500 Cutaway | RWD (DRW) | 177" | 118" | Vortec 6.0L V8 | 341 @ 5400/373 @ 4200 | 6-speed automatic, heavy-duty | – | 7080 (3211) | 2 |
| Express 4500 Cutaway | RWD (DRW) | 159" | 100" | Vortec 6.0L V8 | 341 @ 5400/373 @ 4200 | 6-speed automatic, heavy-duty | – | 8940 (4055) | 2 |
| Express 4500 Cutaway | RWD (DRW) | 177" | 118" | Vortec 6.0L V8 | 341 @ 5400/373 @ 4200 | 6-speed automatic, heavy-duty | – | 8860 (4019) | 2 |

STANDARD EQUIPMENT

MECHANICAL

Alternator – 150 amps

Battery – 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Brakes – 4-wheel antilock, 4-wheel disc

StabiliTrak – Electronic Stability Control System with traction assistance and vehicle stability enhancement

Steering – power

Suspension – front independent with coil springs and stabilizer bar; rear hypoid drive axle with multi-leaf springs

Transmission – 6-speed heavy-duty automatic (6.0L V8) or 8-speed automatic (4.3L V6), electronically controlled with overdrive and Tow/Haul mode; includes cruise grade braking and powertrain grade braking

EXTERIOR

Bumpers – front, Black-painted with step pad

Daytime running lamps

Grille – Black composite

EXTERIOR (CONTINUED)

Headlamps – dual halogen composite

Mirrors – manual, Black

Wheels – 16-in. 8-lug heavy-duty

INTERIOR

Airbags² – frontal for driver and right-front passenger

Air conditioning – single-zone manual

Audio system – AM/FM stereo with MP3 player, seek-scan, digital clock, TheftLock, random select, auxiliary jack and two front door speakers

Console – engine cover with open storage bin and three cupholders

Defogger – side windows

Power outlets – two auxiliary on engine console cover and 120-volt AC outlet on instrument panel

Seats – front bucket with outboard head restraints and inboard armrests, vinyl trim


PAYLOAD AND VEHICLE WEIGHT RATINGS

| MODEL | ENGINE | GVWR lb. (kg) ³ | PAYLOAD lb. (kg) ¹ | MAX. GCWR lb. (kg) ⁴ |
|-------------------------------------|---------|----------------------------|-------------------------------|---------------------------------|
| Express 3500 Cutaway 139" Wheelbase | 4.3L V6 | 9900 (4491) | 5360 (2431) | 13,000 (5897) |
| | 6.0L V8 | 12,300 (5579) | 5150 (2336) | 16,000 (7258) |
| Express 3500 Cutaway 159" Wheelbase | 4.3L V6 | 9900 (4490) | 5270 (2390) | 13,000 (5897) |
| | 6.0L V8 | 12,300 (5579) | 5090 (2309) | 16,000 (7258) |
| Express 3500 Cutaway 177" Wheelbase | 6.0L V8 | 12,300 (5579) | 7080 (3211) | 16,000 (7258) |
| Express 4500 Cutaway 159" Wheelbase | 6.0L V8 | 14,200 (6441) | 8940 (4055) | 20,000 (9072) |
| Express 4500 Cutaway 177" Wheelbase | 6.0L V8 | 14,200 (6441) | 8860 (4019) | 20,000 (9072) |


¹ These maximum payload ratings are intended for comparison purposes only. Before you buy a vehicle or use it to haul people or cargo, carefully review the Vehicle Loading section of the Owner's Manual and check the carrying capacity of your specific vehicle on the label on the inside of the driver door jamb. ² A NOTE ON CHILD SAFETY: Always use seat belts and the correct child restraint for your child's age and size, even with airbags. Even in vehicles equipped with the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal airbag. See your vehicle Owner's Manual and the child safety seat instructions for more safety information. ³ Maximum Gross Vehicle Weight Rating (GVWR). When properly equipped; includes weight of vehicle, passengers, cargo and equipment. ⁴ Gross Combination Weight Rating.

COMMERCIAL VEHICLE DIMENSIONS, in. (mm)


COLORADO¹




SILVERADO 1500



SILVERADO 2500 HD



SILVERADO 3500 HD




CENTURY
AUTOMOTIVE


NOTE: For a complete list of all Commercial Vehicle dimensions and specifications, go to chevrolet.ca. ¹ Excludes all ZR2 measurements. ² Trail Boss wheelbase is 157.1 (3989).

COMMERCIAL VEHICLE DIMENSIONS, in. (mm) (CONTINUED)


SILVERADO 3500 HD REGULAR CAB CHASSIS CAB




SILVERADO 3500 HD CREW CAB CHASSIS CAB




EXPRESS CARGO VAN



EXPRESS PASSENGER VAN



EXPRESS CUTAWAY





Experience Chevrolet Complete Care, a comprehensive package of owner benefits that are included with every new 2020 Chevrolet leased or purchased in Canada.

Chevrolet Complete Care coverage includes:

3-year/60,000 km¹ Base Warranty Coverage²

5-year/100,000 km¹ Powertrain Component Warranty Coverage²

5-year/100,000 km¹ Courtesy Transportation³

5-year/100,000 km¹ 24/7 Roadside Assistance³

6-year/160,000 km¹ Sheet Metal rust-through perforation coverage²

Other ownership privileges and programs:⁴

- Chevrolet Protection Plan – the only extended service plan backed by the resources and commitment of General Motors. The Chevrolet Protection Plan may be purchased at the time of vehicle sale or subsequently during the Base Warranty Coverage period⁵
- Chevrolet Owner Centre – Everything you need to know. Anything you need to do. Your Chevrolet Owner Centre makes it easy. Create your account today to get the most out of your new vehicle. Get special alerts and offers, schedule service, review your maintenance schedule, and view how-to videos specifically for your vehicle. Find out more at mychevrolet.ca.

Chevrolet ownership experience. Chevrolet is committed to enhancing the vehicle shopping and ownership experience through a wide array of programs. Visit chevrolet.ca to build and price, find a vehicle, request a quote, compare vehicles, find financial tools or track your vehicle order. You'll also find information about 24-hour Roadside Assistance, Courtesy Transportation, Customer Assistance, GM Mobility, safety and current incentives.

Information resources. You can find more information about these programs from your Chevrolet dealer, or at these information centres:

- The Chevrolet website at chevrolet.ca
- The Customer Care Centre at 1-800-GM-DRIVE (1-800-463-7483 or 1-800-263-3830 for TDD users).

Business Choice. Business Choice is an enhanced incentive program specifically designed for business owners who use their vehicles for work-related purposes. Visit gmbusinesschoice.ca for more information.

Business Elite. When it comes to your fleet, you need the right vehicles, customized to your specific business needs. You need a dealer you can count on. Partner with a Business Elite dealer, and they'll take the time to learn about your unique business challenges and offer you real solutions. Visit gmfleet.ca for more information.



¹ Whichever comes first. ² Conditions and limitations apply. See Warranty Booklet for details. ³ Conditions and limitations apply. See Owner's Manual for details. ⁴ Conditions and limitations apply. ⁵ Please work with your dealer to select the plan that is suitable for your driving needs. Dealers are free to set their own prices.

Important words about this brochure. Some of the equipment shown or described throughout this brochure may be available at extra cost. We have tried to make this brochure comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colours, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this brochure and other printed materials provided at the dealership or affixed to vehicles are approximates based on design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your Chevrolet dealer for complete details. General Motors of Canada Company reserves the right to lengthen or shorten the model year for any product, for any reason, or to start and end model years at different times. Certain vehicle features may lose their usefulness over time due to obsolescence from technological changes. Unless otherwise noted, all claims based on the GM Large Pickup segment and the latest available competitive information. Excludes other GM vehicles.

Engines. Chevrolet products are equipped with engines produced by GM Global Propulsion Systems or other suppliers to GM worldwide. The engines in Chevrolet products may also be used in other GM makes and models.

Assembly. Chevrolet vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Chevrolet vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered and that, if there were changes, they are acceptable to you.

Fleet orders. Some standard content and owner benefits may be modified or deleted on fleet orders. See dealer for details.

An important note about alterations and warranties. Installations or alterations to the original equipment vehicle (or chassis) as distributed by General Motors are not covered by the New Vehicle Limited Warranty. The special body company, assembler, equipment installer or upfitter is solely responsible for warranties on the body or equipment and any alterations (or any effect of the alterations) to any of the parts, components, systems or assemblies installed by GM. General Motors is not responsible for the safety or quality of design features, materials or workmanship of any alterations by such suppliers.

Trademarks. The marks appearing in this brochure including, but not limited to, General Motors, GM, Chevrolet, the Chevrolet emblem, Colorado, Express, Silverado, and their respective logos, emblems, slogans and vehicle model names and body designs; and other marks such as Active Fuel Management, Duramax, EcoTec3, Find New Roads, myChevrolet, OnStar, the OnStar emblem, StabiliTrak and Vortec are trademarks of General Motors LLC, OnStar LLC and/or General Motors of Canada Company, its subsidiaries, affiliates or licensors. Allison is a registered trademark of Allison Transmission, Inc. Apple and Apple CarPlay are trademarks of Apple Inc., registered in the U.S. and other countries. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Facebook is a registered trademark of Facebook Inc. Twitter is a trademark of Twitter, Inc. YouTube is a registered trademark and Google, Android, Google Play and Android Auto are trademarks of Google LLC. Wi-Fi is a registered trademark of Wi-Fi Alliance.

©Copyright 2020 General Motors of Canada Company. All rights reserved. All text, images, graphics, and other materials in this brochure are subject to the copyright and other intellectual property rights of General Motors LLC and/or General Motors of Canada Company. These materials may not be reproduced, distributed or modified without the express written permission of General Motors LLC and/or General Motors of Canada Company. February 2020.



FIND NEW ROADS™



CHEVROLET.CA