

**DODGE '79**

# RAMCHARGER

FUN IN THE SUN.



# Dodge Ramcharger. It Can Drive You to a Whole New Way of Life!

Maybe you've got a yen to challenge a sky-high mountain trail . . . or trek across a trackless desert. Or perhaps all you *really* want is to add a new, zesty spirit of adventure to your daily comings and goings. *Whatever* plans you've got for a more exciting future,

Ramcharger can put wheels under them. With full-time four-wheel drive, standard 6-cyl. powerplant (two-wheel drive) or optional V-8 (standard with four-wheel drive), a truck-tough chassis. Not to mention the roomy, comfortable, car-like interior . . . distinctive, broad-

shouldered styling . . . and options that enable you to tailor Ramcharger to your personal wants and needs. This one is for *living*, as you'll see here.

## Select your stylish interior.

Those handsome cloth-and-vinyl high-back Command bucket seats are optional in the Ramcharger S.E. interior. Also included in the optional Ramcharger S.E. Package are color-keyed vinyl door trim panels with assist strap, locking console with removable beverage chest, woodgrain instrument panel face plate with bright trim and much more.

## New front-end eye-appeal.

For '79, Ramcharger looks better than ever, with a new one-piece bright aluminum grille and smart new front-end sheet-metal appearance.

Some of the equipment items pictured in this catalog are extra-cost options.

# Ramcharger Options for Added Enjoyment and Utility.



Tilt steering column



CB radio



Electric door locks



Sky Lite sun roof



Five-slot chrome disc wheel



White-painted spoke wheel



Chrome-styled wheel



Vinyl soft-top (dealer-installed)



Air conditioning



Outside spare tire carrier



Sno-Commander Package

- ☐ **Tilt steering column.** Adjusts easily to seven different positions for your comfort. Available with optional power steering and automatic transmission.
- ☐ **Sky Lite sun roof.** Brighten the interior with a Sun Screen safety glass sun roof overhead. It can be opened slightly to add to ventilation or removed completely.
- ☐ **Radios, including CB.** AM with 40-channel CB; AM/FM/MX stereo with 40-channel CB; AM; AM/FM; AM/FM/MX stereo; AM/FM/MX stereo with eight-track tape.
- ☐ **New electric door locks.** For added security, an electric door lock system enables you to lock doors quickly.
- ☐ **Big choice of wheels.** Choose chrome-styled road wheels; white-painted steel-spoke wide sport road wheels; 5-slot chrome disc wide sport road wheels.
- ☐ **Vinyl soft-top.** A dealer-installed option that can add to your enjoyment of the outdoors. The plastic windows can be unsnapped and rolled up for open-air travel. Yet the roof protects you from the sun.
- ☐ **Air conditioning.** Designed to provide both cooling and heating, for year-round comfort.
- ☐ **Outside spare tire carrier.** It provides more interior load space and your spare is easily accessible when needed. It swings out the way to allow access to the rear interior.
- ☐ **Sno-Commander Package.** Designed for rugged snow removal service; includes power angling blade, power lift, seven-way control valve. (Four-wheel-drive model only.)
- ☐ **Automatic speed control.** On long distance trips, simply set the speed where desired. It will stay at that relative speed until you release the control or apply the brakes.

## Pick Ramcharger power for your kind of performance.

- If six-cylinder practicality is your preference, go with Ramcharger's 225-cubic-inch Six\*, standard in the AD100 two-wheel-drive model, offering proved performance from overhead-valve design, 30-degree tilt cylinder block, quality features throughout.
- Or, if the added pull of a big optional V-8 is required, equip your Ramcharger with either one of these two powerful performers: Dodge 318-cubic-inch V-8 (standard in AW100 four-wheel-drive model), or a husky 360-cubic-inch V-8, for heavier loading or towing.

\*Not available in California.

## Go! And take the good life with you.

As rugged as Ramcharger is, it's also easy to live with, designed to make mobility as pleasant as possible. The turning diameter, for example, adds to handling and parking agility. There's an advanced four-wheel-drive system to help simplify four-wheeling for the driver. An interior that accommodates people and/or cargo, depending on your selection of seats. An optional tilt steering column, optional automatic speed control and electric door locks . . . yours for good living wherever you go!

### Ramcharger gives you a choice:

• Deluxe vinyl low-back bucket seats (shown right) standard with Ramcharger, optional with Ramcharger S.E.

• Cloth-and-vinyl low-back bucket seats, standard with Ramcharger S.E., optional at extra cost with standard Ramcharger.

An optional rear bench seat that matches the front seat trim is available with Ramcharger or Ramcharger S.E.

### Style was never so strong!

Here is the style and utility of a station wagon, plus the total toughness of a truck. You get a truck-tough 36,000 psi carbon steel frame, high-capacity 3,600-lb. rear axle, husky 3,280-lb. capacity leaf spring front suspension in AW100 4x4s. Sturdy double-wall steel construction in body sides and tailgate . . . a body designed to ward off rust with galvanized steel in areas exposed to moisture and road salt, a special phosphate coating, vinyl seam sealers, zinc-

rich primers and high-gloss acrylic enamel paint. Also standard: the stopping power of a dual hydraulic brake system with front disc brakes and vacuum booster.

### AW100 Ramcharger with full-time four-wheel drive.

It's ready for anything you are! Ramcharger Four by Four, a Dodge Adult Toy equipped with a wild Macho Package of exterior extras. See the Dodge Adult Toys catalog for details.



**When you order  
Ramcharger full-time  
four-wheel drive...  
suddenly there are a lot  
more places you can go.**


Great places, far off the beaten track,  
made accessible by an advanced four-  
wheel-drive system... the result of  
Dodge's over forty years of experience in  
building trucks. A full-time system that  
eliminates the need to shift in or out of  
four-wheel drive, or to lock or unlock front  
free-wheeling hubs.



**Bench seats available.** For six-passenger carrying capacity, order the optional deluxe vinyl front split-back bench seat shown above... plus an optional rear bench seat in matching front seat trim.

**To get the performance you want**, on the road and off, you simply move the transfer case shift lever to one of five positions: *Low Loc*, for pulling through snow, mud, or sand; *Low*, for driving or towing in mountains or hills; *Neutral*, for power take-off operation; *High*, for normal driving; *High Loc*, for added off-road traction. In the rough spots, all four wheels dig in and dig you out; yet on the highway, the ride is quiet and stable.

**Special interaxle differential**, the key to versatile four-wheeling. Located in the transfer case, it delivers proportionalized driving power to both front and rear axles... with a minimum of strain on driveline components. The result is performance that can be tailored to meet a wide variety of driving situations.



# Start your selection here.

Listed below are your basic choices: available wheelbases, seating, paint, drive-line components and options. After you've read the catalog thoroughly, check off what you want. Your Dodge dealer can then assist you in completing your selection.

Model	
<input type="checkbox"/> AD100 (2-wheel drive)	<input type="checkbox"/> AW100 (4-wheel drive)
Trim Level	
<input type="checkbox"/> Ramcharger S.E. Package (optional)	<input type="checkbox"/> Ramcharger
Engine	
<input type="checkbox"/> Std. 225-cubic inch-Six (AD100) N/A California	<input type="checkbox"/> Optional 318-cubic-inch V-8 (Std. AW100)
	<input type="checkbox"/> Optional 360-cubic-inch V-8

Seating Arrangement	
<input type="checkbox"/> 2 Passenger (standard)	<input type="checkbox"/> 3 Passenger (optional)
<input type="checkbox"/> 5 Passenger (optional)	<input type="checkbox"/> 6 Passenger (optional)
Seats	
<input type="checkbox"/> Std. low-back deluxe vinyl front bucket seats	<input type="checkbox"/> Opt. 3-passenger bench rear seat in matching front seat trim
<input type="checkbox"/> Opt. 3-passenger deluxe vinyl split-back bench front seat	<input type="checkbox"/> Opt. low-back cloth-and-vinyl front bucket seats (included in Ramcharger S.E. Package)
<input type="checkbox"/> Opt. high-back cloth-and-vinyl Command front bucket seats (available with Ramcharger S.E. Package only)	

Transmission	
<input type="checkbox"/> Std. 3-speed manual	<input type="checkbox"/> Optional 3-speed automatic
<input type="checkbox"/> Optional NP435 4-speed manual (AW100)	<input type="checkbox"/> Optional NP445 4-speed manual (AW100)
Popular Options	
<input type="checkbox"/> Sno-Commander Pkg. (AW100)	<input type="checkbox"/> Sky Lite sun roof
<input type="checkbox"/> Tilt steering column	<input type="checkbox"/> CB radio (AM, AM/FM/MX stereo)
<input type="checkbox"/> Inside hood release	<input type="checkbox"/> Automatic speed control
<input type="checkbox"/> Transfer case skid plate (AW100)	<input type="checkbox"/> 35 gal. fuel tank
	<input type="checkbox"/> 10 x 15 LT tires (AW100)

## Dodge Ramcharger Specifications

SPECIFICATIONS	AD100 2-WHEEL DRIVE	AW100 4-WHEEL-DRIVE
G.V.W. Rating (lbs.)	4600 5300 6050	6050 6050 w./Sno-Commander Pkg.
Engines*	225 6-cyl. (S) (1), 318 V-8, 360 V-8 (2)	318 V-8 (S), 360 V-8
Clutch, Diameter, Area	11-inch 123.0 Sq. in.	11-inch 123.0 Sq. in.
Transmissions**	3-Speed Manual (S) 3-Speed Automatic	3-Speed Manual (S) NP435 4-Speed Manual NP445 4-Speed Manual 3-Speed Automatic
Transfer Case		NP203, 2-Speed, Full-Time
Axle, Front, Type	Independent Front Suspension 3000	Spicer Spicer 44-F-BJ 3500 44-F-BJ 4000
Axle, Rear, Type	Chrysler 8 1/2-inch 3550	Chrysler 9 1/4-inch 3600
Capacity (lbs.)	3.55 3.2 2.94 6 (S) V-8 V-8 & V-8 (S)	3.55 3.2 (S)
Springs, Front, Type	Coil Independent Front Suspension	48 x 2.5-inch Leaf
Capacity @ Grd.	1340(S) 1340(S) 1440(S) 1440HD 1440HD —	1640(S) 2100(S)
Springs, Rear, Type	52 x 2.5-inch Leaf	52 x 2.5-inch Leaf
Capacity @ Grd. (lbs.)	1610(S) 1610(S) 1820(S) 1820HD 1820HD —	1820(S) 1820(S)
Stabilizer Bar, Front, Diameter	Optional 1.0-inch	1.0-inch (S) 1 1/16-inch HD
Maximum Load Rating (lbs.)	1298 1760 2465 225 225 225 6-cyl. 6-cyl. 6-cyl. 1225 1690 2410 318 318 318 V-8 V-8 V-8	1970 1255 318 318 V-8 V-8
Shock Absorbers (Dia.)	1.0-inch (S), 1 1/16-inch (O) 1.0-inch (S), 1 1/16-inch (O)	1.0-inch (S), 1 1/16-inch (O) 1.0-inch (S), 1 1/16-inch (O)

SPECIFICATIONS	AD100 2-WHEEL DRIVE	AW100 4-WHEEL-DRIVE
Steering—Type —Turning Dia.	Recirculating Ball 37.3 feet	Recirculating Ball 36.9 feet
Tires, Front*** and Rear—Std. —Opt. —Sizes	FR78 HR78 L78 -15-B -15-B -15-B -15-B -15-B -15-B -15-B -15-B -15-B -15-B -15-B -15-B	L78 7.00-15-D -15-B LR70 -15-B LR70 -15-B LR60 -15-B LR78 -15-B 7.00 -15-B 10-15LT-B
Wheels, Front and Rear (5-stud disc)	15 x 5.50-in. (S) 15 x 6.50-in. (S) 15 x 6.50-in. (S)	15 x 6.50-in. (S)
Chrome-Styled Road Type	15 x 6.00-in. (O)	15 x 6.00-in. (O)
White-Painted Steel-Spoke	15 x 8.00-in. (O)	15 x 8.00-in. (O)
5-Slot Chrome, Disc	15 x 8.00-in. (O)	15 x 8.00-in. (O)
Brakes, Service: Type	Hydraulic Dual Braking System with Power Assist Disc—11.75 x 1.25-in. Drum—10 x 2.5-in.	Hydraulic Dual Braking System with Power Assist Disc—11.75 x 1.25-in. Drum—10 x 2.5-in.
Front		
Rear		
Brakes, Parking: Type	Rear Wheel, Internal Expanding Foot Pedal 97.6 Sq. In.	Rear Wheel, Internal Expanding Foot Pedal 97.6 Sq. In.
Control		
Frame—Type and Section MOD	Drop Frame 2.86	Drop Frame 2.86
Electrical: Alternator	48 Amp. (S), 63 Amp., 117 Amp. 48 Amp.-Hr./305 Amp. Cold Crank (S) 59 Amp.-Hr./375 Amp. Cold Crank	48 Amp. (S), 63 Amp., 117 Amp. 48 Amp.-Hr./305 Amp. Cold Crank (S) 59 Amp.-Hr./375 Amp. Cold Crank
Battery	70 Amp.-Hr./430 Amp. Cold Crank (maint. free) 85 Amp.-Hr./500 Amp. Cold Crank Long Life	70 Amp.-Hr./430 Amp. Cold Crank (maint. free) 85 Amp.-Hr./500 Amp. Cold Crank Long Life

- \* Optional and standard V-8 engines in all states except California are equipped with a 2-bbl. carburetor; 225 6-cyl. engine is equipped with 1-bbl. carburetor; V-8 engines in California are equipped with 4-bbl. carburetors.
- \*\* Some transmissions are restricted for use with certain engines. See your Dodge dealer for details.
- \*\*\* All axle ratios are available with anti-spin differential. Specific axle ratios may be restricted for use with certain engine-transmission combinations. See your Dodge dealer for details.
- \*\*\*\* The letter "H" in letter-number tire designations indicates radial tire ply.

(S) Standard equipment

(O) Optional equipment

(1) N/A in California

(2) Available w/6050 G.V.W. only

## COLORS:

Straight Shades	White	Sunburst Orange	Metallics	Light Silver Metallic	Teal Frost Metallic	Sunfire Metallics	Teal Green Sunfire Metallic
	Cashmere	Yellow Flame		Cadet Blue Metallic	Citron Green Metallic		Sable Brown Sunfire Metallic
	Medium Canyon Red	Formal Black		Elision Blue Metallic	Medium Tan Metallic		Canyon Red Sunfire Metallic

DODGE IS INTO TRUCKING  
LIKE AMERICA'S INTO JEANS.

BUY OR LEASE A RAMCHARGER

All product illustrations and specifications are based on authorized information. Although all descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional at extra cost. Dodge reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors, and materials, and to change or discontinue models.

