

# Plymouth Belvedere



THE ROARING '65s / FURY / BELVEDERE / VALIANT / BARRACUDA **Plymouth**

THEY'VE DONE IT AGAIN THIS YEAR

Do you get the feeling, every year when you look at the new model cars, that "they" can't possibly improve on them for next year?

Well—"they" have done it again! You're in for a real surprise when you see Plymouth's 1965 Belvedere line: Satellite, Belvedere II and Belvedere I. Everything Plymouth was for '64, Belvedere is for '65—and then some!

"They", at Plymouth, of course, stands for the staff of more than 5,000 research, engineering and styling experts, who make a career at drawing board and bench, in laboratory and on test track, of keeping alive the tradition of mechanical excellence established by Walter P. Chrysler more than forty years ago — a thing you have come to take for granted in today's Plymouth.

## ANOTHER BEVY OF HOT PERFORMERS

Remember the way Plymouth has been spelling out performance in capital letters on race track, test track, and in road tests recently?

You can have this performance six separate ways in Belvedere for '65! Your choice ranges from the economical eagerness of the 225-cu.-in. Standard Six to the hold-on-to-your-hat rambunctiousness of Belvedere's Optional 426-cu.-in. High Performance Commando V-8! Whichever engine you choose, you'll find your Belvedere "really has it when you ask for it."

#### PERFORMANCE PLUS WITH MINIMUM FUSS

It's a compliment to Plymouth that people have come to expect the kind of performance Plymouth delivers—day in and day out, mile after mile—with a minimum of fuss and fret.

You will be glad to hear that, again for '65, the engine and drive train components that contribute so largely to delivering that performance are covered by Plymouth's now-famous 5-year/50,000-mile warranty.†

#### EXTRA WIDE MODEL AND COLOR RANGE

There are surprises everywhere you look in Plymouth's '65 Belvedere. Like Belvedere's 18 temptingly styled models. They give you an uncommonly wide range of style-and-performance choices.

Like Belvedere's 15 solid colors and 19 "split-level" combinations. Each is in new acrylic enamel that makes it possible to maintain Belvedere's "showroom shine" much longer than was formerly possible.

THERE'S A BELVEDERE BUILT FOR YOU.

Like Belvedere's model lineup of wagons, convertibles, sedans and hardtops. With the varied assortment of options available, it seems almost impossible to imagine your not finding a Belvedere that gives you the feeling it was made just for you! Like Belvedere's attractive "color-mated" interiors, with fresh new upholstery and floor-covering designs and materials. They feature improved wearability and make maintenance a wipe-clean thing.

BEST WAY TO KNOW BELVEDERE IS TO DRIVE IT

Tempted to take a look? You'll never know what *real* temptation is until you see a Belvedere from the driver's seat! Belvedere—one of the Roaring '65s by Plymouth—a new way to swing without going out on a limb.

Choose yours the easy way. Find it in the following pages. Then see your Plymouth Dealer. If he doesn't have your Belvedere in stock, or ready for you to drive home, he'll be glad to deliver it to your door in short order.

**CHRYSLER CORPORATION'S 5-YEAR/50,000-MILE WARRANTY COVERAGE** Chrysler Corporation warrants, for 5 years or 50,000 miles, whichever comes first, against defects in materials and workmanship and will replace or repair at a Chrysler Motors Corporation Authorized Dealer's place of business, the engine, block, head and internal parts, intake manifold, water pump, transmission and case and internal parts (excluding normal clutch), torque converter, drive shaft, universal joints, rear axle and differential, and rear wheel assembly of this 1985 automobile, provided the owner has the engine registered in the name of the original owner and has maintained the vehicle in accordance with the recommendations in the owner's manual. The 5-year period begins on the date of original purchase. Every 6 months the owner should furnish to a dealer evidence of performance of the required service, and requests the dealer to certify (1) receipt of such evidence and (2) the car's then current mileage. The 5-year period will be extended by the number of days the car is not in use due to a defect in materials or workmanship.





## Satellite



Free-wheeling fun seekers and those who like their cars with an extraordinary flair, will find it hard to resist the luxury appeal of Satellite. Pride, prestige, performance, and pleasure have seldom come wrapped in a more attractive package at a more attractive price.

The clean, straightline styling of Belvedere is strikingly evident in this Satellite 2-Door Hardtop in Copper Metallic.



The rakish cut of the Satellite convertible, here shown in Ruby, combines with the strong simplicity of its ornamentation to say "first class" in every line.

**Satellite standard equipment** 273-cu.-in. V-8 Engine / 3-Speed Manual Transmission/All-Vinyl Individual Bucket Seats/Compartment Console/Torsion-Bar Suspension / Oilflow Shock Absorbers / Deluxe Wheel Covers / Self-Adjusting Brakes / Color-Keyed, Deep-Pile Carpeting / Single-Speed Electric Windshield Wipers/Heater-Defroster/Armrests Front and Rear [Ash Receivers in Rear]/Back-Up Lights/Right & Left Sun Visors/Chrysler Corporation Alternator and 12-Volt Battery/Cigarette Lighter / Automatic Convertible Top, Electrically Operated / Seat Belts-Front.

**Popular options and accessories** 318-cu.-in. V-8 Engine / 361-cu.-in. Commando V-8 Engine/383-cu.-in. High Performance Commando V-8 Engine/426-cu.-in. High Performance Commando V-8 Engine/3-Speed Automatic Transmission/Deluxe Steering Wheel with Full Horn Ring/Padded Instrument Panel/Electric Clock/Power Steering/Power Brakes/"4-on-the-floor" Transmission (Hurst Linkage) with Console-Mounted Shift Lever/Sure-Grip Differential/Remote-Control Side-View Mirror/White Sidewall Tires/Power Windows/Tinted Glass/Air Conditioner/Seat Belts with Retractors/Radio, AM or AM-FM / Bumper Guards/Day-Nite Mirror / Variable-Speed Windshield Wipers and Washers.

**Basic Specifications** Overall Length/203.4 in. Overall Width/75.6 in. Overall Height/55.3 in. Wheelbase/116.0 in. Trunk Capacity/17.3 cu. ft. (See page 18 for complete specifications)



The radiant loveliness of Satellite's color-coordinated interiors is outdone only by the heavy-duty wearability of its new knit-backed vinyl seat-covering materials.





## Belvedere II




Belvedere's new single-unit headlamp treatment gives the Belvedere II 4-Door Sedan, here in Dark Blue Metallic, a stately look of quality.

Belvedere II can make everything a ball, from a short haul to the nearest store to a long haul to the farthest shore. It's a car with that stand-out-in-a-crowd look, and that move-out-in-front-of-the-crowd feel. You'll never feel the same about other cars after you drive a Belvedere II.



A sense of adventure and fun in the air become part of the standard equipment when you get behind the wheel of a Belvedere II Convertible. This one is in Medium Beige.



The Belvedere Wagon is no "plain-Jane" utility vehicle. As exemplified by this Belvedere II 3-Seat Station Wagon in Medium Blue Metallic, it can go anywhere you can go, and "do itself proud."



The deep beauty of Plymouth's new acrylic enamel exterior finish is especially noticeable in the Dark Turquoise Metallic of the Belvedere II 2-Door Hardtop.

**Belvedere II standard equipment** 225-cu.-in. 6-cyl. Engine\* / 273-cu.-in. V-8 Engine\* / 3-Speed Manual Transmission/Vinyl-and-Fabric Interiors/All-Vinyl Interiors (Convertibles & Wagons only)/Torsion-Bar Suspension/Ori-flow Shock Absorbers/Self-Adjusting Brakes/Color-Keyed, Deep-Pile Carpeting/Single-Speed Electric Windshield Wipers/Heater-Drafstop/Armrests Front and Rear [Ash Receivers In Rear]/Back-Up Lights/Super Foam Front Seat Cushions/Right & Left Sun Visors/Chrysler Corporation Alternator and 12-Volt Battery/Cigarette Lighter/Automatic Convertible Top, Electrically Operated/Seat Belts-Front.

\*Price of standard vehicle will vary, dependent on choice of engine. The "Standard 8" will, naturally, cost somewhat more than the "Standard 6."

**Basic Specifications** Overall Length/203.4 in. Overall Width/75.6 in. Overall Height/54.3 in. Wheelbase/116.0 in. Trunk Capacity/17.3 cu. ft. (See page 18 for complete specifications)





Belvedere II passenger-car interiors match vinyl-and-fabric ruggedness with color-keyed richness and warmth.



Generous, almost cavernous cargo space is characteristic of all Belvedere II Station Wagons, whether 2- or 3-seat models.





The colorful, sturdy simplicity of Belvedere I interiors flatters your judgment in recognizing the high value in even Belvedere's economy-priced series.



## Belvedere I




The high-value look of this Belvedere I 4-Door Sedan in Black will never tip your hand to the neighbors with even a hint about its low price.

Dollar-saving economy with the look of quality is the key to the popularity of Belvedere I. Designed to fit into bashful budgets, it is every inch a Plymouth in quality, reliability, durability, and performance. It adds the joy of mile-after-mile economy to the many-pleasured enjoyment of Plymouth ownership.



The 2-Door Sedan Belvedere I is the lowest-priced model in Plymouth's Belvedere Line. Almost incredible, isn't it, when you look at this Medium Turquoise Metallic example?




This Belvedere I 2-Seat Station Wagon, in Light Blue, is indicative of the beauty-plus-utility available in even the lowest-priced Belvedere Wagon in the line.

**Belvedere I standard equipment** 225-cu.-in. 6-cyl. Engine\* / 273-cu.-in. V-8 Engine\* / 3-Speed Manual Transmission / Vinyl-and-Fabric Interiors / All-Vinyl Interiors (Wagons only) / Torsion-Bar Suspension / Oilflow Shock Absorbers / Self-Adjusting Brakes / Rubber Mat Floor Covering / Single Speed Electric Windshield Wipers / Heater-Defroster / Armrests Front and Rear (Ash Receivers in Rear) / Right & Left Sun Visors / Chrysler Corporation Alternator and 12-Volt Battery / Cigarette Lighter / Seat Belts—Front.

\*Price of standard vehicle will vary, dependent on choice of engine. The "Standard 6" will, naturally, cost somewhat more than the "Standard 6."

**Basic Specifications** Overall Length/203.4 in. Overall Width/75.6 in. Overall Height/55.0 in. Wheelbase/116.0 in. Trunk Capacity/17.3 cu. ft. (See page 18 for complete specifications)


**Popular options and accessories** 318-cu.-in. V-8 Engine / 361-cu.-in. Commando V-8 Engine / 383-cu.-in. High Performance Commando V-8 Engine / 426-cu.-in. High Performance Commando V-8 Engine / 3-Speed Automatic Transmission / "4-on-the-floor" Transmission (Hurst Linkage) / Power Steering / Power Brakes / Electric Clock / Back-Up Lights / Super Foam Front Seat Cushions / Radio, AM or AM-FM / Wheel Covers / White Sidewall Tires / Tinted Glass / Air Conditioner / Seat Belts with Retractors / Sure-Grip Differential / Remote-Control Side-View Mirror / Day-Nite Mirror / Bumper Guards.




**Mirror (Day/Nite—Inside—Rear-View)**—This handy option gives clear-as-crystal image reproduction in the daytime, and a quick finger adjustment enables the driver to cut night glare of following headlamps and reflected light from rainy streets to a minimum, for safer driving.

## Options and Accessories


**Wheel covers** Decorative, sculptured, stainless steel wheel covers are an inexpensive "beauty treatment" for your Belvedere. And for an even racier touch of distinctive styling, the last word is these "custom" covers with simulated knock-off hubs (right).



**Rubber-Inserted Bumper Guards** For the tailored or custom look that marks your Belvedere as the car of an owner with a taste for the practical in its ornamentation. The thick, black, molded rubber is protective as well as decorative.



**Mirror (Remote Control—Outside)**—No need to open the door or even roll down the window, especially in inclement weather, to adjust this Mirror. A simple touch of the finger can adjust it instantly to the needs of the driver.



**Front Compartment Console** Whether you're a "stick-shifter," or an "automatic addict," you can have your favorite type shift mounted in an attractive console. A "for-real" tachometer is also available with the console in the Belvedere Satellite.



**Transmission (Torque-Flite Automatic)**—Here is the ideal "driver-saver," to keep you relaxed and confident, and make driving your Belvedere an almost effortless adventure. Note the new Steering-Column-Mounted Selector Lever.



**AM-FM "Transaudio" Radio** Something new in appearance and performance for 1965. Enjoy new clarity and purity of signal and tone, with a much more favorable signal-to-noise ratio than formerly, and superior tuning stability.

### ADDITIONAL OPTIONS AND ACCESSORIES:

**Power Steering**—Here's the full-time answer to almost effortless manipulation of your car, especially when moving in and out of those snug city parking spaces, or sudden, tight highway situations.

**Power Tailgate Window**—A great footstep-saver when operated from the dash-mounted control switch, especially when the weather is bad. May also be operated from rear lock-cylinder control.

**Power Brakes**—Power Brakes offer a distinct advantage in those sudden, unexpected situations, and are especially recommended where trailer towing is contemplated.

**Sure-Grip Differential**—Maximum, positive power transmission with minimum wheelspin is the major advantage of the optional Sure-Grip Differential.

**Variable Speed Wipers with Windshield Washer**—A safety option of almost incalculable value when the going is complicated by sleet, slush, ice, or thrown-up mud or salt from messy roadways. Washer is now supplied from a rigid plastic reservoir.

**Tinted Window Glass**—Driver comfort and convenience can be increased noticeably by the use of tinted windshield glass. The ideal situation for everybody in the car, of course, is the "full treatment" all around the car.

**Seat Belts**—New "Custom Retractable" Optional Seat Belts, both front and rear, are, beyond doubt, the best safety investment you could possibly make, and most convenient.

**Light Packages**—Belvedere's Light Packages offer you a Glove Box Light, Luggage Compartment Light, and Parking Brake Warning Light. The great added convenience far outweighs the small extra cost.

## Performance Options

No matter how you interpret performance, Plymouth puts it at your fingertips, or your toe-tips, in Belvedere.


If performance, to you, means "plenty of power coupled with maximum economy," Belvedere's Standard Six is for you.

If performance is spelled with eight cylinders in your vocabulary, then Belvedere with the Standard 273-cu.-in. V-8, or the Optional 318-cu.-in. or 361-cu.-in. Commando V-8 will be right up your alley.


Should performance mean an even more upbeat thing to you, you're in the class that will favor Belvedere's Optional 383-cu.-in. High Performance Commando V-8.

Then, of course, if nothing but the hottest thing on wheels will fit your definition of performance, only Belvedere with the Optional 426-cu.-in. High Performance Commando V-8 will fill the bill.


**Optional Commando V-8**  
361-cu.-in. 8-cylinder, 2-barrel carburetor, standard cam, single exhaust, 9.0 to 1 compression ratio, air cleaner with silencer, regular fuel.




**Optional High Performance Commando V-8**—383-cu.-in. 8-cylinder, 4-barrel carburetor, special cam, dual exhaust, 10.0 to 1 compression ratio, unsilenced air cleaner, premium fuel.




**Standard Six**—225-cu.-in. 6-cylinder, single-barrel carburetor, standard cam, single exhaust, 8.4 to 1 compression ratio, regular fuel.




**Standard V-8**—273-cu.-in. 8-cylinder, 2-barrel carburetor, standard cam, single exhaust, 8.8 to 1 compression ratio, air cleaner with silencer, regular fuel.



**Optional V-8**—318-cu.-in. 8-cylinder, 2-barrel carburetor, standard cam, single exhaust, 9.0 to 1 compression ratio, air cleaner with silencer, regular fuel.



**Optional High Performance Commando V-8**—426-cu.-in. 8-cylinder, 4-barrel carburetor, special cam, dual exhaust, 10.3 to 1 compression ratio, unsilenced air cleaner, premium fuel.



## Special Trailer-Towing Equipment

### TRAILER TOWING THE EASY WAY WITH PLYMOUTH

Special equipment will match your Belvedere to special trailer-towing jobs. This equipment is offered in the trailer-towing package described below, along with valuable information on how to help your car do its job easily.

#### BELVEDERE TRAILER-TOWING PACKAGE

Maximum loaded gross trailer weight—4000 pounds. Trailer package is required for trailers with a gross weight of 2000 pounds.

Standard package equipment:

High-Capacity Cooling System, including:

Special radiator  
High-pressure cap—16 psi  
Large 18" fan  
Fan shroud  
Yoke-to-hood air seal

Performance Axle—3.23 ratio

Heavy-Duty Suspension Front and Rear with Sway Bar

Police Brakes—11" Front and Rear (non self-adjusting)

Oversize Tires—8.25 x 14 on Station Wagons

7.75 x 14 on all except Station Wagons

(Use of tire chains with 8.25 x 14 tires should be avoided)

Wide Wheel Rims

Heavy-Duty Turn Signal Flasher

Heavy-Duty Stop Lamp Switch

Automatic Transmission required (Manual not available)

#### OPTIONAL EQUIPMENT RECOMMENDATIONS

These options will provide better performance and easier driving when pulling a loaded trailer:

Sure-Grip Differential

High-Output Alternator—40 amp.

Heavy-Duty Battery with Heat Shield—70 amp-hour

Power Brakes

Power Steering

Optional V-8—318-cu.-in. 8-cylinder engine, 2-barrel carburetor, standard cam, single exhaust, 9.0 to 1 compression ratio, air cleaner with silencer, regular fuel.

Optional Commando V-8—361-cu.-in. 8-cylinder engine, 2-barrel carburetor, standard cam, single exhaust, 9.0 to 1 compression ratio, air cleaner with silencer, regular fuel.

Optional High Performance Commando V-8—383-cu.-in. 8-cylinder engine, 4-barrel carburetor, special cam, dual exhaust, 10.0 to 1 compression ratio, unsilenced air cleaner, premium fuel.

**NOTE:** Trailer-towing packages are not available on cars equipped with the Commando 426-cu.-in. engine, or with manual transmission. Air conditioning not available with 8-cylinder engine. Frame-type load-equalizing hitch must be used on trailers having a loaded tongue weight of 200 pounds or more.

**CHRYSLER CORPORATION'S 5-YEAR/\$0,000-MILE WARRANTY COVERAGE** Chrysler Corporation warrants, for 5 years or 50,000 miles, whichever comes first, against defects in materials and workmanship, the following parts: engine block, head and integral parts, intake manifold, water pump, transmission case and internal parts (excluding manual clutch), torque converter, drive shafts, wheel joints, rear axle and differential, and rear wheel bearings of its 1965 automobiles, provided the owner has the engine oil changed every 6 months and replaced every 2 years, and every 6 months furnishes to such a dealer evidence of performance of the required service, and requests the dealer to certify (1) receipt of such evidence and (2) the car's then current mileage.

### WHAT YOU SHOULD KNOW BEFORE YOU GO

Tires . . . For all types of towing, air pressure in all tires should be increased 4 pounds over normal pressure.

Trailer Tongue Load . . . Frame-type load-equalizing hitch† must be used on trailers having a loaded tongue weight of 200 pounds or more. Loaded trailer tongue weight on Belvedere should not exceed 450 pounds.

#### HITCHES

Load-Equalizing Hitch:† This special type hitch is required for trailer towing. It distributes trailer loads throughout the main underbody structure of the car. It can also be adjusted to equalize trailer loads between front and rear suspensions of the car. Consult your trailer dealer for the type of hitch your trailer requires.

#### DRIVING TIPS FOR TRAILER TOWING

Boat Launching . . . always be sure to have your service dealer check the rear axle lubricant of your car if the rear axle should happen to submerge while launching a boat.

Cars with TorqueFlite . . . use the "2" speed when going up or down steep grades . . . this provides better pulling power and more effective downhill engine braking and engine cooling . . . it also reduces torque-converter action, improving gasoline economy.

Cars with Air Conditioning . . . the following precautions should be taken when pulling a trailer with an air-conditioned car on a hot day, if there is any evidence of engine overheating:

When climbing hills, select a lower transmission gear.

While stopped in heavy traffic, put the transmission in neutral and idle the engine at a higher speed.

When cruising on the highway, reduce speed.

**NOTE:** If the engine continues to overheat, shut off the air conditioner temporarily, until engine temperature returns to normal.

#### WHY A BELVEDERE IS YOUR BEST INVESTMENT IN DEPENDABLE, ECONOMICAL TRAILER TOWING

Plymouth engines have been consistent winners in the Mobil Economy Runs, and are more than competitive in performance, with reserve power for passing, and top fuel economy.

Safety-Rim wheels are standard equipment. They help provide extra security in case of a blowout.

Wheel bearings and rear axles have sufficient capacity to handle the additional loads imposed by a trailer, provided proper Towing Package is used.

TorqueFlite automatic transmission provides the performance, economy and engine braking that trailer owners want. TorqueFlite will withstand heavier loads than manual-shift units and will permit the engine to operate at its most efficient speeds. Trailer towing puts an extra load on the engine, transmission and rear axle of any car. These parts are warranted\* for five years or 50,000 miles on your 1965 Plymouth, when the car is equipped with the trailer-towing package that meets the weight requirements specified in this brochure. It is recommended that the driving precautions contained in this brochure be followed to reduce the possibility of abnormal use.

# Belvedere Specifications

**EXTERIOR DIMENSIONS**

	Wagons	Others
Wheelbase	116.0 in.	116.0 in.
Track, front	59.5 in.	59.5 in.
Track, rear	59.5 in.	59.5 in.
Length, overall	202.4 in.	203.4 in.
Width, overall	75.1 in.	75.6 in.
Height, overall	55.1 in. (Sedans) 55.9 in. (Station Wagon)	55.9 in. (Sedans) 55.9 in. (Station Wagon)
Height, overall	54.3 in.	54.3 in.

\*5-passenger load  
†Basic measurements for sedans, unless otherwise noted.

**INTERIOR DIMENSIONS**

	Wagons	Others
Headroom, front	39.5 in.	39.1 in.
Headroom, rear	39.5 in.	38.4 in.
Legroom, front	36.5 in.	36.6 in.
Legroom, rear	36.5 in.	36.8 in.
Hiproom, front	60.8 in.	60.8 in.
Hiproom, rear	59.0 in.	59.0 in.
Seat height, front	8.1 in.	8.1 in.
Seat height, rear	11.0 in.	11.0 in.
Head room, rear	4.4 in.	4.4 in.

\*AMA Standards of measurement  
†Basic measurements for sedans, unless otherwise noted.


**BRAKES**  
Hydraulic 10-inch diameter 2.5-in.-wide, servo-contact, self-energizing brakes, with bonded linings. Liners are 11.0 square inches for both passenger car and station wagon. Braking system also includes a front disc self-adjusting feature (activated during reverse stops) is incorporated in the design. Separate, foot-operated parking brake, cable-connected, acts on each rear wheel.

**SUSPENSION**  
Front: 10-inch diameter 2.5-in.-wide torsion bars and ball joints  
Rear: 2.5-inch-wide asymmetrical leaf springs\*  
Shock absorbers.

\*5 leaves in passenger cars—6.5 in. in wagons

**V-8 ENGINES**

	273 Standard	318 Optional	361 Commando
Horsepower	180 at 4200 rpm	230 at 4400 rpm	265 at 4400 rpm
Torque, lbs.-ft.	260 at 3400 rpm	340 at 3400 rpm	380 at 3400 rpm
Compression ratio	8.8 to 1	9.0 to 1	9.0 to 1
Bore, inches	3.63	3.71	3.75
Stroke, inches	3.73	3.81	3.85
Displacement, cu. in.	273	318	361
Carburetor type	2-bbl.	2-bbl.	2-bbl.
All-choke type	Dry	Dry	Dry
Exhaust	Single	Single	Standard
Camshaft	Standard	Standard	Regular
Fuel	Regular	Regular	Regular



Dimensions above are basic for Sedans. Variations between these and dimensions for other body models (except Station Wagons, shown above) can be measured, in most cases, in tenths-of-an-inch.

**CHRYSLER CORPORATION'S 5-YEAR/50,000-MILE WARRANTY COVERAGE** Chrysler Corporation warrants, for 5 years or 50,000 miles, whichever comes first, against defects in materials and workmanship and will replace or repair at a Chrysler Motors Corporation Authorized Dealer's place of business, the engine block, head and internal parts, intake manifold, water pump, transmission case and internal parts (excluding manual clutch), torque converter, drive shaft, universal joints, rear axle and differential, and rear wheel bearings of its 1966 automobiles, provided the owner has the engine oil changed every 3 months or 4,000 miles, whichever comes first, the oil filter replaced every second oil change and the carburetor air filter cleaned every 6 months and replaced every 2 years, and every 6 months furnishes to such a dealer evidence of performance of the required service, and requests the dealer to certify (1) receipt of such evidence and (2) the car's then current mileage.

## Satellite and Belvedere I

**TWO-TONE COLORS (Extra Cost)** **TOP COLOR / BASIC COLOR**—White / Copper Metallic—Medium Blue Metallic / Dark Blue Metallic—Light Blue / Medium Blue Metallic—White / Medium Blue Metallic—Light Turquoise / Medium Turquoise Metallic—White / Medium Turquoise Metallic—Medium Turquoise Metallic / Dark Turquoise Metallic—White / Light Tan—Light Tan / Medium Tan Metallic—White / Ruby—White / Medium Red Metallic—Ivory / Gold Metallic—Black / Gold Metallic—White / Black. Convertible Coupe Tops—Off-White or Black available with all exterior colors; also blue with blue trim. Vinyl-Covered Roof Tops—Off-White or Black grained vinyl available on Station Wagon with all exterior colors at slight additional cost.

## Belvedere II only

**TWO-TONE COLORS (Extra Cost)** **TOP COLOR / BASIC COLOR**—White / Medium Blue Metallic—White / Dark Blue Metallic—White / Medium Turquoise Metallic—White / Dark Turquoise Metallic—White / Medium Tan Metallic—White / Copper Metallic—White / Ruby—White / Medium Red Metallic—White / Gold Metallic—Black / Gold Metallic—Ruby / White—White / Black. Convertible Coupe Tops—Off-White or Black available with all exterior colors; also blue with blue trim. Vinyl-Covered Roof Tops—Off-White or Black grained vinyl available on 2-Door Hardtops with all exterior colors, at slight additional cost.

## V-8 ENGINES (continued)

	383	426	426	426
	Optional	Optional	Optional	Optional
	Commando	Commando	Commando	Super
Horsepower	330 hp at 4600 rpm	365 hp at 4800 rpm	365 hp at 4800 rpm	365 hp at 4800 rpm
Torque, lbs.-ft.	470 at 3200 rpm			
Compression ratio	10.0 to 1	10.3 to 1	10.3 to 1	10.3 to 1

Bore, inches 4.25 4.25 Full

Stroke, inches 3.38 3.75 specifications available from

Displacement, cu. in. 330 440 440 440 from

Carburetor type 4-bbl. 4-bbl. 4-bbl. 4-bbl. from

Air cleaner type Unsilenced Unsilenced Unsilenced your

Exhaust Dual Dual Dual Dealer

Camshaft Special Special Dealer

Fuel Premium Premium on request

\*10.5 to 14.5 bbl. engine has special cam, uses premium fuel, and is optional at extra cost, as are all alternate engines in this table.

\*Not covered by 5-year/50,000-mile engine and drive train warranty.

## CAPACITIES

Fuel tank 19 gallons

Fuel tank, Station Wagons 21 gallons

Cooling system, 6-cylinder engines 13 quarts

Cooling system, Commando engines 17 quarts

Lubricating oil 4 quarts

Manual 3-speed (6S) 6.0 pts. (8S) 4.5 pts.

Manual 4-speed (6S) 17.0 pts. (8S) 15.5 pts.

Automatic (optional) (6S) 19.0 pts.

With heater, 13 quarts

With heater, 17 quarts

With heater, 21 quarts

With heater, 23 quarts

With heater, 25 quarts

With heater, 27 quarts

With heater, 29 quarts

With heater, 31 quarts

With heater, 33 quarts

With heater, 35 quarts

With heater, 37 quarts

With heater, 39 quarts

With heater, 41 quarts

With heater, 43 quarts

With heater, 45 quarts

With heater, 47 quarts

With heater, 49 quarts

With heater, 51 quarts

With heater, 53 quarts

With heater, 55 quarts

With heater, 57 quarts

With heater, 59 quarts

With heater, 61 quarts

With heater, 63 quarts

With heater, 65 quarts

With heater, 67 quarts

With heater, 69 quarts

With heater, 71 quarts

With heater, 73 quarts

With heater, 75 quarts

With heater, 77 quarts

With heater, 79 quarts

With heater, 81 quarts

With heater, 83 quarts

With heater, 85 quarts

With heater, 87 quarts

With heater, 89 quarts

With heater, 91 quarts

With heater, 93 quarts

With heater, 95 quarts

With heater, 97 quarts

With heater, 99 quarts

With heater, 101 quarts

With heater, 103 quarts

With heater, 105 quarts

With heater, 107 quarts

With heater, 109 quarts

With heater, 111 quarts

With heater, 113 quarts

With heater, 115 quarts

With heater, 117 quarts

With heater, 119 quarts

With heater, 121 quarts

With heater, 123 quarts

With heater, 125 quarts

With heater, 127 quarts

With heater, 129 quarts

With heater, 131 quarts

With heater, 133 quarts

With heater, 135 quarts

With heater, 137 quarts

With heater, 139 quarts

With heater, 141 quarts

With heater, 143 quarts

With heater, 145 quarts

With heater, 147 quarts

With heater, 149 quarts

With heater, 151 quarts

With heater, 153 quarts

With heater, 155 quarts

With heater, 157 quarts

With heater, 159 quarts

With heater, 161 quarts

With heater, 163 quarts

With heater, 165 quarts

With heater, 167 quarts

With heater, 169 quarts

With heater, 171 quarts

With heater, 173 quarts

With heater, 175 quarts

With heater, 177 quarts

With heater, 179 quarts

With heater, 181 quarts

With heater, 183 quarts

With heater, 185 quarts

With heater, 187 quarts

With heater, 189 quarts

With heater, 191 quarts

With heater, 193 quarts

With heater, 195 quarts

With heater, 197 quarts

With heater, 199 quarts

With heater, 201 quarts

With heater, 203 quarts

With heater, 205 quarts

With heater, 207 quarts

With heater, 209 quarts

With heater, 211 quarts

With heater, 213 quarts

With heater, 215 quarts

With heater, 217 quarts

With heater, 219 quarts

With heater, 221 quarts

With heater, 223 quarts

With heater, 225 quarts

With heater, 227 quarts

With heater, 229 quarts

With heater, 231 quarts

With heater, 233 quarts

With heater, 235 quarts

With heater, 237 quarts

With heater, 239 quarts

With heater, 241 quarts

With heater, 243 quarts

With heater, 245 quarts

With heater, 247 quarts

With heater, 249 quarts

With heater, 251 quarts

With heater, 253 quarts

With heater, 255 quarts

With heater, 257 quarts

With heater, 259 quarts

With heater, 261 quarts

With heater, 263 quarts

With heater, 265 quarts

With heater, 267 quarts

With heater, 269 quarts

With heater, 271 quarts

With heater, 273 quarts

With heater, 275 quarts

With heater, 277 quarts

With heater, 279 quarts

With heater, 281 quarts

With heater, 283 quarts

With heater, 285 quarts

With heater, 287 quarts

With heater, 289 quarts

With heater, 291 quarts

With heater, 293 quarts

With heater, 295 quarts

With heater, 297 quarts

With heater, 299 quarts

With heater, 301 quarts

With heater, 303 quarts

With heater, 305 quarts

With heater, 307 quarts

With heater, 309 quarts

With heater, 311 quarts

With heater, 313 quarts

With heater, 315 quarts

With heater, 317 quarts

With heater, 319 quarts

With heater, 321 quarts

With heater, 323 quarts

With heater, 325 quarts

With heater, 327 quarts

With heater, 329 quarts

With heater, 331 quarts

With heater, 333 quarts

With heater, 335 quarts

With heater, 337 quarts

With heater, 339 quarts

With heater, 341 quarts

With heater, 343 quarts

With heater, 345 quarts

With heater, 347 quarts

With heater, 349 quarts

With heater, 351 quarts

With heater, 353 quarts

With heater, 355 quarts

With heater, 357 quarts

With heater, 359 quarts

With heater, 361 quarts

With heater, 363 quarts

With heater, 365 quarts

With heater, 367 quarts

With heater, 369 quarts

With heater, 371 quarts

With heater, 373 quarts

With heater, 375 quarts

With heater, 377 quarts

With heater, 379 quarts

With heater, 381 quarts

With heater, 383 quarts

